

AD-A032 843


AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9  
ELECTRONICS PRINCIPLES PRECISION MEASURING EQUIPMENT CAREER LAD--ETC(U)  
NOV 76

UNCLASSIFIED

AFPT-90-324-222

NL

1 OF 3  
AD  
A032 843



AD A 032843

9 OCCUPATIONAL SURVEY REPORT



6 ELECTRONICS PRINCIPLES  
PRECISION MEASURING EQUIPMENT  
CAREER LADDER  
AFSCs 32430, 32450, 32470, AND 32490

14 AFPT-90-324-222

11 5 NOV 1976

OCCUPATIONAL SURVEY BRANCH  
USAF OCCUPATIONAL MEASUREMENT CENTER  
LACKLAND AFB TEXAS 78236

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

408 889  
COPY AVAILABLE TO DDC DOES NOT  
PERMIT FULLY LEGIBLE PRODUCTION

12 119 p.

DDC  
DEC 2 1976  
A



# TABLE OF CONTENTS

	<u>PAGE NUMBER</u>
PREFACE -----	2
INTRODUCTION -----	3
DEVELOPMENT OF THE ELECTRONICS PRINCIPLES INVENTORY (EPI) -----	3
ADMINISTRATION -----	4
RESULTS -----	4
READING THE COMPUTER PRINTOUTS -----	7
APPENDIX -----	8

ACCESSION for		
NTIS	White Section	<input checked="" type="checkbox"/>
DDC	Dark Section	<input type="checkbox"/>
UNANNOUNCED		<input type="checkbox"/>
JUSTIFICATION.....		
BY.....		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL. END/OF	SPECIAL
A		

## PREFACE

This report presents a summary of the results of a detailed Air Force Electronics Principles survey of the Precision Measuring Equipment career ladder, AFSCs 32430, 32450, 32470, and 32490.

The Electronics Principles Inventory (EPI) was developed by Major Thomas J. O'Connor and Mr. Hendrick W. Ruck and the survey data were analyzed by Major O'Connor and Mr. Guy B. Cole. All are members of the Occupational Survey Branch, USAF Occupational Measurement Center, Lackland AFB, Texas.

Computer programs for analyzing the data were designed by Dr. Raymond E. Christal, Occupational and Manpower Research Division, Air Force Human Resources Laboratory (AFHRL), and were written by the Project Analysis and Programming Branch, Computational Sciences Division, AFHRL.

Distribution of this report is made upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Survey Branch (OMC), Lackland AFB, Texas 78236.

This report has been reviewed and is approved.

JAMES A. TURNER, JR., Colonel, USAF  
Commander  
USAF Occupational Measurement Center

WALTER E. DRISKILL, Ph.D.  
Chief, Occupational Survey Branch  
USAF Occupational Measurement Center

ELECTRONICS PRINCIPLES OCCUPATIONAL SURVEY REPORT  
PRECISION MEASURING EQUIPMENT CAREER LADDER  
AFSC 324X0

INTRODUCTION

↳ This report summarizes the results of a comprehensive survey of Electronics Principles used by personnel in the Precision Measuring Equipment career ladder. The survey was directed by HQ ATC/TT in a letter dated 11 February 1975. In that letter, Major General S. G. Cleveland, then DCS/TT, asked <sup>was asked</sup> the USAF Occupational Measurement Center to review the job utilization of basic electronics training. The Precision Measuring Equipment career ladder was selected as one of the first ladders to be surveyed after consultation with HQ ATC personnel.)

↳ This report presents a summary of: (1) the development of the Electronics Principles Inventory (EPI) used to collect the data; (2) the administration of the EPI to AFSC 324X0 job incumbents; and (3) data resulting from this survey. ✱

DEVELOPMENT OF THE ELECTRONICS PRINCIPLES INVENTORY (EPI)

Creation of the EPI required a lengthy process of development and review. A chronological description of the process will not be undertaken in this report; however, the highlights of the process will be presented.

Personnel from the Occupational Survey Branch working on the project were well qualified in theoretical physics and electronics as well as having expertise in task analysis and survey development. Over 300 maintenance personnel from SAC, TAC, ADC, MAC, and AFCS participated in the development of the inventory. Electronics experts from the five ATC training centers, who averaged 12 years of maintenance experience and four years of electronics principles instruction experience, spent several weeks refining the EPI after it had been developed.

In addition, personnel at the Electrical Engineering Department of the USAF Academy and the Air Force Human Resources Laboratory were consulted on the EPI during its development.

The EPI used in this survey contained 1,257 items in 62 subject matter areas covering all electronics principles training given at the five ATC technical training centers.

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED



## ADMINISTRATION

The EPI was administered in person and by mail to 768 airmen worldwide. This total represents approximately 36 percent of all airmen assigned to the Precision Measuring Equipment career ladder and included responses from personnel in all commands using such personnel. Seventy-six percent of the personnel surveyed in the sample were assigned to CONUS organizations and 24 percent were assigned overseas. Grade levels of respondents ranged from E3 through E9, with the mean grade being E5.

## RESULTS

Airmen in this career ladder employ a wide variety of electronics principles in their jobs as evidenced by an average of 400 "Yes" responses to the 1,257 electronics principles items. Within 35 of the 62 subject areas, 50 percent or more of the survey respondents marked at least one item "Yes" (Table 1). These subject areas contain electronics principles which are important in the performance of Precision Measuring Equipment career ladder jobs. Within 17 of the 62 subject areas, 21 to 49 percent of the respondents marked at least one item "Yes" (Table 2). Within the 10 remaining subject areas, 20 percent or less of the survey respondents indicated a "Yes" response to at least one item (Table 3).

The data which reflect the percent of various groups of incumbents answering "Yes" to each item of the EPI are presented in the appendix to this report. Group Summary One (GPSUM1) shows performance data for the total sample and each Duty Air Force Specialty Code (DAFSC) Group. Group Summary Two (GPSUM2) shows performance data for personnel groups based on their time in military service.

It is hoped that a careful review of each item will determine its applicability to training and job utilization. In addition to the identification of overtraining in certain electronics areas, it may be found for some AFSCs that undertraining exists. That is, the data may show a relatively large percent of members using or referring to certain electronics items, when in fact the ATC school may give little or no emphasis in that area. The data presented in this report can be used for designing basic electronics principles course charts, outlines, objectives, tests, and various other elements associated with the basic electronics principles training.

It must be stressed that the survey items used in this report do not necessarily represent the items taught in any one ATC basic electronics course. Instead, they represent a consolidation of electronics principles taught at the five Technical Training Centers.



TABLE 1

THIRTY-FIVE SUBJECT AREAS WITH HIGH JOB UTILIZATION OF BASIC ELECTRONICS.  
THAT IS, 50 PERCENT OR MORE OF THE SURVEY SAMPLE RESPONDED "YES" TO  
ONE OR MORE QUESTIONS WITHIN EACH AREA.

MATHEMATICS	SOLID STATE SPECIAL PURPOSE DEVICES
DIRECT CURRENT AND VOLTAGE	POWER SUPPLIES
RESISTANCE	OSCILLATORS
MULTIMETER USES	MULTIVIBRATORS
ALTERNATING CURRENT	LIMITERS AND CLAMPERS
INDUCTORS AND INDUCTIVE REACTANCE	ELECTRON TUBES
CAPACITORS AND CAPACITIVE REACTANCE	ELECTRON TUBE AMPLIFIERS AND CIRCUITS
TRANSFORMERS	SPECIAL PURPOSE ELECTRON TUBES
MAGNETISM	COUNTERS
RCL CIRCUITS	TIMING CIRCUITS
FILTERS	USE OF SIGNAL GENERATORS
COUPLING	METER MOVEMENTS
SOLDERING	WAVESHAPING CIRCUITS
RELAYS	SCHMITT TRIGGERS
OSCILLOSCOPES	CABLE FABRICATION
SEMICONDUCTOR DIODES	INPUT/OUTPUT DEVICES
TRANSISTORS	DB AND POWER RATIOS
TRANSISTOR AMPLIFIERS	

TABLE 2

SEVENTEEN SUBJECT AREAS WITH MODERATE JOB UTILIZATION OF BASIC  
ELECTRONICS. THAT IS, 21 TO 49 PERCENT OF THE SURVEY SAMPLE  
RESPONDED "YES" TO ONE OR MORE QUESTIONS WITHIN EACH AREA.

SERIES AND PARALLEL RESONANCE	WAVEGUIDES AND CAVITY RESONATORS
HETERODYNING, MODULATION, AND	MICROWAVE AMPLIFIERS AND OSCILLATORS
DEMODULATION	REGISTERS
AM SYSTEMS	STORAGE DEVICES
FM SYSTEMS	DIGITAL TO ANALOG CONVERTERS
NUMBERING SYSTEMS	PHANTASTRONS
LOGIC FUNCTIONS	PHOTOSENSITIVE DEVICES
BOOLEAN EQUATIONS	SYNCHRONOUS VIBRATIONS
MOTORS AND GENERATORS	
PULSE MODULATION SYSTEMS	

TABLE 3

TEN AREAS WITH LOW JOB UTILIZATION OF BASIC ELECTRONICS. THAT IS,  
20 PERCENT OR LESS OF THE SURVEY SAMPLE RESPONDED "YES" TO  
ANY QUESTION WITHIN EACH AREA.

LASERS  
INFRARED  
PROGRAMMING  
SINGLE SIDEBAND SYSTEMS  
SATURABLE REACTORS AND MAGNETIC  
AMPLIFIERS

ANTENNAS  
MICROPHONES  
DISPLAY TUBES  
TRANSMISSION LINES  
SPEAKERS

READING THE COMPUTER PRINTOUTS (GPSUM1, GPSUM2, AND JOBINV)  
WHICH ARE IN THE APPENDIX

GPSUM1 is a summary which gives the percent of members of a group which responded "Yes" to the items in the survey booklet. At the top of each column of numbers on any page of GPSUM1 are the following Group Identifiers and Groups:

- SPC001 - All airmen in Career Ladder 324X0 sample (768 persons)
- SPC002 - All airmen DAFSC 32430 (14 persons)
- SPC003 - All airmen DAFSC 32450 (386 persons)
- SPC004 - All airmen DAFSC 32470 (311 persons)
- SPC005 - All airmen DAFSC 32490 (57 persons)

GPSUM2 is a summary which gives the percent of members of a group which responded "Yes" to the items in the survey booklet. At the top of each column of numbers on any page of GPSUM2 are the following Group Identifiers and Groups:

- SPC006 - All airmen 6-24 months in Career Field (92 persons)
- SPC007 - All airmen 25-48 months in Career Field (278 persons)
- SPC008 - All airmen 1-48 months in Career Field (374 persons)
- SPC009 - All airmen 49-96 months in Career Field (153 persons)
- SPC010 - All airmen 97-144 months in Career Field (148 persons)
- SPC011 - All airmen 145-192 months in Career Field (61 persons)
- SPC012 - All airmen 193+ months in Career Field (33 persons)

To conserve space, some of the items have been abbreviated in GPSUM1 and GPSUM2 in the Appendix. Each item has been listed in its entirety in the Job Inventory (JOBINV) beginning on page 92 of the Appendix. For example, Task A-1, page 4, GPSUM1, is incomplete. In order to find the complete statement, turn to page 92 of the Appendix and read item A-1.



## APPENDIX

SEE PAGE 1 OF THE APPENDIX WHICH GIVES THE TABLE OF CONTENTS WHICH INCLUDES THE APPROPRIATE PAGES FOR GPSUM1, GPSUM2, AND THE COMPLETE ELECTRONICS PRINCIPLES ITEMS CONTAINED IN JOBINV.



# APPENDIX

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TABLE OF CONTENTS

TOC PAGE 1

PAGE  
NUMBER

REPORT ID REPORT TITLE

REPORT  
NUMBER

1	TOC	TABLE OF CONTENTS	1
2	GPSUM1	PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS	2
3	GPSUM2	PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS	47
4	JOB INV	JOB INVENTORY (DUTY/TASK TITLES)	92

PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

GPSUMI PAGE 2

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

TABULATION OF PERCENT MEMBERS PERFORMING DUTIES AND TASKS BY DAFSC GROUPS IN THE 324XO CAREER FIELD.

REPORTS ON THE FOLLOWING GROUPS WERE REQUESTED

GROUP IDENTITY =	SPC001	ALL AIRMEN IN CAREER LADDER 324XO SAMPLE	CONTAINING	760 MEMBERS.
GROUP IDENTITY =	SPC002	ALL AIRMEN DAFSC 32430	CONTAINING	14 MEMBERS.
GROUP IDENTITY =	SPC003	ALL AIRMEN DAFSC 32450	CONTAINING	286 MEMBERS.
GROUP IDENTITY =	SPC004	ALL AIRMEN DAFSC 32470	CONTAINING	311 MEMBERS.
GROUP IDENTITY =	SPC005	ALL AIRMEN DAFSC 32490	CONTAINING	57 MEMBERS.

## DUTY GROUP SUMMARY

U U PROGRAMMING, DB AND POWER RATIOS



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

A 1 A1-01 DO YOU USE AN INSTRUMENT, SUCH AS METER OR AN OSCILLOSCOPE, IN WHICH IT IS NECESSARY TO AMPLIFY OR	84	93	89	85	35	
A 2 A1-02 DO YOU USE A PUBLICATION, SUCH AS A TECHNICAL ORDER OR MAINTENANCE MANUAL, IN WHICH IT IS NECESSARY	74	71	74	79	46	
A 3 A1-03 DO YOU REARRANGE AND SOLVE FORMULAS OR EQUATIONS.	82	64	86	84	54	MATHEMATICS
A 4 A1-04 DO YOU FIND THE SQUARE ROOT OF A QUANTITY.	62	29	64	65	47	
A 5 A1-05 DO YOU SOLVE FOR AN UNKNOWN QUANTITY.	75	64	77	77	58	
A 6 A1-06 DO YOU CONVERT NUMBERS TO LOGARITHMS.	46	43	42	53	37	
A 7 A1-07 DO YOU USE LOGARITHM TABLES IN ANY TYPE OF CALCULATIONS.	49	43	46	56	35	
A 8 A1-08 DO YOU SOLVE QUADRATIC EQUATIONS.	23	7	27	22	16	
A 9 A1-09 DO YOU USE THE NATURAL SYSTEM OF LOGARITHMS (THIS IS THE LOGARITHM SYSTEM WHICH USES THE NUMBER 2.718 AS	15	21	17	15	7	
A 10 A1-10 DO YOU WORK WITH VECTOR QUANTITIES, SUCH AS ADDING OR SUBTRACTING TWO VECTORS.	30	29	31	30	25	
A 11 A1-11 DO YOU WORK WITH TRIGONOMETRIC FUNCTIONS SUCH AS SINE, COSINE, OR TANGENT.	56	43	55	60	40	
A 12 A1-12 DO YOU DETERMINE AREAS OF PLANE FIGURES, SUCH AS AREAS OF CIRCLES OR TRIANGLES.	21	7	19	23	19	
A 13 A1-13 DO YOU SOLVE OR USE SIMULTANEOUS EQUATIONS.	21	29	23	20	12	
A 14 A1-14 DO YOU SOLVE OR USE PROPORTIONS.	68	64	67	72	44	
A 15 A2-01 DO YOU USE THE TERM VOLTAGE OR VOLT.	96	100	98	95	93	
A 16 A2-02 DO YOU USE THE TERM ELECTROMOTIVE FORCE (EMF).	58	93	58	56	65	
A 17 A2-03 DO YOU USE THE TERM OHM.	96	100	97	94	93	
A 18 A2-04 DO YOU USE THE TERM ION.	36	0	28	43	56	
A 19 A2-05 DO YOU USE THE TERM DYNE.	20	7	17	20	35	
A 20 A2-06 DO YOU USE THE TERM AMPERE.	93	86	95	92	91	DIRECT CURRENT AND VOLTAGE
A 21 A2-07 DO YOU USE THE TERM NEUTRON.	24	7	22	27	33	
A 22 A2-08 DO YOU USE THE TERM COULOMB.	21	21	20	21	26	
A 23 A2-09 DO YOU USE THE TERM PROTON.	24	7	22	27	30	
A 24 A3-01 DO YOU WORK WITH RESISTORS IN YOUR PRESENT JOB.	76	71	87	71	35	
A 25 A3-02 DO YOU INSPECT RESISTORS.	83	100	91	81	39	
A 26 A3-03 DO YOU CLEAN RESISTORS.	68	79	77	64	19	
A 27 A3-04 DO YOU ADJUST RESISTORS.	83	100	91	81	35	RESISTANCE
A 28 A3-05 DO YOU CHECK OHMIC VALUE OF RESISTORS.	86	100	95	84	39	
A 29 A3-06 DO YOU REMOVE OR REPLACE RESISTORS.	81	100	92	77	28	
A 30 A3-07 DO YOU USE OR REFER TO TEMPERATURE COEFFICIENTS FOR RESISTORS ON ANY TASKS IN YOUR PRESENT JOB.	44	50	48	43	23	
A 31 A3-08 DO YOU USE OR REFER TO RESISTOR SYMBOLS, SUCH AS FOR FIXED RESISTORS OR FOR TAPPED RESISTORS.	87	100	94	86	44	
A 32 A3-09 DO YOU IDENTIFY OR CLASSIFY THE RESISTORS YOU WORK WITH AS CARBON, FIXED WIRE, SLIDE TAP, RHEOSTAT OR	87	93	94	85	47	



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	DY-TSK				SPC				SPC			
					001	002	003	004	001	002	003	005
A 33 A3-10 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE THE OHMIC VALUE OF RESISTANCE.					87	100	94	86	44			
A 34 A3-11 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE THE TOLERANCE OF RESISTORS.					86	100	92	84	44			
A 35 A3-12 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE THE FAILURE RATE OF RESISTORS.					15	21	19	12	9			
A 36 A3-13 DO YOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE HOW TWO OR MORE BATTERIES MUST BE CONNECTED TOGETHER TO REPRESENT ANY OF THE FOLLOWING COMPONENTS: BATTERY.					64	79	67	65	33			
A 37 A3-14 DO YOU USE OR REFER TO THE SCHEMATIC SYMBOLS WHICH REPRESENT ANY OF THE FOLLOWING COMPONENTS: BATTERY.					88	100	95	87	46			
A 38 A3-15 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES RESISTIVE CIRCUITS.					77	93	82	76	40			
A 39 A3-16 DO YOU CALCULATE TOTAL CURRENT FOR SERIES RESISTIVE CIRCUITS.					67	93	70	68	39			
A 40 A3-17 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES RESISTIVE CIRCUITS.					71	93	75	72	39			
A 41 A3-18 DO YOU CALCULATE POWER DISSIPATION FOR SERIES RESISTIVE CIRCUITS.					57	64	60	57	33			
A 42 A3-19 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES PARALLEL RESISTIVE CIRCUITS.					71	93	76	70	39			
A 43 A3-20 DO YOU CALCULATE TOTAL CURRENT FOR SERIES PARALLEL RESISTIVE CIRCUITS.					62	86	65	63	35			
A 44 A3-21 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES PARALLEL RESISTIVE CIRCUITS.					65	93	69	66	35			
A 45 A3-22 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR SERIES PARALLEL RESISTIVE CIRCUITS.					58	79	61	58	33			
A 46 A3-23 DO YOU CALCULATE POWER DISSIPATION FOR SERIES PARALLEL RESISTIVE CIRCUITS.					52	50	54	52	30			
A 47 A3-24 DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL RESISTIVE CIRCUITS.					72	93	76	72	40			
A 48 A3-25 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RESISTIVE CIRCUITS.					62	86	64	63	37			
A 49 A3-26 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR PARALLEL RESISTIVE CIRCUITS.					64	86	68	63	35			
A 50 A3-27 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR PARALLEL RESISTIVE CIRCUITS.					58	71	61	59	30			
A 51 A3-28 DO YOU CALCULATE POWER DISSIPATION FOR PARALLEL RESISTIVE CIRCUITS.					51	43	54	52	30			
B 52 B1-01 DO YOU MEASURE RESISTANCE.					88	100	96	87	44			
B 53 B1-02 DO YOU REPAIR AN OHMMETER.					51	71	61	43	19			
B 54 B1-03 DO YOU MEASURE VOLTAGE.					89	100	94	88	44			
B 55 B1-04 DO YOU REPAIR A VOLTMEYER.					52	79	61	46	19			
B 56 B1-05 DO YOU REPAIR AN AMMETER.					49	71	58	42	19			
B 57 B1-06 DO YOU MEASURE CURRENT.					81	93	87	80	37			
B 58 B1-07 DO YOU USE A MULTIMETER.					89	100	94	89	46			

MULTIMETER USES

PERCENT MEMBERS PERFORMING TASKS BY DARSIC GROUPS

GP SUM 1 PAGE 6

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

0Y-75K

	SPC	SPC	SPC	SPC	SPC	SPC
	001	002	003	004	005	
59 81-08 DO YOU DIRECTLY USE A QUANTITY OF CHARGE CALLED A COULOMB.	7	7	7	8	4	
60 81-09 DO YOU READ SCHEMATICS.	84	100	95	95	22	
61 82-01 DO YOU USE OR REFER THE TERM EFFECTIVE VOLTAGE (RMS).	93	93	94	94	84	
62 82-02 DO YOU USE OR REFER THE TERM PEAK TO PEAK VOLTAGE.	93	93	94	94	86	
63 82-03 DO YOU USE OR REFER THE TERM AVERAGE VOLTAGE (DC).	85	79	86	85	77	
64 82-04 DO YOU USE OR REFER THE TERM WAVE LENGTH.	67	43	65	60	77	ALTERNATING CURRENT
65 82-05 DO YOU USE OR REFER THE TERM FREQUENCY.	94	93	95	95	89	
66 82-06 DO YOU USE OR REFER THE TERM INSTANTANEOUS VALUE.	53	52	52	54	54	
67 83-01 DO YOU WORK WITH INDUCTORS OR CIRCUITS CONTAINING INDUCTORS, CHOKES, OR CHOKER COILS IN YOUR PRESENT JOB.	74	71	82	71	30	
68 83-02 DO YOU INSPECT INDUCTORS.	74	79	81	72	37	
69 83-03 DO YOU CLEAN INDUCTORS.	48	36	60	40	12	
70 83-04 DO YOU ADJUST INDUCTORS.	71	64	82	66	28	INDUCTORS AND INDUCTIVE REACTANCE
71 83-05 DO YOU REMOVE OR REPLACE INDUCTORS.	71	79	81	66	25	
72 83-06 DO YOU USE OR REFER TO INDUCTANCE.	76	79	83	75	39	
73 83-07 DO YOU USE OR REFER TO MEMORIES.	68	71	73	68	32	
74 83-08 DO YOU USE OR REFER TO INDUCTIVE REACTANCE.	57	57	58	61	28	
75 83-09 DO YOU USE OR REFER TO COPPER LOSS IN INDUCTORS.	10	14	9	11	5	
76 83-10 DO YOU USE OR REFER TO HYSTERESIS LOSS IN INDUCTORS.	16	14	20	17	7	
77 83-11 DO YOU USE OR REFER TO EDDY CURRENT LOSS IN INDUCTORS.	16	36	18	14	11	
78 83-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT INDUCTANCE IS PROPORTIONAL TO THE SQUARE OF THE	14	21	17	11	11	
79 83-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE	11	14	14	7	9	
80 83-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS INVERSELY PROPORTIONAL TO	11	14	13	6	9	
81 83-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE	15	21	16	15	9	
82 83-16 DO YOU CALCULATE INDUCTANCE FOR A PARTICULAR INDUCTOR USING FORMULAS.	17	29	21	14	7	
83 83-17 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN SERIES.	27	36	30	24	14	
84 83-18 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN PARALLEL.	27	36	30	25	16	
85 83-19 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN SERIES-PARALLEL CIRCUITS.	23	29	27	21	12	
86 83-20 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LAGS VOLTAGE IN AC INDUCTOR CIRCUITS.	35	36	34	37	26	
87 83-21 DO YOU CALCULATE INDUCTIVE REACTANCE.	30	43	31	32	14	



AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

GPSUMI PAGE 7

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

B 88 B3-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
INDUCTIVE REACTANCE IS DIRECTLY PROPORTIONAL TO  
B 89 B3-23 DO YOU WORK WITH POWER INDUCTORS.  
B 90 B3-24 DO YOU WORK WITH AUDIO FREQUENCY INDUCTORS.  
B 91 B3-25 DO YOU WORK WITH RADIO FREQUENCY INDUCTORS.  
C 92 C1-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS  
CONTAINING CAPACITORS ON YOUR PRESENT JOB.  
C 93 C1-02 DO YOU INSPECT CAPACITORS.  
C 94 C1-03 DO YOU CLEAN CAPACITORS.  
C 95 C1-04 DO YOU ADJUST CAPACITORS.  
C 96 C1-05 DO YOU TEST CAPACITORS.  
C 97 C1-06 DO YOU DISCHARGE CAPACITORS.  
C 98 C1-07 DO YOU REMOVE OR REPLACE CAPACITORS.  
C 99 C1-08 DO YOU USE OR REFER TO DISTRIBUTED CAPACITANCE.  
C 100 C1-09 DO YOU USE OR REFER TO ORBITAL STRESS OF ELECTRONS  
IN A DIELECTRIC.  
C 101 C1-10 DO YOU USE OR REFER TO FARADS, MICROFARADS, OR  
PICOFARADS.  
C 102 C1-11 DO YOU USE OR REFER TO CAPACITANCE.  
C 103 C1-12 DO YOU USE OR REFER TO DIELECTRIC CONSTANT.  
C 104 C1-13 DO YOU USE OR REFER TO WORKING VOLTAGE RATING OF  
CAPACITORS.  
C 105 C1-14 DO YOU USE OR REFER TO CAPACITIVE REACTANCE.  
C 106 C1-15 DO YOU USE OR REFER TO CAPACITOR COLOR CODES.  
C 107 C1-16 THE CAPACITORS YOU WORK WITH IN DC CIRCUITS.  
C 108 C1-17 THE CAPACITORS YOU WORK WITH ARE IN AC CIRCUITS.  
C 109 C1-18 THE CAPACITORS YOU WORK WITH ARE IN CIRCUITS WITH  
BOTH DC AND AC.  
C 110 C1-19 THE CAPACITORS YOU WORK WITH ARE DON'T REMEMBER  
WHICH CIRCUITS.  
C 111 C1-20 DO YOU CALCULATE CAPACITANCE FOR A PARTICULAR  
CAPACITOR USING FORMULAS.  
C 112 C1-21 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE  
CAPACITANCE OF A CAPACITOR IS DIRECTLY PROPORTIONAL  
C 113 C1-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE  
CAPACITANCE OF A CAPACITOR IS INVERSELY PROPORTIONAL  
C 114 C1-23 DO YOU CALCULATE THE TOTAL CAPACITANCE OF  
CAPACITORS IN SERIES.  
C 115 C1-24 DO YOU CALCULATE THE TOTAL CAPACITANCE OF  
CAPACITORS IN PARALLEL.  
C 116 C1-25 DO YOU CALCULATE THE TOTAL CAPACITANCE OF  
CAPACITORS IN SERIES-PARALLEL CIRCUITS.  
C 117 C1-26 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
CURRENT DOES NOT FLOW THROUGH CAPACITORS, IT ONLY

CAPACITORS AND CAPACITIVE REACTANCE

47 50 45 54 26  
37 14 37 40 28  
64 71 67 66 35  
65 21 68 67 35  
81 86 91 77 33  
82 100 90 78 39  
60 64 72 54 14  
82 100 92 77 35  
81 93 90 79 37  
77 86 84 76 35  
79 100 91 73 26  
37 36 32 45 23  
5 0 5 5 5  
85 86 92 84 40  
85 93 92 83 40  
27 14 30 27 14  
80 79 85 81 39  
52 50 53 56 26  
59 50 61 61 37  
81 93 90 78 37  
85 93 95 83 37  
84 100 92 82 37  
7 7 10 5 5  
24 14 27 22 14  
19 21 16 13 7  
19 29 19 20 7  
52 43 54 54 25  
53 43 55 57 26  
43 43 45 45 19  
48 57 48 50 30

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

C 118 C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LEADS VOLTAGE IN AC CAPACITOR CIRCUITS.	36	50	33	40	25
C 119 C1-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITIVE REACTANCE IS INVERSELY PROPORTIONAL TO CAPACITANCE.	49	57	46	56	30
C 120 C1-29 DO YOU CALCULATE CAPACITIVE REACTANCE.	33	43	32	37	21
C 121 C1-30 DO YOU WORK WITH ROTOR-STATOR CAPACITORS (VARIABLE).	79	93	85	77	40
C 122 C1-31 DO YOU WORK WITH COMPRESSION (TRIMMER) CAPACITORS.	80	71	88	77	40
C 123 C1-32 DO YOU WORK WITH ELECTROLYTIC CAPACITORS (FIXED).	83	93	92	80	40
C 124 C1-33 DO YOU WORK WITH PAPER CAPACITORS (FIXED).	83	93	91	80	40
C 125 C1-34 DO YOU WORK WITH MICA CAPACITORS (FIXED).	83	93	91	80	40
C 126 C1-35 DO YOU WORK WITH CERAMIC CAPACITORS (FIXED).	84	100	92	80	40
C 127 C1-36 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF CAPACITORS.	6	7	6	5	0
C 128 C2-01 DO YOU WORK WITH TRANSFORMERS ON YOUR PRESENT JOB.	74	64	83	71	26
C 129 C2-02 DO YOU INSPECT TRANSFORMERS.	76	79	81	76	37
C 130 C2-03 DO YOU CLEAN TRANSFORMERS.	46	43	53	44	11
C 131 C2-04 DO YOU ADJUST TRANSFORMERS.	46	43	49	48	19
C 132 C2-05 DO YOU TROUBLESHOOT TRANSFORMERS.	72	71	77	74	32
C 133 C2-06 DO YOU REMOVE OR REPLACE COMPLETE TRANSFORMERS.	72	71	61	70	21
C 134 C2-07 DO YOU REMOVE OR REPLACE TRANSFORMER PARTS, SUCH AS THE PRIMARY WINDING.	8	0	11	6	4
C 135 C2-08 DO YOU MAKE A DISTINCTION BETWEEN MUTUAL INDUCTION AND MUTUAL INDUCTANCE (M).	8	14	8	7	5
C 136 C2-09 DO YOU USE THE SYMBOL FOR MUTUAL INDUCTANCE, M.	8	14	9	5	7
C 137 C2-10 DO YOU REFER TO OR USE THE COEFFICIENT OF COUPLING WHEN WORKING WITH TRANSFORMERS.	15	29	16	15	5
C 138 C2-11 DO YOU CALCULATE TURNS RATIOS FOR TRANSFORMERS USING CURRENT OR VOLTAGE RATIOS.	26	36	28	25	12
C 139 C2-12 DO YOU REFER TO REFLECTED IMPEDANCE WHEN WORKING WITH TRANSFORMERS.	18	29	19	18	11
C 140 C2-13 DO YOU CALCULATE IMPEDANCE INTERACTIONS FOR TRANSFORMERS.	8	14	10	7	2
C 141 C2-14 DO YOU WORK WITH AUTOTRANSFORMERS.	72	64	75	74	39
C 142 C2-15 DO YOU WORK WITH POWER TRANSFORMERS.	75	86	79	76	39
C 143 C2-16 DO YOU WORK WITH AUDIO TRANSFORMERS.	66	57	68	69	37
C 144 C2-17 DO YOU WORK WITH RADIO FREQUENCY TRANSFORMERS.	63	43	63	67	37
C 145 C2-18 DO YOU WORK WITH DON'T REMEMBER WHAT TYPE OF TRANSFORMER.	7	14	10	4	0
C 146 C2-19 DO YOU CHECK TRANSFORMERS FOR OPEN WINDINGS BY MEASURING RESISTANCE.	75	71	81	76	35
C 147 C2-20 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING RESISTANCE.	69	57	74	70	30
C 148 C2-21 DO YOU CHECK TRANSFORMERS FOR SMOKED WINDINGS BY MEASURING OUTPUT VOLTAGES.	67	79	73	66	35
C 149 C2-22 DO YOU MEASURE RESISTANCE OF TRANSFORMER WINDINGS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR	30	29	31	31	18

TRANSFORMERS



## PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

GPSUMI PAGE 9

## TASK GROUP SUMMARY

## PERCENT MEMBERS PERFORMING

SPC SPC SPC SPC SPC  
001 002 003 004 005

## DY-TSK

C 150 C2-23 DO YOU MEASURE OUTPUT VOLTAGE OF TRANSFORMERS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-DOWN

C 151 C2-24 DO YOU REFER TO THE BASIC TRANSFORMER SCHEMATIC SYMBOLS FOR TRANSFORMERS.

C 152 C2-25 DO YOU REFER TO THE MULTIPLE SECONDARY-WINDINGS SCHEMATIC SYMBOLS FOR TRANSFORMERS.

C 153 C2-26 DO YOU REFER TO THE MULTIPLE TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS.

C 154 C2-27 DO YOU REFER TO THE CENTER TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS.

C 155 C2-28 DO YOU REFER TO THE AIR CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS.

C 156 C2-29 DO YOU REFER TO THE IRON CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS.

C 157 C2-30 DO YOU REFER TO THE COMBINATIONS OF THE ABOVE SCHEMATIC SYMBOLS FOR TRANSFORMERS.

C 158 C2-31 DO YOU DETERMINE PHASE RELATIONSHIPS BETWEEN SECONDARY AND PRIMARY VOLTAGES OF TRANSFORMERS USING TRANSFORMERS YOU WORK WITH.

C 160 C2-33 DO YOU REFER TO OR USE THE GENERAL RULE THAT THE TURNS RATIO OF A TRANSFORMER IS EQUAL TO THE VOLTAGE RATIOS FOR TRANSFORMERS.

C 161 C2-34 DO YOU USE OR REFER TO STEP-UP OR STEP-DOWN RATIOS FOR TRANSFORMERS.

C 162 C2-35 DO YOU CALCULATE VOLTAGE RATIOS FOR TRANSFORMERS USING TURNS RATIOS.

C 163 C2-36 DO YOU CALCULATE CURRENT RATIOS FOR TRANSFORMERS USING TURNS RATIOS.

C 164 C2-37 DOES YOUR JOB INVOLVE ANY TASKS DEALING WITH 3 PHASE TRANSFORMERS.

C 165 C2-38 DO YOU INSPECT 3 PHASE TRANSFORMERS.

C 166 C2-39 DO YOU CLEAN OR LUBRICATE 3 PHASE TRANSFORMERS.

C 167 C2-40 DO YOU ADJUST 3 PHASE TRANSFORMERS.

C 168 C2-41 DO YOU TROUBLESHOOT 3 PHASE TRANSFORMERS.

C 169 C2-42 DO YOU REMOVE OR REPLACE COMPLETE 3 PHASE TRANSFORMER.

C 170 C2-43 DO YOU REMOVE OR REPLACE 3 PHASE TRANSFORMER PARTS, SUCH AS A WINDING.

C 171 C2-01 DO YOU USE OR REFER TO PERMANENT MAGNETS.

C 172 C2-02 DO YOU USE OR REFER TO TEMPORARY MAGNETS.

C 173 C2-03 DO YOU USE OR REFER TO RETENTIVITY OF MAGNETIC MATERIALS.

C 174 C2-04 DO YOU USE OR REFER TO RELUCTANCE OF MAGNETIC MATERIALS.

MAGNETISM

# PERCENT MEMBERS PERFORMING TASKS BY DA-FSC GROUPS

GPSUM1 PAGE 10

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

			DY-1SK										SPC SPC SPC SPC SPC				
													001 002 003 004 005				
C 175	C3-05	DO YOU USE OR REFER TO PERMEABILITY OF MAGNETIC MATERIALS.	17	29	16	16	25										
C 176	C3-06	DO YOU USE OR REFER TO RESIDUAL MAGNETISM.	23	21	20	25	33										
C 177	C3-07	DO YOU USE OR REFER TO MAGNETIC LINES OF FORCE OR FLUX.	30	43	25	34	37										
C 178	C3-08	DO YOU USE OR REFER TO WEBER'S THEORY OF MAGNETISM.	5	7	7	4	4										
C 179	C3-09	DO YOU USE OR REFER TO THE DOMAIN THEORY OF MAGNETISM.	7	7	8	5	7										
C 180	C3-10	DO YOU USE OR REFER TO MAGNETIC INDUCTION.	26	29	22	29	37										
C 181	C3-11	DO YOU USE OR REFER TO FLUX DENSITY.	21	21	17	23	28										
C 182	C3-12	DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR MAGNETIC POLES, LIKE POLES REPEL AND UNLIKE POLES ATTRACT.	49	57	51	48	44										
C 183	C3-13	DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES.	17	14	20	14	16										
C 184	C3-14	DO YOU USE THE LEFT THUMB RULE TO FIND THE NORTH POLE OF A CURRENT CARRYING COIL.	15	21	17	12	16										
D 185	D1-01	DO YOU WORK WITH AC, LR, OR RCL CIRCUITS ON YOUR PRESENT JOB.	62	57	66	63	30										
D 186	D1-02	DO YOU USE OR REFER TO VECTORS WHEN WORKING WITH RCL CIRCUITS.	21	14	19	24	16										
D 187	D1-03	DO YOU USE OR REFER TO PYTHAGOREAN THEOREM WHEN WORKING WITH RCL CIRCUITS.	15	14	15	18	7										
D 188	D1-04	DO YOU USE OR REFER TO SINE WHEN WORKING WITH RCL CIRCUITS.	27	21	25	32	19										
D 189	D1-05	DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL CIRCUITS.	26	21	25	30	16										
D 190	D1-06	DO YOU USE OR REFER TO TANGENT WHEN WORKING WITH RCL CIRCUITS.	25	21	23	28	16										
D 191	D1-07	DO YOU USE OR REFER TO WATTS WHEN WORKING WITH RCL CIRCUITS.	43	50	45	41	30										
D 192	D1-08	DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS.	32	36	32	33	25										
D 193	D1-09	DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN WORKING WITH RCL CIRCUITS.	33	43	34	33	23										
D 194	D1-10	DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS.	36	36	37	38	26										
D 195	D1-11	DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS.	28	29	29	28	21										
D 196	D1-12	DO YOU USE OR REFER TO POWER FACTOR (PF) WHEN WORKING WITH RCL CIRCUITS.	29	29	30	29	18										
D 197	D1-13	DO YOU USE OR REFER TO RESONANT CIRCUITS WHEN WORKING WITH RCL CIRCUITS.	55	57	56	59	32										
D 198	D1-14	DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS.	62	43	63	68	33										
D 199	D1-15	DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS.	54	50	53	61	32										

RCL CIRCUITS



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMINGSPC SPC SPC SPC SPC SPC  
001 002 003 004 005

## DY-TSK

D 200 01-16 DO YOU USE OR REFER TO RESONANT FREQUENCY WHEN  
WORKING WITH RCL CIRCUITS. 59 50 61 63 33D 201 01-17 DO YOU USE OR REFER TO HALF POWER POINTS WHEN  
WORKING WITH RCL CIRCUITS. 48 21 44 59 23D 202 01-18 DO YOU USE OR REFER TO BANDPASS REGION WHEN  
WORKING WITH RCL CIRCUITS. 54 29 57 58 28D 203 01-19 DO YOU USE OR REFER TO CIRCUIT Q WHEN WORKING  
WITH RCL CIRCUITS. 32 21 29 37 23D 204 01-20 DO YOU USE OR REFER TO TANK CIRCUITS WHEN WORKING  
WITH RCL CIRCUITS. 55 43 55 61 30D 205 01-21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS  
USING FORMULAS: SINE OF AN ANGLE = OPPOSITE SIDE  
VECTOR DIAGRAMS FOR CIRCUITS. 29 21 26 36 23D 206 01-22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE  
VECTOR DIAGRAMS FOR CIRCUITS. 13 14 11 16 7D 207 01-23 DO YOU CALCULATE TOTAL IMPEDANCE FOR CAPACITIVE  
CIRCUITS. 20 29 21 20 9D 208 01-24 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE  
AND RESISTANCE IN CAPACITIVE CIRCUITS. 13 7 10 17 9D 209 01-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL  
CIRCUITS. 18 21 19 18 7D 210 01-26 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL  
CIRCUITS. 10 0 9 13 5D 211 01-27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES  
RCL CIRCUITS. 14 7 15 14 9D 212 01-28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL  
CIRCUITS. 17 7 17 17 12D 213 01-29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES  
RCL CIRCUITS. 15 7 16 16 9D 214 01-30 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL  
CIRCUITS. 17 21 19 16 7D 215 01-31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL  
RCL CIRCUITS. 10 0 10 12 7D 216 01-32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL  
CIRCUITS USING THE ASSUMED VOLTAGE METHOD. 11 21 12 11 4D 217 01-33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL  
CIRCUITS USING OHM'S LAW. 18 14 20 18 7D 218 01-34 DO YOU CHECK CAPACITORS USING OHMMETERS.  
D 219 01-35 DO YOU CHECK CAPACITORS USING SUBSTITUTION. 62 57 65 65 30

D 220 01-36 DO YOU CHECK INDUCTORS USING OHMMETERS. 61 57 64 62 32

D 221 01-37 DO YOU CHECK INDUCTORS USING SUBSTITUTION. 58 34 60 63 30

D 222 01-38 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
THEY ARE, PF=1, AND PA=PT FOR RESONANT CIRCUITS. 55 36 58 57 26D 223 01-39 DO YOU CALCULATE RESONANT FREQUENCIES FOR RCL  
CIRCUITS. 8 14 8 10 4D 224 01-40 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
IMPEDANCE IS MINIMUM AND CURRENT MAXIMUM AT THE 23 7 24 23 16

30 14 26 36 21



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

D 225 01-41 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
LINE CURRENT IS MINIMUM AND IMPEDANCE MAXIMUM AT  
D 226 01-42 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
HALF POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK  
D 227 01-43 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
BANDWIDTH IS INVERSELY PROPORTIONAL TO Q.  
D 228 01-44 DO YOU DETERMINE HOW CHANGES IN FREQUENCY,  
RESISTANCE, CAPACITANCE, OR INDUCTANCE WILL AFFECT  
D 229 03-01 IN YOUR PRESENT JOB, DO YOU WORK WITH, USE, OR  
REFER TO SERIES OR PARALLEL RESONANCE CIRCUITS OR  
D 230 02-02 DO YOU WORK WITH, USE, OR REFER TO TIME CONSTANTS.  
D 231 02-03 DO YOU WORK WITH, USE, OR REFER TO AVAILABLE  
VOLTAGE.  
D 232 02-04 DO YOU WORK WITH, USE, OR REFER TO TRANSIENT  
INTERVALS.  
D 233 02-05 DO YOU USE OR REFER TO THE GENERAL RULE THAT A  
CAPACITOR IS FULLY CHARGED (OR DISCHARGED) AFTER FIVE  
D 234 02-06 DO YOU USE OR REFER TO UNIVERSAL TIME CONSTANT  
CHARTS.  
D 235 02-07 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE  
CIRCUITS CURRENT OR COMPONENT VOLTAGES AFTER A  
D 236 02-08 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE  
THE TIME REQUIRED FOR CIRCUIT CURRENT OR COMPONENT  
D 237 02-09 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE  
COMPONENT VALUES REQUIRED FOR CIRCUIT CURRENT AND  
D 238 02-10 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
CURRENT IN LR CIRCUITS REACHES ITS MINIMUM VALUE FOR  
D 239 03-01 DO YOU WORK WITH CIRCUITS USED AS FILTERS ON  
YOUR PRESENT JOB.  
D 240 03-02 DO YOU INSPECT FILTER CIRCUITS.  
D 241 03-03 DO YOU CLEAN FILTER CIRCUITS.  
D 242 03-04 DO YOU ALIGN OR ADJUST FILTER CIRCUITS.  
D 243 03-05 DO YOU TROUBLESHOOT TO THE FILTER CIRCUIT.  
D 244 03-06 DO YOU TROUBLESHOOT TO COMPONENT PARTS OF FILTER  
CIRCUITS.  
D 245 03-07 DO YOU REMOVE OR REPLACE THE COMPLETE FILTER  
CIRCUIT.

SERIES AND PARALLEL RESONANCE  
(TIME CONSTANTS)

FILTERS

## TASK GROUP SUMMARY

## PERCENT MEMBERS PERFORMING

SPC SPC SPC SPC SPC  
001 002 003 004 005

DY-TSK

D 246 D3-08 DO YOU REMOVE OR REPLACE COMPONENT PARTS OF FILTER CIRCUITS.  
D 247 D3-09 DO YOU WORK ON LOW PASS FILTERS.  
D 248 D3-10 DO YOU WORK ON HIGH PASS FILTERS.  
D 249 D3-11 DO YOU WORK ON BANDPASS FILTERS.  
D 251 D3-13 DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF FILTER  
D 250 D3-12 DO YOU WORK ON BAND-REJECT FILTERS.  
D 252 D3-14 DO YOU WORK WITH L-SECTION FILTER CONFIGURATIONS.  
D 253 D3-15 DO YOU WORK WITH T-SECTION FILTER CONFIGURATIONS.  
D 254 D3-16 DO YOU WORK WITH PI-SECTION FILTER CONFIGURATIONS.  
D 255 D3-17 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF FILTER CONFIGURATIONS.  
D 256 D3-18 ARE PARALLEL RESONANT CIRCUITS USED IN FILTERS  
YOU WORK WITH.  
D 257 D3-19 ARE SERIES-PARALLEL CIRCUITS USED IN FILTERS  
YOU WORK WITH.  
D 258 D3-20 ARE SERIES RESONANT CIRCUITS USED IN FILTERS  
YOU WORK WITH.  
D 259 D3-21 ARE DON'T REMEMBER WHICH TYPE OF BASIC CIRCUIT  
USED IN FILTERS YOU WORK WITH.  
D 260 D3-22 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE  
CAPACITANCE OR INDUCTANCE VALUES REQUIRED FOR SPECIFIC  
E 261 E1-01 DO YOU WORK WITH COUPLING DEVICES ON YOUR PRESENT  
JOB.  
E 262 E1-02 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND  
RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED  
E 263 E1-03 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE  
TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED  
E 264 E1-04 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE  
TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED  
E 265 E1-05 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM THE RC COUPLING FUNCTIONS.  
E 266 E1-06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM THE IMPEDANCE COUPLING FUNCTIONS.  
E 267 E1-07 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM THE TRANSFORMER COUPLING FUNCTIONS.  
E 268 E1-08 DO YOU WORK WITH DIRECTLY COUPLED CIRCUITS.  
E 269 E1-09 DO YOU WORK WITH CAPACITIVE-RESISTIVE COUPLED  
CIRCUITS.  
E 270 E1-10 DO YOU WORK WITH CAPACITIVE-INDUCTIVE COUPLED  
CIRCUITS.  
E 271 E1-11 DO YOU WORK WITH TRANSFORMER COUPLED CIRCUITS.  
E 272 E1-12 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF  
COUPLING CIRCUIT.

COUPLING



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC	SPC	SPC	SPC	SPC
	001	002	003	004	005
E 273 E2-01 ON YOUR PRESENT JOB DO YOU PERFORM SOLDERING TECHNIQUES OR INSPECT TYPE OF SOLDER TO USE.	81	93	89	77	99
E 274 E2-02 DO YOU SELECT TYPE OF SOLDER TO USE.	71	79	78	67	39
E 275 E2-03 DO YOU ADD FLUX TO CONNECTIONS.	73	86	81	65	28
E 276 E2-04 DO YOU CLEAN CONNECTIONS USING SOLVENTS.	70	100	83	68	28
E 277 E2-05 DO YOU STRIP INSULATION FROM WIRES.	80	100	91	76	30
E 278 E2-06 DO YOU CONNECT OR DISCONNECT HEAT SINKS.	78	93	89	73	32
E 279 E2-07 DO YOU BEND OR SHAPE WIRES OR LEADS.	81	100	91	76	32
E 280 E2-08 DO YOU CUT WIRES.	81	100	91	76	32
E 281 E2-09 DO YOU FILE OR SHAPE SOLDERING IRON TIPS.	60	93	67	57	26
E 282 E2-10 DO YOU TIN SOLDERING IRON TIPS.	78	100	88	74	32
E 283 E2-11 DO YOU CLEAN SOLDERING IRON TIPS.	80	100	90	76	32
E 284 E2-12 DO YOU CLEAN ELECTRICAL SURFACES USING ERASERS.	76	79	85	74	30
E 285 E2-13 DO YOU TIN OR PRE-TIN CONDUCTORS.	79	93	89	76	30
E 286 E2-14 DO YOU INSPECT SOLDERED CONNECTIONS.	82	100	90	79	44
E 287 E2-15 DO YOU DESOLDER CONNECTIONS BY WICKING.	58	71	63	54	30
E 288 E2-16 DO YOU DESOLDER CONNECTIONS USING VACUUM DESOLDERING TOOLS.	76	100	86	71	30
E 289 E2-17 DO YOU CUT COMPONENT LEADS TO REMOVE COMPONENTS.	67	93	73	69	30
E 290 E2-18 DO YOU CRUSH COMPONENTS FOR REMOVAL.	27	7	31	26	12
E 291 E2-19 DO YOU MAKE HANDWIRE CONNECTIONS.	77	93	87	72	28
E 292 E2-20 DO YOU MAKE PRINTED CIRCUIT BOARD CONNECTIONS	81	100	91	76	30
E 293 E2-21 DO YOU SOLDER PASSIVE COMPONENTS SUCH AS RESISTORS OR CAPACITORS ON PRINTED CIRCUIT BOARDS	81	100	91	77	30
E 294 E2-22 DO YOU SOLDER ACTIVE COMPONENTS SUCH AS SOLID-STATE DIODES OR TRANSISTORS ON PRINTED CIRCUIT BOARDS	80	100	90	77	30
E 295 E3-01 DO YOU WORK WITH RELAYS ON YOUR PRESENT JOB	66	64	72	66	30
E 296 E3-02 DO YOU ADJUST RELAYS	42	57	46	42	19
E 297 E3-03 DO YOU CLEAN RELAYS	58	64	62	59	25
E 298 E3-04 DO YOU INSPECT RELAYS	64	71	69	69	30
E 299 E3-05 DO YOU REMOVE OR REPLACE COMPLETE RELAYS	64	64	71	63	23
E 300 E3-06 DO YOU REMOVE OR REPLACE PARTS ON RELAYS	24	43	26	23	11
E 301 E3-07 DO YOU TROUBLESHOOT RELAYS	63	79	67	69	30
E 302 E3-08 DO YOU STRAIGHTEN RELAY CONTACTS	50	64	56	48	23
E 303 E3-09 DO YOU PERFORM TASKS ON RELAY CONTACTS	55	71	59	54	30
E 304 E3-10 DO YOU PERFORM TASKS ON RELAY COILS	15	21	16	19	7
E 305 E3-11 DO YOU PERFORM TASKS ON RELAY COILS	20	36	22	19	9
E 306 E3-12 DO YOU PERFORM TASKS ON RELAY ARMATURES	21	50	23	18	9
E 307 E3-13 DO YOU PERFORM TASKS ON RELAY SPRINGS	33	57	36	32	16
E 308 E3-14 DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW (SPST), NORMALLY OPEN (NO) SCHEMATIC SYMBOLS FOR RELAYS	59	71	60	62	30
E 309 E3-15 DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW (SPST), NORMALLY CLOSED (NC) SCHEMATIC SYMBOLS FOR RELAYS	59	71	60	62	26
E 310 E3-16 DO YOU USE OR REFER TO SINGLE POLE, DOUBLE THROW (SPDT) SCHEMATIC SYMBOLS FOR RELAYS	59	71	60	62	32
E 311 E3-17 DO YOU USE OR REFER TO DOUBLE POLE, DOUBLE THROW (DPDT) SCHEMATIC SYMBOLS FOR RELAYS	59	57	59	63	32



PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

GPSUM PAGE 15

## TASK GROUP SUMMARY

## PERCENT MEMBERS PERFORMING

DY-TSK													
E 312 E3-18 DO YOU USE OR REFER TO OTHER RELAY SYMBOLS SCHEMATIC SYMBOLS FOR RELAYS													
SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
001	002	003	004	005	006	007	008	009	010	011	012	013	014
52	50	54	55	28									
E 313 E3-19 DO YOU CHECK ELECTRICAL CONTINUITY OF COILS BY MEASURING RESISTANCE													
61	57	64	63	28									
F 314 F1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH MICROPHONES													
10	0	11	11	7									
MICROPHONES													
F 315 F1-02 DO YOU INSPECT MICROPHONES	8	0	9	8	4								
F 316 F1-03 DO YOU CLEAN MICROPHONES	6	0	6	7	2								
F 317 F1-04 DO YOU OPERATE MICROPHONES	11	0	12	10	7								
F 318 F1-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT	8	0	8	9	0								
F 319 F1-06 DO YOU TROUBLESHOOT DOWN TO MICROPHONE PARTS	3	0	4	3	2								
F 320 F1-07 DO YOU REMOVE OR REPLACE COMPLETE MICROPHONES	8	0	9	8	2								
F 321 F1-08 DO YOU REMOVE OR REPLACE MICROPHONE PARTS	3	0	4	4	2								
F 322 F1-09 DO YOU PERFORM TASKS ON CARBON MICROPHONES	5	0	5	6	2								
F 323 F1-10 DO YOU PERFORM TASKS ON CAPACITOR MICROPHONES	4	0	4	5	2								
F 324 F1-11 DO YOU PERFORM TASKS ON CRYSTAL MICROPHONES	6	0	5	7	2								
F 325 F1-12 DO YOU PERFORM TASKS ON DYNAMIC MICROPHONES	6	0	7	6	2								
F 326 F1-13 DO YOU PERFORM TASKS ON VELOCITY RIBBON MICROPHONES	2	0	2	2	2								
F 327 F2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH SPEAKERS													
17	7	17	20	9									
SPEAKERS													
F 328 F2-02 DO YOU INSPECT SPEAKERS	14	7	14	16	5								
F 329 F2-03 DO YOU CLEAN SPEAKERS	10	7	10	11	4								
F 330 F2-04 DO YOU OPERATE SPEAKERS	16	7	16	18	7								
F 331 F2-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT	14	7	14	16	4								
F 332 F2-06 DO YOU TROUBLESHOOT DOWN TO SPEAKER PARTS	4	0	3	5	2								
F 333 F2-07 DO YOU REMOVE OR REPLACE COMPLETE SPEAKERS	14	7	14	16	2								
F 334 F2-08 DO YOU REMOVE OR REPLACE SPEAKER PARTS	2	0	2	2	2								
F 335 F2-09 DO YOU PERFORM ANY TASKS ON SPEAKER CONES	2	0	2	4	0								
F 336 F2-10 DO YOU PERFORM ANY TASKS ON SPEAKER SPIDERS	1	0	1	2	0								
F 337 F2-11 DO YOU PERFORM ANY TASKS ON SPEAKER FIELD COILS	2	0	1	4	2								
F 338 F2-12 DO YOU PERFORM ANY TASKS ON SPEAKER VOICE COILS	3	0	2	5	2								
F 339 F2-13 DO YOU PERFORM ANY TASKS ON SPEAKER PERMANENT MAGNETS	2	0	2	3	2								
F 340 F2-14 DO YOU PERFORM ANY TASKS ON SPEAKER ELECTROMAGNETS	2	0	2	3	2								
F 341 F2-15 DO YOU PERFORM ANY TASKS ON SPEAKER SOFT IRON CORES	2	0	1	2	2								
F 342 F3-01 DO YOU USE OSCILLOSCOPES IN YOUR PRESENT JOB													
84	93	89	86	39									
F 343 F3-02 DO YOU USE OSCILLOSCOPES TO PERFORM OPERATIONAL CHECKS													
83	86	89	84	39									
F 344 F3-03 DO YOU USE OSCILLOSCOPES TO PERFORM ALIGNMENTS OR ADJUSTMENTS													
79	79	88	78	28									
F 345 F3-04 DO YOU USE OSCILLOSCOPES TO TROUBLESHOOT ELECTRONIC CIRCUITS													
79	86	88	77	35									
F 346 F3-05 DO YOU USE OSCILLOSCOPES TO MEASURE FREQUENCY	77	71	83	77	33								
F 347 F3-06 DO YOU USE OSCILLOSCOPES TO MEASURE TIME	79	71	83	81	37								
OSCILLOSCOPES													

MICROPHONES

SPEAKERS

OSCILLOSCOPES

# PERCENT MEMBERS PERFORMING TASKS BY DA-5C GROUPS

GP5UM1 PAGE 16

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DT-TSK

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005
F 348 F3-07 DO YOU USE OSCILLOSCOPES TO OBSERVE LISAJOUS PATTERNS	63	50	49	60	35
F 349 F3-08 DO YOU USE OSCILLOSCOPES TO OBSERVE SIGNALS WHILE UTILIZING ATTENUATOR PROBES	61	57	68	61	39
F 350 F3-09 DO YOU USE OSCILLOSCOPES TO MAKE FREQUENCY OR TIME MEASUREMENTS USING DELAY TIME MULTIPLIERS	48	50	71	72	35
F 351 F3-10 DO YOU USE OSCILLOSCOPES TO MEASURE AC VOLTAGE	84	79	89	85	39
F 352 F3-11 DO YOU USE OSCILLOSCOPES TO MEASURE OR OBSERVE SIGNALS AFTER FIRST ADJUSTING THE GAIN AND DC BAL CONTROLS	82	71	87	84	39
F 353 F3-12 DO YOU USE OSCILLOSCOPES TO MEASURE DC VOLTAGE	78	79	83	79	37
G 354 G1-01 DO YOU WORK WITH SEMICONDUCTOR DIODES IN YOUR PRESENT JOB	82	100	91	79	35
G 355 G1-02 DO YOU INSPECT DIODES	81	93	89	78	37
G 356 G1-03 DO YOU REMOVE OR REPLACE DIODES	79	100	89	76	26
G 357 G1-04 DO YOU CHECK DIODES USING AN INSTRUMENT	81	93	89	79	35
G 358 G1-05 DO YOU USE ENERGY LEVEL DIAGRAMS IN YOUR WORK WITH DIODES	11	7	14	9	5
G 359 G1-06 DO YOU USE PN JUNCTION DIODE CHARACTERISTIC CURVES, TOGETHER WITH VALUES OF FORWARD AND REVERSE BIAS VOLTAGE	16	21	19	14	9
G 360 G1-07 DO YOU COMPUTE FORWARD OR REVERSE BIAS RESISTANCE FOR DIODES	24	29	30	20	9
G 361 G1-08 DO YOU USE OR REFER TO THE GENERAL RULE THAT TEMPERATURE CAN AFFECT THE OPERATION OF DIODES	65	71	67	68	32
G 362 G1-09 DO YOU IDENTIFY SEMICONDUCTOR DIODES AS OPPOSED TO OTHER ELECTRONIC COMPONENTS, SUCH AS RESISTORS, BASED ON EFFECTS OF DOPING OR CURRENT FLOW	78	57	86	77	37
G 363 G1-10 DO YOU REFER TO OR DO YOU DETERMINE THE GENERAL EFFECTS OF DOPING OR CURRENT FLOW	12	7	14	12	2
G 364 G1-11 DO YOU USE OR REFER TO MEASUREMENTS OF FORWARD BIAS RESISTANCE	69	50	75	70	32
G 365 G1-12 DO YOU USE OR REFER TO DIODE COLOR CODING	95	93	94	99	30
G 366 G1-13 DO YOU USE OR REFER TO CENTRIFUGAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	2	3	2	2	4
G 367 G1-14 DO YOU USE OR REFER TO CENTRIPETAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	2	7	2	2	4
G 368 G1-15 DO YOU USE OR REFER TO DIODE NUMBERING SYSTEM, SUCH AS IN 538	71	79	75	73	35
G 369 G1-16 DO YOU USE OR REFER TO KINETIC ENERGY OF AN ELECTRON MOVING IN ORBIT	3	0	2	3	5
G 370 G1-17 DO YOU USE OR REFER TO POTENTIAL ENERGY OF AN ELECTRON MOVING IN ORBIT	3	0	3	3	5
G 371 G1-18 DO YOU USE OR REFER TO MEASUREMENTS OF REVERSE BIAS RESISTANCE	69	50	73	71	32
G 372 G1-19 DO YOU USE OR REFER TO NUMBER OF ELECTRONS IN A PARTICULAR SHELL OR ORBIT	5	0	4	5	5
G 373 G1-20 DO YOU USE OR REFER TO PERMISSIBLE ENERGY LEVELS OF AN ORBITING ELECTRON	3	0	3	4	4

SEMICONDUCTOR DIODES

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING	DY-TSK	SPC				SPC			
		001	002	003	004	005	006	007	008
G 374 G1-21 DO YOU USE OR REFER TO FORBIDDEN ENERGY LEVELS OF AN ORBITING ELECTRON		3	0	3	3	4			
G 375 G1-22 DO YOU USE OR REFER TO VALENCE ELECTRONS (THOSE IN THE OUTERMOST SHELL)		6	14	6	6	5			
G 376 G1-23 DO YOU USE OR REFER TO ATOMIC NUMBER (TOTAL NUMBER OF ELECTRONS IN ATOM)		6	7	6	7	7			
G 377 G1-24 DO YOU USE OR REFER TO SYMBOLS ON THE DIODE WHICH INDICATE THE CATHODE END		76	86	82	77	37			
G 378 G1-25 DO YOU NEED TO KNOW WHICH MATERIALS ARE USED IN THE CONSTRUCTION OF DIODES SUCH AS GERMANIUM OR SILICON		47	36	49	49	25			
G 379 G1-26 DO YOU NEED TO KNOW THAT SEMICONDUCTORS HAVE NEGATIVE TEMPERATURE COEFFICIENTS OF RESISTANCE (AS TEMPERATURE INCREASES, RESISTANCE DECREASES)		49	57	52	49	23			
G 380 G1-27 DO YOU USE OR REFER TO PN JUNCTION DIODE CHARACTERISTIC CURVES, SUCH AS VOLTAGE - CURRENT		34	21	39	31	19			
G 381 G1-28 DO YOU DETERMINE WHETHER PN JUNCTION DIODES ARE FORWARD BIASED OR REVERSE BIASED WHEN YOU READ OR FORWARD BIAS OR REVERSE BIAS		65	57	66	70	32			
G 382 G1-29 DO YOU USE OR REFER TO VALENCE BAND IN SEMICONDUCTOR MATERIALS		5	0	6	5	2			
G 383 G1-30 DO YOU USE OR REFER TO FORBIDDEN BAND IN SEMICONDUCTOR MATERIALS		3	0	4	3	0			
G 384 G1-31 DO YOU USE OR REFER TO CONDUCTION BAND IN SEMICONDUCTOR MATERIALS		5	0	7	4	0			
G 385 G1-32 DO YOU USE OR REFER TO COVALENT BONDING IN SEMICONDUCTOR MATERIALS		5	0	5	5	4			
G 386 G1-33 DO YOU USE OR REFER TO ELECTRON-HOLE PAIR CREATED IN SEMICONDUCTORS		6	0	5	7	4			
G 387 G1-34 DO YOU USE OR REFER TO ELECTRON FLOW OR HOLE FLOW IN SEMICONDUCTORS		17	0	15	21	9			
G 388 G1-35 DO YOU USE OR REFER TO DONOR IMPURITY IN SEMICONDUCTORS		6	0	6	7	5			
G 389 G1-36 DO YOU USE OR REFER TO ACCEPTOR IMPURITY IN SEMICONDUCTORS		6	0	6	7	4			
G 390 G1-37 DO YOU USE OR REFER TO P-TYPE SEMICONDUCTOR MATERIAL		33	57	34	35	18			
G 391 G1-38 DO YOU USE OR REFER TO N-TYPE SEMICONDUCTOR MATERIAL		33	57	33	35	18			
G 392 G1-39 DO YOU USE OR REFER TO MAJORITY CARRIERS IN SEMICONDUCTORS		10	0	10	11	5			
G 393 G1-40 DO YOU USE OR REFER TO MINORITY CARRIERS IN SEMICONDUCTORS		9	0	10	10	4			
G 394 G1-41 DO YOU USE OR REFER TO JUNCTION RECOMBINATION IN SEMICONDUCTORS		7	0	8	6	4			
G 395 G1-42 DO YOU USE OR REFER TO DEPLETION REGION IN SEMICONDUCTORS		10	0	9	12	5			
G 396 G1-43 DO YOU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER WIDTH AND DIFFERENCE OF POTENTIAL		10	7	9	12	4			



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005
6 397 61-44 DO YOU USE OR REFER TO THE 10:1 BACK TO FRONT RESISTANCE RATIO FOR DIODES	80	71	88	78	37
6 398 61-45 DO YOU USE OR REFER TO BARRIER HEIGHT IN SEMICONDUCTORS	7	7	9	6	2
6 399 61-46 DO YOU USE OR REFER TO DIODE SUBSTITUTION INFORMATION	73	57	77	74	37
6 400 61-47 DO YOU USE OR REFER TO MAXIMUM AVERAGE FORWARD CURRENT DIODE RATINGS	49	43	47	56	30
6 401 61-48 DO YOU USE OR REFER TO PEAK RECURRENT FORWARD CURRENT DIODE RATINGS	36	36	37	38	19
6 402 61-49 DO YOU USE OR REFER TO MAXIMUM SURGE CURRENT DIODE RATINGS	44	36	45	46	26
6 403 61-50 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE DIODE RATINGS	59	57	56	67	37
6 404 62-01 DO YOU WORK WITH TRANSISTORS IN YOUR PRESENT JOB.	81	93	90	78	35
6 405 62-02 DO YOU INSPECT TRANSISTORS	79	100	87	76	35
6 406 62-03 DO YOU REMOVE OR REPLACE TRANSISTORS	78	100	88	75	25
6 407 62-04 DO YOU CHECK TRANSISTORS USING AN INSTRUMENT	81	93	89	78	37
6 408 62-05 DO YOU USE OR REFER TO EMITTER - BASE (EB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	80	93	87	79	35
6 409 62-06 DO YOU USE OR REFER TO COLLECTOR - BASE (CB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	80	79	86	79	39
6 410 62-07 DO YOU USE OR REFER TO EMITTER - COLLECTOR (EC) RESISTANCE MEASUREMENTS	79	79	85	79	39
6 411 62-08 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE EMITTER - BASE JUNCTION	21	14	25	20	11
6 412 62-09 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE COLLECTOR - BASE JUNCTION	21	14	25	19	11
6 413 62-10 DO YOU USE OR REFER TO THE PHYSICAL SIZE OF THE TRANSISTOR STRUCTURE (COLLECTOR, BASE AND EMITTER)	52	64	59	48	18
6 414 62-11 DO YOU USE OR REFER TO LEAKAGE CURRENT (ICBO) IN A TRANSISTOR	33	21	32	37	23
6 415 62-12 DO YOU USE OR REFER TO TRANSISTOR SCHEMATIC SYMBOLS	83	93	91	82	39
6 416 62-13 DO YOU USE OR REFER TO TRANSISTOR NOTATION SUCH AS Q1, Q2, Q3, ETC	84	93	91	82	39
6 417 62-14 DO YOU USE OR REFER TO TRANSISTOR SUBSTITUTION INFORMATION	77	79	83	77	39
6 418 62-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE TRANSISTOR BASE CURRENT IS NORMALLY SIGNIFICANTLY	37	50	38	37	23
6 419 62-16 DO YOU USE THE INFORMATION THAT THE EFFECT OF EMITTER BASE VOLTAGE ON BASE CURRENT IS THE CONTROLLING FACTOR FOR	54	71	53	58	28
6 420 62-17 DO YOU USE THE GENERAL RULE THAT LEAKAGE CURRENT (ICBO) IN A TRANSISTOR INCREASES AS TEMPERATURE INCREASES	31	43	28	35	23
6 421 62-18 DO YOU USE OR REFER TO TRANSISTOR CHARACTERISTIC CURVES	43	43	49	41	16

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005
DY-TSK					
G 422 G2-19 DO YOU USE OR REFER TO BETA TRANSISTOR GAINS	23	21	21	27	14
G 423 G2-20 DO YOU USE OR REFER TO ALPHA TRANSISTOR GAINS	18	21	17	20	11
G 424 G2-21 DO YOU USE OR REFER TO GAMMA TRANSISTOR GAINS	15	21	13	17	11
G 425 G2-22 DO YOU CALCULATE BETA TRANSISTOR GAINS	9	14	10	7	11
G 426 G2-23 DO YOU CALCULATE ALPHA TRANSISTOR GAINS	7	14	8	6	5
G 427 G2-24 DO YOU CALCULATE GAMMA TRANSISTOR GAINS	6	14	6	5	4
G 428 G3-01 DO YOU WORK WITH TRANSISTOR AMPLIFIERS IN YOUR PRESENT JOB	73	64	78	75	33
TRANSISTOR AMPLIFIERS					
G 429 G3-02 DO YOU INSPECT TRANSISTOR AMPLIFIERS	71	64	76	72	33
G 430 G3-03 DO YOU ALIGN OR ADJUST TRANSISTOR AMPLIFIERS	67	57	73	68	26
G 431 G3-04 DO YOU TROUBLESHOOT TO THE AMPLIFIER CIRCUIT LEVEL	71	64	77	70	33
G 432 G3-05 DO YOU TROUBLESHOOT TO AMPLIFIER COMPONENTS	71	64	76	72	32
G 433 G3-06 DO YOU REMOVE OR REPLACE THE COMPLETE AMPLIFIER	60	50	67	60	19
G 434 G3-07 DO YOU REMOVE OR REPLACE AMPLIFIER COMPONENTS	68	64	75	68	25
G 435 G3-08 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN COLLECTOR CURRENT WHICH RESULTS FROM A CHANGE IN BASE	41	57	42	44	19
G 436 G3-09 DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN	17	14	17	18	14
G 437 G3-10 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A CHANGE IN BASE	40	43	41	42	25
G 438 G3-11 DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN	17	21	17	18	9
G 439 G3-12 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN BASE CURRENT WHICH RESULTS FROM AN INPUT SIGNAL	36	43	37	39	14
G 440 G3-13 DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN	18	21	18	19	7
G 441 G3-14 DO YOU USE THE LOAD-LINE METHOD OF ANALYSIS IN YOUR CIRCUIT ANALYSIS (THIS METHOD REQUIRES YOU TO PLOT A QUIESCENT POINT) FOR A TRANSISTOR	7	14	7	8	4
G 442 G3-15 DO YOU USE OR REFER TO THE OPERATING POINT Q (QUIESCENT POINT) FOR A TRANSISTOR	26	29	27	27	16
G 443 G3-16 DO YOU CALCULATE THE SPECIFIC QUIESCENT POINT FOR A PARTICULAR TRANSISTOR	7	14	7	7	4
G 444 G3-17 DO YOU MEASURE VOLTAGE GAIN USED IN THE COMMON EMITTER CONFIGURATION	58	43	62	59	30
G 445 G3-18 DO YOU MEASURE CURRENT GAIN USED IN THE COMMON EMITTER CONFIGURATION	37	36	39	38	18
G 446 G3-19 DO YOU MEASURE POWER GAIN USED IN THE COMMON EMITTER CONFIGURATION	36	21	37	38	19
G 447 G3-20 DO YOU CALCULATE THE VOLTAGE GAIN FOR SPECIFIC TRANSISTONS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE	15	14	15	16	9

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

0Y-15K

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005
6 448 G3-21 DO YOU CALCULATE THE CURRENT GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE	12	21	12	11	7
6 449 G3-22 DO YOU CALCULATE THE POWER GAIN FOR A SPECIFIC TRANSISTOR USING A FORMULA THAT IS, DO YOU MULTIPLY THE	9	14	10	10	5
6 450 G3-23 DO YOU NEED TO KNOW THAT MORE COLLECTOR CURRENT IS GENERATED WITH LESS COLLECTOR VOLTAGE AS TEMPERATURE	18	21	18	21	9
6 451 G3-24 DO YOU COMPUTE THE STATIC OPERATING POINT EQ OF A TRANSISTOR AT DIFFERENT TEMPERATURES	5	14	4	5	0
6 452 G3-25 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	39	21	37	46	19
6 453 G3-26 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH SELF-	39	21	38	44	19
6 454 G3-27 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	39	14	38	43	19
6 455 G3-28 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	39	21	40	44	14
6 456 G3-29 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	38	21	38	42	18
6 457 G3-30 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	33	21	32	38	14
6 458 G3-31 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM EMITTER (SWAMPING) RESISTOR STABILIZATION	46	29	47	50	21
6 459 G3-32 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM SELF-BIAS STABILIZATION	46	21	48	50	21
6 460 G3-33 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THERMISTOR STABILIZATION	47	21	50	49	23
6 461 G3-34 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM FORWARD BIAS DIODE STABILIZATION	46	36	49	48	19
6 462 G3-35 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM REVERSE BIAS DIODE STABILIZATION	45	29	49	47	19
6 463 G3-36 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM DOUBLE DIODE STABILIZATION	41	36	42	43	18
6 464 G3-37 DO YOU IDENTIFY AMPLITUDE DISTORTION FOR TRANSISTOR CIRCUITS	61	50	62	64	30
6 465 G3-38 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF AMPLITUDE DISTORTION	61	43	66	62	28



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING	DY-TSK	SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC									
		001	002	003	004	005	006	007	008	009	010
G 466 G3-39 DO YOU IDENTIFY FREQUENCY DISTORTION FOR TRANSISTOR CIRCUITS		52	43	54	55	26					
G 467 G3-40 DO YOU IDENTIFY PHASE DISTORTION FOR TRANSISTOR CIRCUITS		34	29	35	37	18					
G 468 G3-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF PHASE DISTORTION		33	29	34	34	16					
G 469 G3-42 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF FREQUENCY DISTORTION		50	29	52	54	25					
G 470 G3-43 DO YOU NEED TO KNOW THE DEGENERATIVE EFFECTS ON THE CIRCUIT CAUSED BY CHANGING EMITTER RESISTANCE FOR		27	21	27	31	12					
G 471 G3-44 DO YOU DETERMINE THE CLASS OF OPERATION FOR AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS		36	43	36	39	16					
G 472 G3-45 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS		55	50	60	55	25					
G 473 G3-46 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS		69	57	75	69	32					
G 474 G3-47 DO YOU TROUBLESHOOT OR REPAIR COMPLEMENTARY SYMMETRY CIRCUITS		53	50	55	55	28					
G 475 G3-48 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS		52	36	55	54	23					
G 476 G3-49 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS		64	57	69	64	32					
H 477 H1-01 DO YOU USE OR REFER TO VARACTORS		48	43	39	59	54					
H 478 H1-02 DO YOU USE OR REFER TO TUNNEL DIODES		75	57	74	77	48					
H 479 H1-03 DO YOU USE OR REFER TO FIELD EFFECT TRANSISTORS (FET)		81	79	80	84	67					
H 480 H1-04 DO YOU USE OR REFER TO UNIJUNCTION TRANSISTORS		71	57	70	76	65					
H 481 H1-05 DO YOU USE OR REFER TO ZENER DIODES		88	93	90	87	72					
H 482 H1-06 DO YOU USE OR REFER TO INTEGRATED CIRCUITS		85	84	84	84	75					
H 483 H2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH POWER SUPPLIES		79	93	86	77	33					
H 484 H2-02 DO YOU INSPECT POWER SUPPLIES		77	93	85	75	37					
H 485 H2-03 DO YOU CLEAN POWER SUPPLIES		64	71	73	60	19					
H 486 H2-04 DO YOU ALIGN OR ADJUST POWER SUPPLIES		77	100	85	75	28					
H 487 H2-05 DO YOU TROUBLESHOOT TO POWER SUPPLY CIRCUIT LEVEL		77	100	85	73	32					
H 488 H2-06 DO YOU TROUBLESHOOT TO POWER SUPPLY COMPONENTS		77	100	85	75	28					
H 489 H2-07 DO YOU REMOVE OR REPLACE COMPLETE POWER SUPPLIES		64	50	74	61	19					
H 490 H2-08 DO YOU REMOVE OR REPLACE POWER SUPPLY COMPONENTS		74	100	84	71	25					
H 491 H2-09 DO YOU WORK WITH HALF-WAVE RECTIFIERS		77	93	83	76	35					
H 492 H2-10 DO YOU WORK WITH FULL-WAVE RECTIFIERS OTHER THAN BRIDGE RECTIFIERS		76	86	83	74	32					
H 493 H2-11 DO YOU WORK WITH BRIDGE RECTIFIERS		75	86	82	75	32					
H 494 H2-12 DO YOU WORK WITH THREE-PHASE RECTIFIERS		26	21	26	26	19					
H 495 H2-13 DO YOU USE OR REFER TO INPUT VOLTAGE		79	84	84	79	37					
H 496 H2-14 DO YOU USE OR REFER TO INPUT FREQUENCY		69	71	73	70	33					
H 497 H2-15 DO YOU USE OR REFER TO PEAK OUTPUT VOLTAGE		66	71	71	64	30					
H 498 H2-16 DO YOU USE OR REFER TO AVERAGE OUTPUT VOLTAGE		67	50	70	70	35					
H 499 H2-17 DO YOU USE OR REFER TO RIPPLE AMPLITUDE		74	64	81	77	39					
H 500 H2-18 DO YOU USE OR REFER TO RIPPLE FREQUENCY		70	50	74	71	35					

SOLID-STATE SPECIAL PURPOSE  
DEVICES

POWER SUPPLIES

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005
M 501 M2-19 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE	51	57	51	55	30
M 502 M2-20 DO YOU USE OR REFER TO SHAPE OF OUTPUT WAVEFORMS	74	71	79	75	37
M 503 M2-21 DO YOU USE OR REFER TO EFFECTIVE OUTPUT VOLTAGE	72	71	76	72	39
M 504 M2-22 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE FILTERS	71	86	75	79	33
M 505 M2-23 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE FILTERS	66	64	68	70	33
M 506 M2-24 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE INPUT L-TYPE FILTERS	63	71	64	67	32
M 507 M2-25 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE INPUT L-TYPE FILTERS	61	64	62	65	30
M 508 M2-26 DO YOU WORK WITH CIRCUITS WHICH EMPLOY LC PI-TYPE FILTERS	61	57	61	65	30
M 509 M2-27 DO YOU WORK WITH CIRCUITS WHICH EMPLOY RC PI-TYPE FILTERS	63	64	64	68	32
M 510 M2-28 DO YOU WORK WITH CIRCUITS WHICH EMPLOY DON'T REMEMBER WHICH TYPE OF FILTER	19	50	25	13	2
M 511 M2-29 DO YOU HAVE THE OPTION OF REPLACING ONE TYPE OF FILTER WITH A DIFFERENT TYPE FILTER	10	7	13	8	5
M 512 M3-01 DO YOU WORK WITH OSCILLATORS IN YOUR PRESENT JOB	71	57	78	70	33
M 513 M3-02 DO YOU INSPECT OSCILLATORS	68	50	73	68	37
M 514 M3-03 DO YOU ALIGN OR ADJUST OSCILLATORS	66	50	74	66	26
M 515 M3-04 DO YOU REMOVE OR REPLACE COMPLETE OSCILLATORS	54	21	64	50	21
M 516 M3-05 DO YOU REMOVE OR REPLACE OSCILLATOR COMPONENTS	62	50	70	60	25
M 517 M3-06 DO YOU TROUBLESHOOT TO OSCILLATOR CIRCUIT LEVEL	65	50	73	62	32
M 518 M3-07 DO YOU TROUBLESHOOT TO OSCILLATOR COMPONENTS	65	50	72	63	33
M 519 M3-08 DO YOU USE OR REFER TO FEEDBACK	64	50	76	68	33
M 520 M3-09 DO YOU USE OR REFER TO FREQUENCY DETERMINING DEVICES (FDD)	64	43	68	65	32
M 521 M3-10 DO YOU USE OR REFER TO AMPLITUDE STABILITY	67	57	72	68	35
M 522 M3-11 DO YOU USE OR REFER TO FREQUENCY STABILITY	68	57	79	68	35
M 523 M3-12 DO YOU USE OR REFER TO DAMPING	51	43	56	50	28
M 524 M3-13 DO YOU USE OR REFER TO REGENERATIVE FEEDBACK	66	50	72	65	32
M 525 M3-14 DO YOU USE OR REFER TO PIEZOELECTRIC EFFECT	34	14	34	37	25
M 526 M3-15 DO YOU USE OR REFER TO CRITICAL DAMPING	33	21	36	32	19
M 527 M3-16 DO YOU USE OR REFER TO UNDER DAMPING	31	29	33	31	18
M 528 M3-17 DO YOU USE OR REFER TO OVER DAMPING	32	29	34	32	18
M 529 M3-18 DO YOU WORK WITH OSCILLATORS WHICH USE LC TANK CIRCUITS AS FDD	45	21	53	40	28
M 530 M3-19 DO YOU WORK WITH OSCILLATORS WHICH USE RC NETWORKS AS FDD	66	43	70	67	35
M 531 M3-20 DO YOU WORK WITH OSCILLATORS WHICH USE CRYSTALS AS FDD	65	50	69	67	35
M 532 M3-21 DO YOU WORK WITH OSCILLATORS WHICH USE DON'T REMEMBER WHICH TYPE OF FDD	10	14	13	7	2
M 533 M3-22 DO YOU WORK WITH SERIES HARTLEY SINUSOIDAL OSCILLATORS	51	43	52	54	30

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK	SPC		SPC		SPC		SPC		SPC	
	001	002	003	004	005	006	007	008	009	010
M 534 M3-23 DO YOU WORK WITH SHUNT HARTLEY SINUSOIDAL OSCILLATORS	49	36	51	51	26					
M 535 M3-24 DO YOU WORK WITH COLPITTS SINUSOIDAL OSCILLATORS	51	43	52	55	30					
M 536 M3-25 DO YOU WORK WITH CLAPP SINUSOIDAL OSCILLATORS	24	14	26	25	16					
M 537 M3-26 DO YOU WORK WITH BUTLER SINUSOIDAL OSCILLATORS	22	14	22	23	14					
M 538 M3-27 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF OSCILLATORS	24	29	29	22	2					
I 539 11-01 DO YOU WORK WITH MULTIVIBRATORS IN YOUR PRESENT JOB	63	43	69	64	26					
I 540 11-02 DO YOU INSPECT WAVE GENERATING OR SHAPING CIRCUITS	64	43	68	65	33					
I 541 11-03 DO YOU ALIGN OR ADJUST WAVE GENERATING OR SHAPING CIRCUITS	62	43	66	64	28					
I 542 11-04 DO YOU CALIBRATE WAVE GENERATING OR SHAPING CIRCUITS	61	36	65	64	23					
I 543 11-05 DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS	63	36	68	64	30					
I 544 11-06 DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUIT COMPONENTS	62	36	66	63	32					
I 545 11-07 DO YOU REMOVE OR REPLACE COMPLETE WAVE GENERATING OR SHAPING CIRCUITS	49	29	55	49	19					
I 546 11-08 DO YOU REMOVE OR REPLACE WAVE GENERATING OR SHAPING COMPONENTS	58	36	63	59	25					
I 547 11-09 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN LC TANK CIRCUITS	53	36	58	52	28					
I 548 11-10 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN RC NETWORKS	61	43	63	64	32					
I 549 11-11 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN CRYSTALS	50	36	55	49	30					
I 550 11-12 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN DON'T REMEMBER WHICH TYPE OF FDO	12	21	14	11	2					
I 551 11-13 DO YOU WORK WITH ASTABLE MULTIVIBRATORS	58	36	60	63	33					
I 552 11-14 DO YOU WORK WITH MONOSTABLE MULTIVIBRATORS	59	36	60	63	33					
I 553 11-15 DO YOU WORK WITH BISTABLE MULTIVIBRATORS	60	43	61	64	32					
I 554 11-16 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE MULTIVIBRATORS	9	21	12	7	0					
I 555 12-01 DO YOU WORK WITH LIMITERS OR CLAMPERS IN YOUR PRESENT JOB	57	50	57	62	28					
I 556 12-02 DO YOU WORK WITH SERIES DIODE LIMITERS	51	50	49	57	28					
I 557 12-03 DO YOU WORK WITH SHUNT DIODE LIMITERS	50	36	47	58	24					
I 558 12-04 DO YOU WORK WITH LIMITERS WITH BIAS	46	36	44	52	24					
I 559 12-05 DO YOU WORK WITH ZENER DIODE LIMITERS	52	50	51	58	30					
I 560 12-06 DO YOU WORK WITH TRANSISTOR LIMITERS	48	29	48	53	24					
I 561 12-07 DO YOU WORK WITH DON'T KNOW WHICH TYPE OF LIMITERS	9	21	10	9	0					
I 562 12-08 DO YOU WORK WITH BASIC DIODE CLAMPING CIRCUITS	49	50	47	57	28					
I 563 12-09 DO YOU WORK WITH DIODE CLAMPING CIRCUITS WITH BIAS	47	36	45	54	28					
I 564 12-10 DO YOU WORK WITH DON'T KNOW WHICH TYPE OF CLAMPING CIRCUIT	11	21	13	9	0					
I 565 13-01 IN YOUR PRESENT JOB, DO YOU WORK ON EQUIPMENT WHICH CONTAINS ELECTRON TUBES	81	100	89	78	35					
I 566 13-02 DO YOU CHECK ELECTRON TUBES TO SEE IF THEY ARE GOOD	74	100	84	74	32					

MULTIVIBRATORS

LIMITERS AND CLAMPERS

ELECTRON TUBES



PERCENT MEMBERS PERFORMING TASKS BY DARC GROUPS

GPSUM1 PAGE 24

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005
1 567 13-03 DO YOU USE TUBE TESTERS TO CHECK ELECTRON TUBES	75	93	83	73	32
1 568 13-04 DO YOU USE MULTIMETERS TO CHECK ELECTRON TUBES	52	64	55	53	21
1 569 13-05 DO YOU USE SCOPES TO CHECK ELECTRON TUBES	57	57	61	58	23
1 570 13-06 DO YOU USE SUBSTITUTION TO CHECK ELECTRON TUBES	77	100	86	73	37
1 571 13-07 DO YOU USE OR REFER TO CUTOFF	50	43	55	48	28
1 572 13-08 DO YOU USE OR REFER TO PEAK INVERSE VOLTAGE RATING	23	29	26	20	16
1 573 13-09 DO YOU USE OR REFER TO PEAK CURRENT RATING	25	43	29	22	16
1 574 13-10 DO YOU USE OR REFER TO TRANSIT TIME	20	21	23	17	11
1 575 13-11 DO YOU USE OR REFER TO PLATE DISSIPATION RATING	21	19	23	21	19
1 576 13-12 DO YOU USE OR REFER TO SATURATION	45	57	48	45	26
1 577 13-13 DO YOU USE OR REFER TO DC PLATE RESISTANCE	33	21	38	31	21
1 578 13-14 DO YOU COMPUTE ACTUAL VALUES OF THE DC PLATE RESISTANCE FOR ELECTRON TUBES	6	14	6	6	0
1 579 13-15 DO YOU USE OR REFER TO PLATE VOLTAGE	77	93	84	77	33
1 580 13-16 DO YOU USE OR REFER TO PLATE CURRENT	55	71	60	55	25
1 581 13-17 DO YOU USE OR REFER TO GRID VOLTAGE	76	93	83	75	33
1 582 13-18 DO YOU USE OR REFER TO GRID CURRENT	52	64	57	51	23
1 583 13-19 DO YOU USE OR REFER TO CATHODE VOLTAGE	76	93	83	75	33
1 584 13-20 DO YOU USE OR REFER TO CATHODE CURRENT	54	71	57	55	26
1 585 13-21 DO YOU USE OR REFER TO THE TRIODE AMPLIFICATION FACTOR (THE AMPLIFICATION FACTOR FOR TRIODES IS DEFINED AS AMPLIFICATION FACTORS	28	29	28	31	19
1 586 13-22 DO YOU CALCULATE ACTUAL VALUES OF TRIODE AMPLIFICATION FACTORS	10	14	11	12	2
1 587 13-23 DO YOU USE OR REFER TO MULTIGRID (TETRODE, PENTODE, ETC) AMPLIFICATION FACTORS	25	36	25	26	14
1 588 13-24 DO YOU USE OR REFER TO ELECTRON TUBE TRANSCONDUCTANCE (G, WHICH IS MEASURED IN MMH)	13	21	12	15	11
1 589 13-25 DO YOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE TRANSCONDUCTANCES	6	14	7	6	2
1 590 13-26 DO YOU USE OR REFER TO THE ELECTRON TUBE PARAMETER CALLED AC PLATE RESISTANCE	15	14	17	14	9
1 591 13-27 DO YOU CALCULATE ACTUAL VALUES OF AC PLATE RESISTANCE	7	14	7	7	2
1 592 13-28 DO YOU USE OR REFER TO ELECTRON TUBE INTERELECTRODE CAPACITANCE	33	36	30	39	25
1 593 13-29 DO YOU USE OR REFER TO CHARACTERISTIC CURVES IN YOUR WORK WITH ELECTRON TUBES	18	29	19	15	16
1 594 13-30 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE VOLTAGE FOR A SPECIFIED BIAS	14	14	16	11	11
1 595 13-31 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE CURRENT FOR A SPECIFIED BIAS	12	14	14	9	9
1 596 13-32 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR CUTOFF	18	21	20	16	11
1 597 13-33 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR SATURATION	16	21	19	15	9

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

## DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

I 598 J3-34 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER GAIN  
I 599 J3-35 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER  
EFFICIENCY  
I 600 J3-36 DO YOU USE TEST TUBE CHECKERS TO DETERMINE ELECTRON  
TUBE AMPLIFIER GAIN  
I 601 J3-37 DO YOU USE MULTIMETERS TO DETERMINE ELECTRON TUBE  
AMPLIFIER GAIN  
I 602 J3-38 DO YOU USE OSCILLOSCOPES TO DETERMINE ELECTRON TUBE  
AMPLIFIER GAIN  
I 603 J3-39 DO YOU USE CHARACTERISTIC CURVES TO DETERMINE  
ELECTRON TUBE AMPLIFIER GAIN  
I 604 J3-40 DO YOU CALCULATE ANY ELECTRON TUBE CAPACITANCES SUCH  
AS INPUT CAPACITANCE  
I 605 J3-41 DO YOU USE OR REFER TO TUBE SOCKET NOTATION  
I 606 J3-42 DO YOU USE OR REFER TO PIN NUMBERING SYSTEMS  
I 607 J3-43 DO YOU USE OR REFER TO THE TYPE OF MATERIAL OR THE  
OPERATING TEMPERATURE OF THE EMITTING SURFACE IN THE  
I 608 J3-44 DO YOU USE OR REFER TO TUBE SUBSTITUTION MATERIAL  
SUCH AS MANUALS OR CHARTS  
J 609 J1-01 DO YOU WORK WITH ELECTRON TUBE AMPLIFIERS OR CIRCUITS  
IN YOUR PRESENT JOB  
J 610 J1-02 DO YOU DETERMINE THE CLASS OF OPERATION FOR ELECTRON  
TUBE AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER  
J 611 J1-03 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS  
J 612 J1-04 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS  
J 613 J1-05 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED  
AMPLIFIERS  
J 614 J1-06 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED  
AMPLIFIERS  
J 615 J1-07 DO YOU TROUBLESHOOT OR REPAIR DON'T KNOW WHICH TYPE  
OF AMPLIFIER  
J 616 J2-01 DO YOU WORK WITH GAS TUBES (HOT CATHODE OR COLO  
CATHODE)  
J 617 J2-02 DO YOU WORK WITH CATHODE-RAY TUBES  
J 618 J2-03 DO YOU USE OR REFER TO THE CHARACTERISTICS OF BEAM  
POWER TUBES  
J 619 J2-04 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH BEAM  
POWER TUBES ARE USED  
J 620 J2-05 DO YOU USE OR REFER TO THE CHARACTERISTICS OF  
THYRATONS  
J 621 J2-06 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH  
THYRATONS ARE USED  
J 622 J2-07 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF  
ELECTRON GUNS OF CATHODE-RAY TUBES (CRT)  
J 623 J2-08 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF  
ELECTROMAGNETIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES

ELECTRON TUBE AMPLIFIERS AND CIRCUITS

SPECIAL PURPOSE ELECTRON TUBES

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

J 624 J2-09 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROSTATIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES	49	50	45	55	42
J 625 J2-10 DO YOU USE OR REFER TO PHOSPHOR SCREENS	53	43	55	53	39
J 626 J2-11 DO YOU USE OR REFER TO AGADAG COATINGS	38	36	34	43	37
J 627 J2-12 DO YOU USE OR REFER TO ELECTRON OPTICS	14	14	16	16	11
J 628 J2-13 DO YOU USE OR REFER TO PERSISTENCE	45	36	42	51	40
J 629 J2-14 DO YOU USE OR REFER TO DECAY TIMES	37	36	34	35	26
J 630 J2-15 DO YOU USE OR REFER TO FLUORESCENCE	32	29	32	33	26
J 631 J2-16 DO YOU USE OR REFER TO PHOSPHORESCENCE	39	36	39	40	30
J 632 J3-01 DO YOU WORK ON TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	39	29	41	42	16
J 633 J3-02 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS	36	14	40	41	16
J 634 J3-03 DO YOU PERFORM TASKS ON FREQUENCY MIXERS	38	29	40	41	14
J 635 J3-04 DO YOU USE OR REFER TO THE HETERODYNING OF SIGNALS IN YOUR WORK WITH TRANSMIT OR RECEIVE SYSTEMS	34	14	33	40	16
J 636 J3-05 DO YOU PERFORM TASKS ON REACTANCE MODULATORS	21	14	19	26	9
J 637 J3-06 DO YOU PERFORM TASKS ON MODULATED OSCILLATORS	34	29	35	37	14
K 638 K1-01 DO YOU WORK ON AM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	31	7	33	35	7
K 639 K1-02 DO YOU INSPECT AM TRANSMIT OR RECEIVE SYSTEMS	31	0	32	35	9
K 640 K1-03 DO YOU CLEAN AM TRANSMIT OR RECEIVE SYSTEMS	26	0	29	27	9
K 641 K1-04 DO YOU ALIGN OR ADJUST AM TRANSMIT OR RECEIVE SYSTEMS	30	0	32	33	9
K 642 K1-05 DO YOU TROUBLESHOOT TO AM TRANSMIT OR RECEIVE SYSTEMS	30	0	31	32	9
K 643 K1-06 DO YOU TROUBLESHOOT TO AM TRANSMIT OR RECEIVE COMPONENTS	30	0	32	33	9
K 644 K1-07 DO YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE SYSTEMS	25	0	28	25	9
K 645 K1-08 DO YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE COMPONENTS	29	0	31	32	9
K 646 K1-09 DO YOU PERFORM TASKS ON RF OSCILLATORS	32	7	33	35	9
K 647 K1-10 DO YOU PERFORM TASKS ON RF AMPLIFIERS	31	7	33	34	9
K 648 K1-11 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS	31	7	32	35	9
K 649 K1-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS	30	7	30	35	9
K 650 K1-13 DO YOU PERFORM TASKS ON LOCAL OSCILLATORS	31	7	32	35	9
K 651 K1-14 DO YOU PERFORM TASKS ON IF AMPLIFIERS	31	7	32	35	9
K 652 K1-15 DO YOU PERFORM TASKS ON DETECTORS	31	7	32	35	9
K 653 K1-16 DO YOU PERFORM TASKS ON GAIN'T REMEMBER WHICH AM STAGE	3	7	3	4	0
K 654 K1-17 DO YOU USE OR REFER TO AMPLITUDE STABILIZATION IN TRANSMITTERS	23	0	25	25	5
K 655 K1-18 DO YOU USE OR REFER TO FREQUENCY STABILIZATION IN TRANSMITTERS	25	0	27	27	7
K 656 K1-19 DO YOU USE OR REFER TO SENSITIVITY OF RECEIVERS	30	7	30	34	9
K 657 K1-20 DO YOU USE OR REFER TO SELECTIVITY OF RECEIVERS	27	7	27	32	9
K 658 K1-21 DO YOU USE OR REFER TO 2ND HARMONIC DISTORTION	20	7	21	23	9
K 659 K1-22 DO YOU USE OR REFER TO BANDPASS DISTORTION	22	7	24	23	9
K 660 K1-23 DO YOU USE OR REFER TO SQUARE LAW DISTORTION	14	0	12	16	7



## PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK	SPC				SPC				FM SYSTEMS
	001	002	003	004	005	006	007	008	
K 661 K1-24 DO YOU USE OR REFER TO CO-CHANNEL INTERFERENCE	12	0	13	13	4				
K 662 K1-25 DO YOU USE OR REFER TO IMAGE FREQUENCIES IN RECEIVERS	14	0	13	18	5				
K 663 K1-26 DO YOU USE OR REFER TO SIGNAL TO IMAGE RATIOS OR IMAGE REJECTION RATIOS	14	0	14	17	5				
K 664 K1-27 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM TRANSMITTER SCHEMATIC DIAGRAMS	28	7	29	30	9				
K 665 K1-28 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM RECEIVER SCHEMATIC DIAGRAMS	29	7	30	33	9				
K 666 K2-01 DO YOU WORK WITH FM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	26	7	30	26	9				
K 667 K2-02 DO YOU INSPECT FM TRANSMIT OR RECEIVE SYSTEMS	25	7	27	25	7				
K 668 K2-03 DO YOU CLEAN FM TRANSMIT OR RECEIVE SYSTEMS	21	7	26	18	9				
K 669 K2-04 DO YOU ALIGN FM TRANSMIT OR RECEIVE SYSTEMS	24	7	27	23	9				
K 670 K2-05 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE SYSTEMS	23	7	27	23	9				
K 671 K2-06 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE COMPONENTS	24	7	26	24	9				
K 672 K2-07 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS	20	0	24	18	9				
K 673 K2-08 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE COMPONENTS	23	7	26	23	9				
K 674 K2-09 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS	24	7	27	24	9				
K 675 K2-10 DO YOU PERFORM TASKS ON FREQUENCY MULTIPLIERS	24	7	26	24	9				
K 676 K2-11 DO YOU PERFORM TASKS ON DRIVERS (INTERMEDIATE AMPLIFIERS)	23	7	27	23	9				
K 677 K2-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS	24	7	26	25	9				
K 678 K2-13 DO YOU PERFORM TASKS ON RF AMPLIFIERS	24	7	27	25	9				
K 679 K2-14 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS	24	7	27	25	9				
K 680 K2-15 DO YOU PERFORM TASKS ON IF AMPLIFIERS	25	7	28	25	9				
K 681 K2-16 DO YOU PERFORM TASKS ON LIMITERS	23	7	25	25	9				
K 682 K2-17 DO YOU PERFORM TASKS ON FREQUENCY DISCRIMINATORS	24	7	26	25	9				
K 683 K2-18 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FM TRANSMITTERS	24	7	26	24	9				
K 684 K2-19 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FM RECEIVERS	24	7	26	24	9				
K 685 K3-01 DO YOU CONVERT DECIMAL (BASE 10) NUMBERS TO OCTAL (BASE 8) NUMBERS	16	7	13	19	12				
K 686 K3-02 DO YOU CONVERT DECIMAL NUMBERS TO BINARY (BASE 2) NUMBERS	33	36	32	35	26				
K 687 K3-03 DO YOU CONVERT OCTAL NUMBERS TO DECIMAL NUMBERS	14	7	13	17	11				
K 688 K3-04 DO YOU CONVERT OCTAL NUMBERS TO BINARY NUMBERS	13	7	10	17	11				
K 689 K3-05 DO YOU CONVERT BINARY NUMBERS TO DECIMAL NUMBERS	32	21	31	35	25				
K 690 K3-06 DO YOU CONVERT BINARY NUMBERS TO OCTAL NUMBERS	13	7	11	17	11				
K 691 K3-07 DO YOU ADD BINARY NUMBERS TO GET A SUM	25	21	26	25	16				
K 692 K3-08 DO YOU SUBTRACT BINARY NUMBERS USING THE END-AROUND- CARRY METHOD	13	7	15	13	7				
K 693 K3-09 DO YOU SUBTRACT BINARY NUMBERS USING THE DIRECT SUBTRACTION METHOD	18	14	19	18	11				

NUMBERING SYSTEMS

PERCENT MEMBERS PERFORMING TASKS BY CAFSC GROUPS

GPSTIME PAGE 28

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

K 699 K2-10 DO YOU ADD ACTUAL NUMBERS TO GET A SUM	10	7	8	11	5
L 695 L1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS	43	21	43	48	19
L 696 L1-02 DO YOU CONSTRUCT TRUTH TABLES FOR AND LOGIC SYMBOLS	20	14	23	18	5
L 697 L1-03 DO YOU CONSTRUCT TRUTH TABLES FOR OR LOGIC SYMBOLS	20	14	23	18	5
L 698 L1-04 DO YOU CONSTRUCT TRUTH TABLES FOR AND OR LOGIC SYMBOLS WITH STATE INDICATORS	19	14	23	18	5
L 699 L1-05 DO YOU CONSTRUCT TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS OR GATES	19	14	22	18	5
L 700 L1-06 DO YOU USE OR REFER TO TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES	36	21	36	42	16
L 701 K1-07 DO YOU USE OR REFER TO TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES	36	21	35	42	16
L 702 K1-08 DO YOU USE OR REFER TO TRUTH TABLES FOR AND OR LOGIC SYMBOLS WITH STATE INDICATORS	36	21	35	41	18
L 703 L1-09 DO YOU USE OR REFER TO TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS	34	14	34	38	14
L 704 L1-10 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR AND GATES	42	21	42	47	21
L 705 L1-11 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR OR GATES	43	21	43	47	21
L 706 L1-12 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR NAND OR NOR GATES	43	21	43	48	21
L 707 L1-13 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR EXCLUSIVE OR GATES	40	14	40	44	19
L 708 L2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO BOOLEAN EQUATIONS, LOGIC DIAGRAMS, OR LOGIC TRANSISTOR LOGIC (ICML) CIRCUITS	27	7	26	32	16
L 709 L2-02 DO YOU DRAW LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (ICML) CIRCUITS	10	0	10	10	9
L 710 L2-03 DO YOU CONSTRUCT TRUTH TABLES FOR CURRENT MODE LOGIC (ICML) CIRCUITS	6	0	6	6	5
L 711 L2-04 DO YOU DRAW LOGIC DIAGRAMS FROM GIVEN BOOLEAN EQUATIONS	7	0	8	7	5
L 712 L2-05 DO YOU MEASURE INPUTS OR OUTPUTS OF LOGIC GATES	26	7	26	29	12
L 713 L2-06 DO YOU DEVELOP OR ANALYZE BOOLEAN EQUATIONS IN THE PROCESS OF TROUBLESHOOTING DIGITAL CIRCUITS	10	7	10	11	4
L 714 L2-07 DO YOU ANALYZE LOGIC CIRCUITS BY USING BOOLEAN ALGEBRA	11	7	12	11	5
L 715 L2-08 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (ICML) CIRCUIT GATES	21	7	18	24	19
L 716 L2-09 DO YOU USE OR REFER TO TRUTH TABLES FOR CURRENT MODE LOGIC (ICML) CIRCUITS	11	7	10	14	9
L 717 L2-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS CONSISTING OF MORE THAN ONE GATE	27	7	26	31	19
L 718 L2-11 DO YOU COMPUTE SUM AND CARRY EXPRESSIONS FOR SERIAL HALF OR FULL ADDER LOGIC DIAGRAMS	7	7	8	6	5

BOOLEAN EQUATIONS

LOGIC FUNCTIONS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

SYMBOLS	SPC	SPC	SPC	SPC	SPC	SPC
001	002	003	004	005	006	007
719 L2-12 DO YOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER	12	7	13	12	7	
LOGIC DIAGRAMS						
720 L2-13 DO YOU WORK WITH ASTABLE (FREE RUNNING) MULTIVIBRATORS	29	14	29	34	12	
721 L2-14 DO YOU WORK WITH BISTABLE (FLIP-FLOP) MULTIVIBRATORS	30	14	30	33	16	
722 L2-15 DO YOU WORK WITH MONOSTABLE (ONE-SHOT) MULTIVIBRATORS	30	14	29	34	16	
723 L2-16 DO YOU USE OR REFER TO FLIP-FLOP MULTIVIBRATOR	29	14	29	32	16	
SYMBOLS						
724 L2-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIBRATOR	29	14	29	32	18	
SYMBOLS						
725 L2-18 DO YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS	29	14	29	32	18	
726 L2-19 DO YOU USE OR REFER TO FLIP-FLOP TRUTH TABLES	25	14	26	26	14	
727 L2-20 DO YOU USE OR REFER TO COMPLEMENTED FLIP-FLOP LOGIC SYMBOLS	22	7	23	23	12	
728 L2-21 DO YOU USE OR REFER TO COMPLEMENTING FLIP-FLOP LOGIC SYMBOLS	22	7	23	22	14	
729 L2-22 DO YOU MEASURE OUTPUT WAVESHAPES OF LOGIC CIRCUITS	29	14	29	32	16	
730 L2-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP SCHEMATIC DIAGRAMS	23	14	24	25	16	
731 L2-24 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-FLOP SCHEMATIC DIAGRAMS	23	14	24	25	16	
732 L2-25 DO YOU CONSTRUCT TRUTH TABLES FOR J-K FLIP-FLOP LOGIC SYMBOLS	13	14	15	12	5	
733 L3-01 DO YOU WORK WITH DIGITAL COUNTERS IN YOUR PRESENT JOB	54	34	58	55	28	
734 L3-02 DO YOU USE OR REFER TO UP-COUNTERS	30	21	31	32	14	
735 L3-03 DO YOU USE OR REFER TO DOWN-COUNTERS	27	29	28	28	12	
736 L3-04 DO YOU USE OR REFER TO SERIAL COUNTERS	21	7	23	22	9	
737 L3-05 DO YOU USE OR REFER TO PARALLEL COUNTERS	20	14	22	20	7	
738 L3-06 DO YOU USE OR REFER TO RING COUNTERS	20	7	19	24	9	
739 L3-07 DO YOU USE OR REFER TO DECADE COUNTERS	46	29	46	50	30	
740 L3-08 DO YOU USE OR REFER TO COUNT DETECT CIRCUITS	26	21	24	28	9	
741 L3-09 DO YOU USE OR REFER TO DOWN CLOCKS	24	14	26	23	11	
742 L3-10 DO YOU USE OR REFER TO UP CLOCKS	24	14	27	24	11	
743 L3-11 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	23	14	24	23	12	
744 L3-12 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS	19	7	20	20	9	
745 L3-13 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF DECADE COUNTERS	39	21	37	44	25	
746 L3-14 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF RING COUNTERS	18	7	17	22	11	
747 L3-15 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER	17	0	19	17	9	
748 L3-16 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	20	0	21	22	11	

COUNTERS



# PERCENT MEMBERS PERFORMING TASKS BY DATSC GROUPS

GPSUM1 PAGE 30

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

L 749 L3-17 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF COUNTERS	23	0	22	26	11
L 750 L3-18 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	17	14	18	18	5
L 751 L3-19 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENT- L 752 L3-20 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE	14	14	15	14	5
L 753 L3-21 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR OTHER TYPES OF COUNTERS	13	0	14	13	5
L 754 L3-22 DO YOU CONSTRUCT TRUTH TABLES FROM LOGIC DIAGRAMS OF DECADE COUNTERS	17	7	18	19	5
L 755 L3-23 DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP IN RING COUNTERS FOR SPECIFIC INPUT PULSES	12	14	14	13	2
L 756 L3-24 DO YOU DETERMINE THE APPROPRIATE AND GATE NECESSARY IN COUNT DEFECT CIRCUITS TO INDICATE A REQUIRED COUNT	15	7	17	15	5
M 757 M1-01 DO YOU WORK WITH SAWTOOTH WAVE GENERATORS	22	21	24	23	5
M 758 M1-02 DO YOU WORK WITH TRIANGULAR WAVE GENERATORS	66	50	67	72	37
M 759 M1-03 DO YOU WORK WITH PULSED OSCILLATORS WITH REGENERATIVE FEEDBACK	31	21	29	34	26
M 760 M1-04 DO YOU WORK WITH PULSED OSCILLATORS WITHOUT REGENERATIVE FEEDBACK	54	36	57	55	25
M 761 M1-05 DO YOU WORK WITH BLOCKING OSCILLATORS	50	29	55	50	23
M 762 M1-06 DO YOU USE OR REFER TO RISE TIME	54	36	53	61	32
M 763 M1-07 DO YOU USE OR REFER TO FALL OR FLICKER TIME	79	64	78	84	72
M 764 M1-08 DO YOU USE OR REFER TO SLEEP TIME	73	50	71	78	67
M 765 M1-09 DO YOU USE OR REFER TO ELECTRICAL LENGTH OF SAWTOOTH WAVEFORMS	78	57	76	83	70
M 766 M1-10 DO YOU USE OR REFER TO PHYSICAL LENGTH OF SAWTOOTH WAVEFORMS	62	29	57	70	60
M 767 M1-11 DO YOU USE OR REFER TO LINEAR SLOPE OF SAWTOOTH WAVEFORMS	54	29	54	57	47
M 768 M1-12 DO YOU USE OR REFER TO GATE LENGTH OF SAWTOOTH WAVEFORMS	63	36	58	71	63
M 769 M2-01 DO YOU USE SIGNAL GENERATORS IN YOUR PRESENT JOB	58	36	54	65	58
M 770 M2-02 DO YOU PERFORM OPERATIONAL CHECKS WHILE USING SIGNAL GENERATORS	79	86	85	78	39
M 771 M2-03 DO YOU PERFORM PERIODIC MAINTENANCE SUCH AS ADJUSTING, ALIGNING, OR CALIBRATING WHILE USING SIGNAL GENERATORS	75	71	81	74	40
M 772 M2-04 DO YOU TROUBLESHOOT TO AN ASSEMBLY OR SUBASSEMBLY WHILE USING SIGNAL GENERATORS	67	57	74	67	30
M 773 M2-05 DO YOU TROUBLESHOOT TO THE SMALLEST REPLACEABLE COMPONENT WHILE USING SIGNAL GENERATORS	65	57	71	62	35
M 774 M2-06 DO YOU USE AUDIO SINE-WAVE GENERATORS	64	57	71	61	37
	79	86	85	78	39

USE OF SIGNAL GENERATORS

TIMING CIRCUITS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK	SPC				SPC				MOTORS AND GENERATORS
	001	002	003	004	005	006	007	008	
M 775 M2-07 DO YOU USE AUDIO NON-SINUSOIDAL WAVE GENERATORS SUCH AS SQUARE WAVE, TRIANGLE, PULSE, OR SPIKE	74	79	79	73	40				
M 776 M2-08 DO YOU USE RF GENERATORS LESS THAN 1,000 MH	74	79	80	73	37				
M 777 M2-09 DO YOU USE RF GENERATORS GREATER THAN 1,000 MH	65	64	68	66	39				
M 778 M2-10 DO YOU USE OTHER SPECIAL PURPOSE OR MULTI-FUNCTION GENERATORS	68	71	71	70	40				
M 779 M3-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH ALTERNATING CURRENT OR DIRECT CURRENT MOTORS OR	37	29	37	41	21				
M 780 M3-02 DO YOU INSPECT MOTORS	36	14	36	40	18				
M 781 M3-03 DO YOU CLEAN OR LUBRICATE MOTORS	34	14	34	38	16				
M 782 M3-04 DO YOU OPERATE MOTORS	34	14	35	37	18				
M 783 M3-05 DO YOU REMOVE OR REPLACE COMPLETE MOTORS	35	14	36	39	16				
M 784 M3-06 DO YOU REMOVE OR REPLACE MOTOR PARTS	20	7	20	23	9				
M 785 M3-07 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF MOTORS	35	14	35	39	14				
M 786 M3-08 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF MOTORS	15	7	14	17	11				
M 787 M3-09 DO YOU PERFORM ANY TASKS ON FIELD COILS	11	7	11	12	4				
M 788 M3-10 DO YOU PERFORM ANY TASKS ON ARMATURES	12	7	12	14	5				
M 789 M3-11 DO YOU PERFORM ANY TASKS ON ROTORS	12	7	12	14	5				
M 790 M3-12 DO YOU PERFORM ANY TASKS ON BRUSHES	21	7	19	24	16				
M 791 M3-13 DO YOU PERFORM ANY TASKS ON SLIP RINGS	13	7	12	15	7				
M 792 M3-14 DO YOU PERFORM ANY TASKS ON COMMUTATORS	13	7	12	15	9				
M 793 M3-15 DO YOU PERFORM ANY TASKS ON POLE PIECES	9	7	10	10	5				
M 794 M3-16 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OF THE FORCE OR TORQUE CREATED BY A MOTOR	5	7	5	5	0				
M 795 M3-17 DO YOU DETERMINE OR MEASURE THE DIRECTION OF THE MECHANICAL FORCE OR TORQUE CREATED BY A MOTOR	7	7	7	9	4				
M 796 M3-18 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OR DIRECTION OF THE INDUCED VOLTAGE IN MOTORS	5	0	5	5	2				
M 797 M3-19 DO YOU WORK WITH SYNCHRONOUS MOTORS	26	14	22	34	14				
M 798 M3-20 DO YOU WORK WITH INDUCTION MOTORS	24	14	19	32	16				
M 799 M3-21 DO YOU WORK WITH SPLIT-PHASE MOTORS	16	7	13	21	14				
M 800 M3-22 DO YOU WORK WITH SOME COMBINATION OF THE ABOVE MOTORS	23	7	21	27	14				
M 801 M3-23 DO YOU INSPECT GENERATORS	25	7	23	29	16				
M 802 M3-24 DO YOU CLEAN OR LUBRICATE GENERATORS	21	7	21	23	12				
M 803 M3-25 DO YOU OPERATE GENERATORS	25	14	24	28	14				
M 804 M3-26 DO YOU REMOVE OR REPLACE COMPLETE GENERATORS	19	0	19	23	9				
M 805 M3-27 DO YOU REMOVE OR REPLACE GENERATOR PARTS	14	7	14	15	7				
M 806 M3-28 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF GENERATORS	21	0	21	24	12				
M 807 M3-29 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF GENERATORS	13	0	14	14	7				
M 808 M1-01 DO YOU WORK WITH METERS IN YOUR PRESENT JOB	74	64	79	75	35				
M 809 M1-02 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF PERMANENT MAGNETS	45	64	46	45	26				
M 810 M1-03 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF MOVING COILS	44	64	47	46	26				

METER MOVEMENTS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005
N 811 N1-04 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF SPIRAL SPRINGS	44	50	46	46	23
N 812 N1-05 DO YOU READ METER SCALES	74	86	80	74	39
N 813 N1-06 DO YOU EXTEND THE RANGE OF AMMETERS	48	71	53	44	23
N 814 N1-07 DO YOU ZERO OHMMETERS	73	86	79	72	37
N 815 N1-08 DO YOU ZERO AMMETERS	63	86	67	62	32
N 816 N1-09 DO YOU EXTEND THE RANGE OF VOLTMETERS	54	86	58	53	23
N 817 N1-10 DO YOU USE OR REFER TO VOLTMETER SENSITIVITY (EXPRESSED IN UNITS OF OHMS PER VOLT)	66	79	71	65	37
N 818 N2-01 DO YOU WORK WITH SATURABLE REACTORS OR MAGNETIC AMPLIFIERS IN YOUR PRESENT JOB	7	0	6	8	7
N 819 N2-02 DO YOU INSPECT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	6	0	5	8	5
N 820 N2-03 DO YOU CLEAN MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	5	0	4	6	0
N 821 N2-04 DO YOU ADJUST MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	5	0	4	7	2
N 822 N2-05 DO YOU TROUBLESHOOT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	6	0	5	8	5
N 823 N2-06 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	6	0	5	7	5
N 824 N2-07 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIER OR SATURABLE REACTOR COMPONENTS	4	0	4	5	2
N 825 N2-08 DO YOU USE OR REFER TO HYSTERESIS CURVES OR LOOPS	3	0	2	4	4
N 826 N2-09 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF	5	0	4	5	5
N 827 N2-10 DO YOU MEASURE OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF SINGLE WINDING SATURABLE	6	0	5	7	5
N 828 N2-11 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS FOR MAGNETIC AMPLIFIERS	5	0	4	6	5
N 829 N2-12 DO YOU USE OR REFER TO COERCIVE FORCE IN SATURABLE REACTORS	2	0	2	2	5
N 830 N2-13 DO YOU USE OR REFER TO RESIDUAL MAGNETISM IN SATURABLE REACTORS	3	0	2	3	5
N 831 N2-14 DO YOU USE OR REFER TO FLUX DENSITY IN SATURABLE REACTORS	2	0	1	2	5
N 832 N2-15 DO YOU USE OR REFER TO POINT OF SATURATION IN SATURABLE REACTORS	3	0	1	5	5
N 833 N2-16 DO YOU USE OR REFER TO SATURABLE REACTOR SCHEMATIC SYMBOLS	5	0	4	7	7
N 834 N3-01 DO YOU WORK WITH WAVESHAPING CIRCUITS IN YOUR PRESENT JOB	62	29	63	68	30
N 835 N3-02 DO YOU USE OR REFER TO TRANSIENT INTERVALS	36	14	36	40	19
N 836 N3-03 DO YOU USE OR REFER TO PULSE WIDTH (PW)	61	29	61	67	30
N 837 N3-04 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)	57	29	57	63	28

WAVESHAPING CIRCUITS



## PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMINGSPC SPC SPC SPC SPC  
001 002 003 004 005

## DY-TSK

59 29 58 66 28

N 838 N3-05 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY (PRF)

54 29 53 61 30

N 839 N3-06 DO YOU USE OR REFER TO DIFFERENTIATING CIRCUITS

55 29 55 61 26

N 840 N3-07 DO YOU USE OR REFER TO INTEGRATING CIRCUITS

45 21 47 49 19

N 841 N3-08 DO YOU USE OR REFER TO THE CLASSIFICATION OF TIME CONSTANTS (TC) AS LONG, MEDIUM, OR SHORT

34 21 32 41 14

N 842 N3-09 DO YOU DETERMINE WHETHER AN LR OR RC CIRCUIT IS DIFFERENTIATING OR INTEGRATING BASED ON THE TIME CONSTANT

60 29 61 64 30

N 843 N3-10 DO YOU WORK WITH SQUARE WAVE GENERATORS

55 29 55 59 32

N 844 N3-11 DO YOU WORK WITH RECTANGULAR WAVE GENERATORS

5 0 6 5 0

O 845 O1-01 DO YOU WORK ON SINGLE SIDEBAND SYSTEMS IN YOUR PRESENT JOB

4 0 5 5 2

O 846 O1-02 DO YOU INSPECT SSB TRANSMIT OR RECEIVE SYSTEMS

4 0 4 5 2

O 847 O1-03 DO YOU CLEAN SSB TRANSMIT OR RECEIVE SYSTEMS

4 0 5 5 0

O 848 O1-04 DO YOU ALIGN SSB TRANSMIT OR RECEIVE SYSTEMS

4 0 5 5 0

O 849 O1-05 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE SYSTEMS

4 0 5 5 0

O 850 O1-06 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE COMPONENTS

4 0 4 4 0

O 851 O1-07 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE SYSTEMS

4 0 4 5 0

O 852 O1-08 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE COMPONENTS

5 0 5 5 0

O 853 O1-09 DO YOU PERFORM TASKS ON SSB AUDIO AMPLIFIERS

4 0 4 5 0

O 854 O1-10 DO YOU PERFORM TASKS ON SSB BALANCED MODULATORS

5 0 5 5 2

O 855 O1-11 DO YOU PERFORM TASKS ON SSB CARRIER OSCILLATORS

5 0 5 5 0

O 856 O1-12 DO YOU PERFORM TASKS ON SSB LC FILTERS

5 0 5 5 0

O 857 O1-13 DO YOU PERFORM TASKS ON SSB CRYSTAL FILTERS

4 0 4 4 2

O 858 O1-14 DO YOU PERFORM TASKS ON SSB MECHANICAL FILTERS

5 0 5 5 2

O 859 O1-15 DO YOU PERFORM TASKS ON SSB OSCILLATORS

5 0 4 5 0

O 860 O1-16 DO YOU PERFORM TASKS ON SSB MIXERS

5 0 5 5 2

O 861 O1-17 DO YOU PERFORM TASKS ON SSB DRIVERS

4 0 5 5 0

O 862 O1-18 DO YOU PERFORM TASKS ON SSB POWER AMPLIFIERS

5 0 5 5 2

O 863 O1-19 DO YOU PERFORM TASKS ON SSB RF AMPLIFIERS

5 0 5 5 2

O 864 O1-20 DO YOU PERFORM TASKS ON SSB FREQUENCY CONVERTERS

5 0 5 5 0

O 865 O1-21 DO YOU PERFORM TASKS ON SSB IF AMPLIFIERS

5 0 5 5 2

O 866 O1-22 DO YOU PERFORM TASKS ON SSB DEMODULATORS

1 0 1 1 2

O 867 O1-23 DO YOU PERFORM TASKS ON SSB DON'T REMEMBER WHICH SSB SYSTEM STAGES

2 0 2 2 0

O 868 O1-24 DO YOU USE OR REFER TO SELECTIVE FADING

5 0 5 5 2

O 869 O1-25 DO YOU USE OR REFER TO PEAK POWER

4 0 5 5 0

O 870 O1-26 DO YOU USE OR REFER TO FREQUENCY STABILITY

4 0 4 5 2

O 871 O1-27 DO YOU USE OR REFER TO RESPONSE CURVES FOR BANDWIDTH FILTERS

3 0 3 3 2

O 872 O1-28 DO YOU CALCULATE PEAK POWER OR EFFECTIVE POWER OF SSB TRANSMITTERS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

BY-TSK		SPC	SPC	SPC	SPC	SPC	SPC
		001	002	003	004	005	
0 873 01-29 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB	TRANSMITTER SCHEMATIC DIAGRAMS	4	0	5	4	2	
0 874 01-30 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB	RECEIVER SCHEMATIC DIAGRAMS	4	0	5	5	0	
0 875 02-01 DO YOU WORK ON PULSE MODULATION SYSTEMS IN YOUR	PRESENT JOB	34	7	34	37	18	
0 876 02-02 DO YOU INSPECT PULSE MODULATION SYSTEMS		33	7	33	37	19	
0 877 02-03 DO YOU CLEAN PULSE MODULATION SYSTEMS		27	7	28	29	9	
0 878 02-04 DO YOU ALIGN PULSE MODULATION SYSTEMS		32	7	33	35	12	
0 879 02-05 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS		32	7	33	34	12	
0 880 02-06 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEM		32	7	33	35	14	PULSE MODULATION SYSTEMS
0 881 02-07 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEMS	COMPONENTS	27	7	28	29	9	
0 882 02-08 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM	COMPONENTS	31	7	33	34	11	
0 883 02-09 DO YOU WORK ON PULSE-AMPLITUDE MODULATION (PAM)	SYSTEMS	28	7	27	33	14	
0 884 02-10 DO YOU WORK ON PULSE-DURATION MODULATION (PDM)	SYSTEMS	23	7	22	27	9	
0 885 02-11 DO YOU WORK ON PULSE-POSITION MODULATION (PPM)	SYSTEMS	23	7	23	26	9	
0 886 02-12 DO YOU WORK ON PULSE-CODE MODULATION (PCM) SYSTEMS		21	7	19	26	5	
0 887 02-13 DO YOU WORK ON LINE PULSING MODULATION SYSTEMS		12	7	13	13	2	
0 888 02-14 DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF	MODULATION SYSTEM	7	7	8	7	0	
0 889 02-15 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	POWER SUPPLIES	29	7	28	35	11	
0 890 02-16 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	CHARGING CHOKES AND CHARGING DIODES	19	7	18	23	7	
0 891 02-17 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	PULSE FORMING NETWORKS	30	7	30	35	11	
0 892 02-18 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	TIMERS	26	7	25	31	11	
0 893 02-19 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	SWITCHES SUCH AS GAS THYRISTORS	22	0	18	28	12	
0 894 02-20 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	PULSE TRANSFORMERS	25	0	22	32	19	
0 895 02-21 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	TRANSMITTER TUBES	24	0	24	28	9	
0 896 02-22 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	AMPLIFIERS	31	7	31	35	14	
0 897 02-23 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	FREQUENCY CONVERTERS	30	7	30	34	14	
0 898 02-24 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	IF AMPLIFIERS	30	7	30	34	14	
0 899 02-25 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	DETECTORS	31	7	31	35	14	

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMINGSPC SPC SPC SPC SPC  
001 002 003 004 005

DY-TSK

0 900 02-26 00 YOU PERFORM TASKS ON PULSE MODULATION SYSTEM  
VIDEO AMPLIFIERS 30 7 28 35 14

0 901 02-27 00 YOU PERFORM TASKS ON PULSE MODULATION SYSTEM  
POWER VIDEO AMPLIFIERS 23 0 22 28 12

0 902 02-28 00 YOU PERFORM TASKS ON PULSE MODULATION SYSTEM  
DON'T REMEMBER WHICH PULSE MODULATION SYSTEM STAGES 5 7 5 5 2

0 903 02-29 00 YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY  
(PRF) 34 7 34 39 18

0 904 02-30 00 YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT) 32 7 31 36 18

0 905 02-31 00 YOU USE OR REFER TO PULSE WIDTH (PW) 35 7 35 39 18

0 906 02-32 00 YOU USE OR REFER TO PULSE SHAPE 34 7 34 38 18

0 907 02-33 00 YOU USE OR REFER TO PEAK POWER 32 7 31 36 18

0 908 02-34 00 YOU USE OR REFER TO AVERAGE POWER 30 7 30 33 18

0 909 02-35 00 YOU CALCULATE PULSE RECURRENCE TIME (PRT) OR PULSE  
RECURRENCE FREQUENCY (PRF) 26 0 26 30 9

0 910 02-36 00 YOU MEASURE PULSE RECURRENCE TIME (PRT) OR PULSE  
RECURRENCE FREQUENCY (PRF) 32 0 32 38 14

0 911 02-37 00 YOU USE FORMULAS TO CALCULATE AVERAGE POWER OR  
PEAK POWER OF PULSE MODULATION TRANSMIT SYSTEMS 24 0 23 29 9

0 912 02-38 00 YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE  
MODULATION TRANSMITTER SCHEMATIC DIAGRAMS 29 7 28 33 12

0 913 02-39 00 YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE  
MODULATION RECEIVER SCHEMATIC DIAGRAMS 26 7 27 30 11

0 914 03-01 00 YOU WORK WITH ANTENNAS IN YOUR PRESENT JOB 8 7 9 4 7

0 915 03-02 00 YOU INSPECT ANTENNAS 7 7 9 5 5

0 916 03-03 00 YOU CLEAN ANTENNAS 5 7 6 5 2

0 917 03-04 00 YOU PHYSICALLY ALIGN ANTENNAS 4 0 5 4 4

0 918 03-05 00 YOU ELECTRICALLY ALIGN ANTENNAS 4 0 5 4 4

0 919 03-06 00 YOU TROUBLESHOOT TO ANTENNAS 4 7 7 5 4

0 920 03-07 00 YOU TROUBLESHOOT TO ANTENNA COMPONENTS 4 0 4 5 2

0 921 03-08 00 YOU REMOVE OR INSTALL ANTENNAS 5 0 4 5 4

0 922 03-09 00 YOU REMOVE OR REPLACE COMPONENTS OF ANTENNAS 4 0 4 5 2

0 923 03-10 00 YOU USE OR REFER TO TECHNICAL DATA CONTAINING  
REPRESENTATIONS OF E OR ELECTRIC FIELD LINES 3 0 3 3 4

0 924 03-11 00 YOU USE OR REFER TO TECHNICAL DATA CONTAINING  
REPRESENTATIONS OF H OR MAGNETIC FIELD LINES 3 0 2 4 4

0 925 03-12 00 YOU DETERMINE THE DIRECTION OF THE MAGNETIC LINES  
IN RELATION TO THE ELECTRIC LINES OF FORCE FOR ANTENNAS 2 0 2 3 4

0 926 03-13 00 YOU USE OR REFER TO THE GENERAL RULE THAT  
ANTENNAS WHICH ARE OF CORRECT LENGTH (HALF-WAVE) ACT AS 3 0 3 3 4

0 927 03-14 00 YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS  
WHICH ARE LONGER THAN A HALF-WAVE ACT AS INDUCTIVE LOADS 3 0 3 3 4

0 928 03-15 00 YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS  
WHICH ARE SHORTER THAN A HALF-WAVE ACT AS CAPACITIVE LOADS 3 0 3 3 4

ANTENNAS



# PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

GPSUMI PAGE 36

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DY-15K

SPC SPC SPC SPC SPC  
001 002 003 004 005

0 929 03-16 00 YOU WORK WITH HERTZ ANTENNAS	3	0	3	3	4
0 930 03-17 00 YOU WORK WITH MARCONI ANTENNAS	2	0	2	2	2
0 931 03-18 00 YOU WORK WITH BROADSIDE ARRAYS	2	0	1	2	4
0 932 03-19 00 YOU WORK WITH END-FIRE ARRAYS	2	0	1	2	4
0 933 03-20 00 YOU WORK WITH CARDIOLD ARRAYS	1	0	1	2	0
0 934 03-21 00 YOU WORK WITH COLLINAR ARRAYS	1	0	1	1	0
0 935 03-22 00 YOU USE OR REFER TO THE TERM ELECTROMAGNETIC INDUCTION FIELDS WHEN WORKING WITH ANTENNAS	2	0	2	3	2
0 936 03-23 00 YOU MEASURE ELECTROMAGNETIC INDUCTION FIELDS OF ANTENNAS	2	0	1	3	2
0 937 03-24 00 YOU USE OR REFER TO THE TERM ELECTROMAGNETIC RADIATION FIELDS WHEN WORKING WITH ANTENNAS	2	0	2	3	4
0 938 03-25 00 YOU MEASURE ELECTROMAGNETIC RADIATION FIELDS OF ANTENNAS	1	0	1	2	2
0 939 03-26 00 YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA RADIATION	1	0	1	2	0
0 940 03-27 00 YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA INDUCTION FIELD	1	0	1	2	0
0 941 03-28 00 ARE ANY OF THE ANTENNAS YOU WORK ON LINEARLY POLARIZED	2	0	1	3	2
0 942 03-29 00 ARE ANY OF THE ANTENNAS YOU WORK ON CIRCULARLY POLARIZED	2	0	1	2	4
0 943 03-30 00 YOU MEASURE OR DETERMINE THE POLARITY OF ANTENNAS YOU WORK ON	2	0	1	2	0
0 944 03-31 00 YOU CONSTRUCT, OR MAKE THE CALCULATIONS NECESSARY TO CONSTRUCT, ANTENNAS OF CORRECT LENGTH FOR ELEMENTS	2	0	3	2	4
0 945 03-32 00 THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS	1	0	1	2	0
0 946 03-33 00 THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS DIRECTORS	1	0	1	2	0
0 947 03-34 00 THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS REFLECTORS	2	0	3	1	2
0 948 03-35 00 THE ANTENNA ARRAYS YOU WORK WITH CONTAIN DON'T REMEMBER WHAT KIND OF ELEMENTS	4	0	4	3	7
0 949 03-36 00 YOU WORK ON UNIDIRECTIONAL ANTENNAS	3	0	4	2	4
0 950 03-37 00 YOU WORK ON BIDIRECTIONAL ANTENNAS	2	7	2	1	0
0 951 03-38 00 YOU WORK ON DON'T REMEMBER THE DIRECTIONALITY	2	0	2	1	0
0 952 03-39 00 YOU WORK WITH ROTAR ANTENNA ARRAYS	16	0	13	22	4
0 953 03-40 00 IN YOUR PRESENT JOB DO YOU WORK WITH TRANSMISSION LINES (TRANSMISSION LINES ARE DEFINED TO INCLUDE LEADS LINES IN TRANSMISSION LINES)	7	0	5	11	2
0 954 03-41 00 YOU REFER TO OR USE COPPER LOSS OR IZR LOSS IN TRANSMISSION LINES	9	0	6	14	4
0 955 03-42 00 YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY CURRENTS IN TRANSMISSION LINES					

TRANSMISSION LINES

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005
DI-TSK					
P 956 PI-04 DO YOU REFER TO OR USE RADIATION LOSS IN TRANSMISSION LINES	10	0	8	13	4
P 957 PI-05 DO YOU USE OR REFER TO DIELECTRIC LOSS IN TRANSMISSION LINES	8	7	6	12	4
P 958 PI-06 DO YOU USE OR REFER TO LEAKAGE LOSSES IN TRANSMISSION LINES	10	0	9	14	4
P 959 PI-07 DO YOU WORK WITH TWISTED PAIR TRANSMISSION LINES	9	0	8	12	2
P 960 PI-08 DO YOU WORK WITH TWIN LEAD TRANSMISSION LINES	10	7	9	12	2
P 961 PI-09 DO YOU WORK WITH OPEN TWO-WIRE TRANSMISSION LINES	8	0	8	11	2
P 962 PI-10 DO YOU WORK WITH FLEXIBLE COAXIAL CABLE TRANSMISSION LINES	16	7	14	22	4
P 963 PI-11 DO YOU WORK WITH RIGID COAXIAL CABLE TRANSMISSION LINES	14	7	12	17	4
P 964 PI-12 DO YOU TROUBLESHOOT TRANSMISSION LINES	11	0	10	14	2
P 965 PI-13 DO YOU ANALYZE VOLTAGE OR CURRENT WAVEFORMS IN TRANSMISSION LINES TO DETERMINE THE TYPE OF TERMINATION	7	7	7	9	2
P 966 PI-14 DO YOU SELECT APPROPRIATE TRANSMISSION LINES TERMINATIONS TO ACHIEVE DESIRED WAVEFORMS	14	7	11	19	2
P 967 PI-15 DO YOU USE OR REFER TO SCHEMATIC SYMBOLS FOR LINE TERMINATIONS IN TERMS OF CIRCUIT TERMINATIONS	13	7	11	18	4
P 968 PI-16 DO YOU MEASURE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES	13	0	12	18	2
P 969 PI-17 DO YOU CALCULATE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES	11	7	10	14	2
P 970 PI-18 DO YOU PERFORM THE CALCULATIONS NECESSARY TO DETERMINE THE IMPEDANCE AND LENGTH OF QUARTER - WAVELENGTH	7	7	6	9	2
P 971 PI-19 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING MATCHING TRANSFORMERS	10	7	9	14	2
P 972 PI-20 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING DELTA MATCHING	5	7	6	5	0
P 973 PI-21 DO YOU SELECT THE TYPE OF TRANSMISSION LINE NEEDED FOR PARTICULAR JOBS WITHOUT REFERRING TO TECHNICAL DATA	7	7	6	9	0
P 974 PI-22 DO YOU USE OR REFER TO THE TERM CHARACTERISTIC IMPEDANCE (ZO) OF TRANSMISSION LINES	14	7	10	20	2
P 975 PI-23 DO YOU CALCULATE THE CHARACTERISTIC IMPEDANCE (ZO) OF TRANSMISSION LINES	6	7	6	7	0
P 976 PI-24 DO YOU USE OR REFER TO THE TERM CUTOFF FREQUENCY OF TRANSMISSION LINES	13	7	10	18	2
P 977 PI-25 DO YOU USE OR REFER TO THE TERM VELOCITY FACTOR (K)	6	7	6	6	0
P 978 PI-26 DO YOU COMPUTE THE ELECTRICAL LENGTH OF TRANSMISSION LINES FOR PARTICULAR FREQUENCIES	8	7	8	9	0
P 979 PI-27 DO YOU CONSTRUCT TRANSMISSION LINES OF PARTICULAR ELECTRICAL LENGTH FOR GIVEN FREQUENCIES	6	0	8	6	2
P 980 PI-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT AS THE FREQUENCY INCREASES AND THE PHYSICAL LENGTH OF	7	7	6	9	2

# PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

GPSUMI PAGE 36

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

		BY TASK									
		SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
		001	002	003	004	005	006	007	008	009	010
P 981	P1-29 DO YOU WORK WITH NONRESONANT (FLAT) TRANSMISSION LINES	12	0	10	10	10	2				
P 982	P1-30 DO YOU WORK WITH RESONANT TRANSMISSION LINES	11	0	10	10	14	2				
P 983	P1-31 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING STUB MATCHING	13	7	10	10	10	2				
P 984	P2-01 DO YOU WORK WITH WAVEGUIDES OR CAVITY RESONATORS IN YOUR PRESENT JOB	34	0	32	40	25					
P 985	P2-02 DO YOU INSPECT WAVEGUIDES OR CAVITY RESONATORS	35	0	32	41	26					
P 986	P2-03 DO YOU CLEAN WAVEGUIDES OR CAVITY RESONATORS	28	0	27	32	12					
P 987	P2-04 DO YOU BEND WAVEGUIDES OR CAVITY RESONATORS	9	0	9	9	5					
P 988	P2-05 DO YOU THIST WAVEGUIDES OR CAVITY RESONATORS	8	0	9	9	4					
P 989	P2-06 DO YOU PRESSURIZE WAVEGUIDES OR CAVITY RESONATORS	4	0	5	3	2					
P 990	P2-07 DO YOU PURGE WAVEGUIDES OR CAVITY RESONATORS	4	0	7	5	4					
P 991	P2-08 DO YOU TROUBLESHOOT WAVEGUIDES OR CAVITY RESONATORS	24	0	32	30	16					
P 992	P2-09 DO YOU REMOVE OR INSTALL COMPLETE WAVEGUIDES	24	0	26	32	19					
P 993	P2-10 DO YOU REMOVE OR INSTALL WAVEGUIDE SECTIONS	31	0	29	37	21					
P 994	P2-11 DO YOU REMOVE OR INSTALL DUMMY LOADS	31	0	30	36	26					
P 995	P2-12 DO YOU REMOVE OR INSTALL E BENDS	18	0	15	23	10					
P 996	P2-13 DO YOU REMOVE OR INSTALL H BENDS	19	0	16	23	19					
P 997	P2-14 DO YOU REMOVE OR INSTALL OTHER BENDS	20	0	18	24	16					
P 998	P2-15 DO YOU REMOVE OR INSTALL CHOKE JOINTS	11	0	11	12	5					
P 999	P2-16 DO YOU REMOVE OR INSTALL ROTATING JOINTS	8	0	10	8	4					
P1000	P2-17 DO YOU REMOVE OR INSTALL DIRECTIONAL COUPLERS	32	0	29	38	25					
P1001	P2-18 DO YOU REMOVE OR INSTALL BIDIRECTIONAL COUPLERS	27	0	25	31	23					
P1002	P2-19 DO YOU USE OR REFER TO "A" WALL OF WAVEGUIDES	10	0	9	12	14					
P1003	P2-20 DO YOU USE OR REFER TO "B" WALL OF WAVEGUIDES	11	0	9	12	14					
P1004	P2-21 DO YOU USE OR REFER TO CUTOFF FREQUENCY OF WAVEGUIDES	28	0	23	37	25					
P1005	P2-22 DO YOU USE OR REFER TO FREQUENCY-DETERMINING WALL OF WAVEGUIDES	12	0	13	12	11					
P1006	P2-23 DO YOU USE OR REFER TO POWER-DETERMINING WALL OF WAVEGUIDES	10	0	9	11	9					
P1007	P2-24 DO YOU USE OR REFER TO ELECTRIC FIELD BOUNDARY CONDITIONS	7	0	7	7	5					
P1008	P2-25 DO YOU USE OR REFER TO MAGNETIC FIELD BOUNDARY CONDITIONS	6	0	6	7	5					
P1009	P2-26 DO YOU USE OR REFER TO DUPLEXER FIELD BOUNDARY CONDITIONS	4	0	4	4	5					
P1010	P2-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST WAVEGUIDES ARE MADE WITH A ".8" WALL SIZE OF ".7" WAVELENGTHS	7	0	6	8	5					
P1011	P2-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST "A" WALLS RANGE FROM ".2 TO ".5 WAVELENGTHS IN SIZE WITH ".35	6	0	6	6	4					
P1012	P2-29 ARE YOU CONCERNED WITH THE MATERIAL (SUCH AS BRASS) WHICH WAVEGUIDES ARE MADE OF	6	0	6	5	4					
P1013	P2-30 DO YOU COMPUTE THE LENGTH OF A WAVEGUIDE FOR SPECIFIC INSTALLATION	5	0	6	5	0					

WAVEGUIDES AND CAVITY RESONATORS



## PERCENT MEMBERS PERFORMING TASKS BY DAISC GROUPS

## TASK GROUP SUMMARY

## PERCENT MEMBERS PERFORMING

SPC SPC SPC SPC SPC  
001 002 003 004 005

## DY-TSK

P1014 P2-31 DO YOU USE THE RIGHT HAND RULE TO DETERMINE THE DIRECTION OF PROPAGATION, DIRECTION OF "E" FIELD, OR P1015 P2-32 DO YOU USE OR REFER TO THE TIME PHASE OF PEAK "E" OR "H" LINES IN WAVEGUIDES  
P1016 P2-33 DO YOU MEASURE THE TIME PHASE OF "E" OR "H" LINES IN WAVEGUIDES  
P1017 P2-34 DO YOU USE OR REFER TO THE SPACE QUADRATURE OF "E" OR "H" LINES IN WAVEGUIDES  
P1018 P2-35 ARE HIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1019 P2-36 ARE LOW POWER PROBES USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1020 P2-37 ARE LOOPS USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1021 P2-38 ARE APERTURES (WINDOWS OR RISERS) USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1022 P2-39 ARE DON'T REMEMBER THE KIND OF ENERGY COUPLING USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1023 P2-40 DO YOU DETERMINE WHERE PROBES SHOULD BE MOUNTED IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO P1024 P2-41 DO YOU DETERMINE THE POSITIONING OF LOOPS IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO P1025 P2-42 DO YOU DETERMINE THE POSITIONING OR SIZE OF APERTURES IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO P1026 P2-43 ARE CHOKE JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1027 P2-44 ARE ROTATING JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1028 P2-45 ARE DON'T REMEMBER THE KIND OF JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1029 P2-46 DO YOU TUNE CAVITY RESONATORS USING CAPACITIVE TUNING P1030 P2-47 DO YOU TUNE CAVITY RESONATORS USING INDUCTIVE TUNING P1031 P2-48 DO YOU TUNE CAVITY RESONATORS USING VOLUME TUNING P1032 P2-49 DO YOU TUNE CAVITY RESONATORS USING DON'T REMEMBER THE METHOD OF TUNING  
P1033 P2-50 DO YOU MEASURE THE FREQUENCY OF SIGNALS IN CAVITY RESONATORS  
P1034 P3-01 IN YOUR PRESENT JOB DO YOU WORK WITH KLYSTRONS, TRAVELING WAVE TUBES (TWT), PARAMETRIC AMPLIFIERS, OR P1035 P3-02 DO YOU USE OR REFER TO INTERELECTRODE CAPACITANCE P1036 P3-03 DO YOU USE OR REFER TO ELECTRON TRANSIT TIME P1037 P3-04 DO YOU USE OR REFER TO LEAD INDUCTANCE

MICROWAVE AMPLIFIERS  
AND OSCILLATORS

# PERCENT MEMBERS PERFORMING TASKS BY DAFC GROUPS

GP5UM1 PAGE 40

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

		SPC	SPC	SPC	SPC	SPC	SPC
		001	002	003	004	005	
DY-15K							
P1038 P3-05 DO YOU USE OR REFER TO RF LOSSES IN EXTERNAL CIRCUITRY		22	7	22	25	11	
P1039 P3-06 DO YOU USE OR REFER TO PRINCIPLE OF ELECTRON VELOCITY MODULATION		18	7	17	24	5	
P1040 P3-07 DO YOU USE OR REFER TO ELECTRON BUNCHING		20	7	17	26	5	
P1041 P3-08 DO YOU WORK WITH TWO-CAVITY KLYSTRONS		14	0	16	14	2	
P1042 P3-09 DO YOU WORK WITH THREE-CAVITY KLYSTRONS		8	0	10	7	4	
P1043 P3-10 DO YOU WORK WITH REFLEX KLYSTRONS		32	14	28	40	18	
P1044 P3-11 DO YOU WORK WITH TRAVELING-WAVE TUBES (TWT)		24	7	20	32	16	
P1045 P3-12 DO YOU WORK WITH NONDEGENERATIVE PARAMETRIC AMPLIFIERS		5	0	4	6	2	
P1046 P3-13 DO YOU WORK WITH UP-CONVERTER PARAMETRIC AMPLIFIERS		4	0	3	6	0	
P1047 P3-14 DO YOU WORK WITH MAGNETRONS		11	7	10	13	7	
P1048 P3-15 DO YOU INSPECT KLYSTRONS OR TWT		30	7	27	35	19	
P1049 P3-16 DO YOU CLEAN KLYSTRONS OR TWT		20	7	20	23	5	
P1050 P3-17 DO YOU TUNE KLYSTRONS OR TWT ELECTRICALLY		31	14	26	40	19	
P1051 P3-18 DO YOU TUNE KLYSTRONS OR TWT MECHANICALLY		29	14	25	38	16	
P1052 P3-19 DO YOU PERFORM OPERATIONAL CHECKS OF KLYSTRONS OR TWT		32	14	28	39	21	
P1053 P3-20 DO YOU TROUBLESHOOT KLYSTRONS OR TWT		28	14	26	34	16	
P1054 P3-21 DO YOU REMOVE OR REPLACE COMPLETE KLYSTRON OR TWT		30	14	28	36	16	
P1055 P3-22 DO YOU REMOVE OR REPLACE KLYSTRON OR TWT COMPONENTS		16	14	17	17	9	
P1056 P3-23 DO YOU INSPECT PARAMETRIC AMPLIFIERS		6	0	6	7	7	
P1057 P3-24 DO YOU CLEAN PARAMETRIC AMPLIFIERS		5	0	5	5	2	
P1058 P3-25 DO YOU ADJUST PARAMETRIC AMPLIFIERS		6	0	6	7	4	
P1059 P3-26 DO YOU TUNE PARAMETRIC AMPLIFIERS		4	0	6	7	4	
P1060 P3-27 DO YOU PERFORM OPERATIONAL CHECKS OF PARAMETRIC AMPLIFIERS		6	0	6	7	5	
P1061 P3-28 DO YOU TROUBLESHOOT PARAMETRIC AMPLIFIERS		6	0	5	7	4	
P1062 P3-29 DO YOU REMOVE OR REPLACE COMPLETE PARAMETRIC AMPLIFIER		5	0	5	6	4	
P1063 P3-30 DO YOU REMOVE OR REPLACE PARAMETRIC AMPLIFIER COMPONENTS		5	0	5	6	4	
P1064 P3-31 DO YOU INSPECT MAGNETRONS		8	7	8	9	7	
P1065 P3-32 DO YOU CLEAN MAGNETRONS		6	7	6	7	2	
P1066 P3-33 DO YOU ADJUST MAGNETRONS		7	7	7	8	4	
P1067 P3-34 DO YOU TUNE MAGNETRONS		8	7	8	8	5	
P1068 P3-35 DO YOU PERFORM OPERATIONAL CHECKS OF MAGNETRONS		8	7	8	9	7	
P1069 P3-36 DO YOU TROUBLESHOOT MAGNETRONS		8	7	7	9	5	
P1070 P3-37 DO YOU REMOVE OR REPLACE COMPLETE MAGNETRON		8	7	8	8	5	
P1071 P3-38 DO YOU REMOVE OR REPLACE MAGNETRON COMPONENTS		5	7	4	4	7	
P1072 P3-39 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS COLLECTOR PLATES		13	7	15	14	5	
P1073 P3-40 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATCHER CAVITIES		12	7	13	12	5	
P1074 P3-41 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATCHER GRIDS		13	7	14	13	5	

## PERCENT MEMBERS PERFORMING TASKS BY DAISC GROUPS

GPSUM1 PAGE 41

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMINGSPC SPC SPC SPC SPC  
001 002 003 004 005

## DY-TSK

P1075 P3-42 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TWO-CAVITY KLYSTRONS FEEDBACK LOOPS 14 7 17 13 5

P1076 P3-43 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TWO-CAVITY KLYSTRONS ORIFT SPACES 9 7 10 10 2

P1077 P3-44 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TWO-CAVITY KLYSTRONS BUNCHER GRIDS 12 7 12 14 5

P1078 P3-45 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TWO-CAVITY KLYSTRONS BUNCHER CAVITIES 12 7 12 14 5

P1079 P3-46 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TWO-CAVITY KLYSTRONS CONTROL GRIDS 14 7 15 15 7

P1080 P3-47 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TWO-CAVITY KLYSTRONS CATHODES 14 7 16 15 7

P1081 P3-48 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
REFLEX KLYSTRON REFLECTOR (REFLECTOR) PLATES 29 7 25 37 19

P1082 P3-49 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
REFLEX KLYSTRON GRIDS 28 7 24 36 16

P1083 P3-50 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
REFLEX KLYSTRON GRID CAVITY GAPS 21 0 20 24 11

P1084 P3-51 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
REFLEX KLYSTRON RESONANT CAVITIES 28 7 24 36 18

P1085 P3-52 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
REFLEX KLYSTRON MAGNETIC COUPLING LOOPS 19 0 16 25 12

P1086 P3-53 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
REFLEX KLYSTRON FILAMENTS 27 7 23 35 14

P1087 P3-54 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
REFLEX KLYSTRON CATHODES 27 7 23 34 18

P1088 P3-55 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
REFLEX KLYSTRON OUTPUT LEADS 27 7 24 34 14

P1089 P3-56 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TRAVELING-WAVE TUBES FILAMENTS 21 7 17 27 12

P1090 P3-57 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TRAVELING-WAVE TUBES CATHODES 21 7 17 27 16

P1091 P3-58 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TRAVELING-WAVE TUBES MODULATOR GRIDS 19 0 16 25 12

P1092 P3-59 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TRAVELING-WAVE TUBES ANODES 22 7 18 28 18

P1093 P3-60 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TRAVELING-WAVE TUBES HELICES 21 7 17 27 16

P1094 P3-61 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TRAVELING-WAVE TUBES COLLECTORS 20 7 16 27 12

P1095 P3-62 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TRAVELING-WAVE TUBES MAGNETS 14 0 13 22 9

P1096 P3-63 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF  
TRAVELING-WAVE TUBES ATTENUATORS 19 0 17 23 14

P1097 P3-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE  
CIRCULATORS 4 0 3 5 2

P1098 P3-65 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL  
CAVITIES 5 0 4 6 5



# PERCENT MEMBERS PERFORMING TASKS BY DAFSC GROUPS

GP(SUM) PAGE 42

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

P1099 P3-66 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER IDLER CAVITIES	4	0	3	5	2
P1100 P3-67 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER VARACTOR DIODES	6	0	6	6	5
P1101 P3-68 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FEMRITE ISOLATORS	6	0	4	7	9
P1102 P3-69 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER REVERSE-BIAS BATTERIES	4	0	4	5	0
P1103 P3-70 DO YOU PERFORM TASKS ON ANODES	5	0	5	5	2
P1104 P3-71 DO YOU PERFORM TASKS ON ANODE COOLING PINS	4	0	4	4	0
P1105 P3-72 DO YOU PERFORM TASKS ON COUPLING LOOPS	5	0	6	5	0
P1106 P3-73 DO YOU PERFORM TASKS ON HEATER LEADS	5	0	6	5	2
P1107 P3-74 DO YOU PERFORM TASKS ON RESONANT CAVITIES	5	0	6	5	2
P1108 P3-75 DO YOU PERFORM TASKS ON CATODES	5	0	6	5	0
P1109 P3-76 DO YOU PERFORM TASKS ON MAGNETS	4	0	5	5	0
Q1110 Q1-01 DO YOU USE OR REFER TO STORAGE REGISTERS	20	7	17	23	25
Q1111 Q1-02 DO YOU USE OR REFER TO SHIFT REGISTERS	19	0	17	22	21
Q1112 Q1-03 DO YOU USE OR REFER TO LOGIC SYMBOLS OF SHIFT REGISTERS	18	0	15	21	21
Q1113 Q1-04 DO YOU USE OR REFER TO LOGIC SYMBOLS OF STORAGE REGISTERS	18	0	15	21	25
Q1114 Q1-05 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	17	0	16	20	12
Q1115 Q1-06 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF REGISTERS	17	0	15	21	16
Q1116 Q1-07 DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP OF A SHIFT REGISTER AFTER A SPECIFIED NUMBER OF SHIFT PULSES	14	0	15	16	7
Q1117 Q2-01 DO YOU WORK WITH DIGITAL COUNTERS, REGISTERS, OR STORAGE DEVICES IN YOUR PRESENT JOB	33	29	34	34	19
Q1118 Q2-02 DO YOU USE OR REFER TO DELAY LINES	26	21	28	30	14
Q1119 Q2-03 DO YOU USE OR REFER TO MAGNETIC CONES	9	7	10	10	4
Q1120 Q2-04 DO YOU USE OR REFER TO MAGNETIC DRUMS	4	0	4	5	2
Q1121 Q2-05 DO YOU USE OR REFER TO MAGNETIC TAPES	4	0	5	6	7
Q1122 Q2-06 DO YOU USE OR REFER TO ACCESS TIME ON SPEED OR MEMORY SYSTEMS	8	0	9	8	4
Q1123 Q2-07 DO YOU USE OR REFER TO WORD CAPACITY OF MEMORY SYSTEMS	7	0	7	8	5
Q1124 Q2-08 DO YOU USE OR REFER TO VOLATILITY OF MEMORY SYSTEMS	5	0	5	5	5
Q1125 Q2-09 DO YOU USE OR REFER TO LOGIC SYMBOL OF DELAY LINES	14	0	12	17	9
Q1126 Q3-01 IN YOUR PRESENT JOB DO YOU WORK WITH DIGITAL-TO-ANALOG (D/A) CONVERTERS, ANALOG-TO-DIGITAL (A/D)	26	14	24	31	18
Q1127 Q3-02 DO YOU COMPUTE OUTPUT VOLTAGES FOR ELECTROMECHANICAL DIGITAL-TO-ANALOG (D/A) CONVERTERS FOR GIVEN INPUT	9	0	10	9	4
Q1128 Q3-03 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE COUNT IN ELECTROMECHANICAL DIGITAL-TO-ANALOG (D/A)	7	0	8	6	4

DIGITAL TO ANALOG CONVERTERS

STORAGE DEVICES

REGISTERS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	SPC					SPC					SPC					SPC				
	001	002	003	004	005	001	002	003	004	005	001	002	003	004	005	001	002	003	004	005
DY-TSK																				
Q1129 Q3-04 DO YOU COMPUTE ANALOG VOLTAGES FOR GIVEN BINARY COUNTS IN ELECTRONIC DIGITAL-TO-ANALOG (D/A) CONVERTERS	11	0	12	12	5															
Q1130 Q3-05 DO YOU PERFORM SAMPLE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	16	0	15	19	11															
Q1131 Q3-06 DO YOU PERFORM HOLD FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	14	0	14	17	7															
Q1132 Q3-07 DO YOU PERFORM COMPARE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	15	0	14	17	7															
Q1133 Q3-08 DO YOU PERFORM DIGITIZE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	5	0	6	6	2															
Q1134 Q3-09 DO YOU PERFORM DON'T REMEMBER WHICH FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	16	7	16	19	7															
Q1135 Q3-10 DO YOU USE OR REFER TO SAMPLE FUNCTION OF A/D CONVERTERS	15	7	15	18	9															
Q1136 Q3-11 DO YOU USE OR REFER TO HOLD FUNCTION OF A/D CONVERTERS	16	7	15	18	9															
Q1137 Q3-12 DO YOU USE OR REFER TO COMPARE FUNCTION OF A/D CONVERTERS	17	7	16	21	7															
Q1138 Q3-13 DO YOU USE OR REFER TO DIGITAL FUNCTION OF A/D CONVERTERS	9	7	10	9	0															
Q1139 Q3-14 DO YOU PERFORM ANY TASKS ON MECHANICAL ANALOG-TO-DIGITAL (A/D) CONVERTERS	33	7	30	41	19															
R1140 R1-01 DO YOU WORK WITH PHANTASTRON CIRCUITRY IN YOUR PRESENT JOB	56	43	57	60	33															
R1141 R2-01 IN YOUR PRESENT JOB DO YOU WORK WITH SCHMITT TRIGGER CIRCUITS	52	43	51	56	32															
R1142 R2-02 DO YOU TRACE DATA FLOW THROUGH SCHMITT TRIGGER SCHEMATIC DIAGRAMS	39	43	40	41	23															
R1143 R2-03 DO YOU USE OR REFER TO SCHMITT TRIGGER LOGIC SYMBOLS	39	21	40	44	14															
R1144 R3-01 IN YOUR PRESENT JOB DO YOU FABRICATE MULTICONDUCTOR CABLES	50	43	51	56	14															
R1145 R3-02 DO YOU FABRICATE COAXIAL CABLES	55	57	60	55	25															
S1146 S1-01 IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS ON VISUAL READOUT SYSTEMS	54	36	59	54	28															
S1147 S1-02 DO YOU PERFORM ANY TASKS ON MIXIE LIGHTS OR MIXIE LIGHT DECODER SYSTEMS	15	21	17	14	4															
S1148 S1-03 DO YOU ANALYZE MIXIE LIGHT DECODER SYSTEMS USING BOOLEAN ALGEBRA	31	21	29	36	21															
S1149 S2-01 DO YOU WORK WITH PHOTO TUBES IN YOUR PRESENT JOB	40	43	41	42	21															
S1150 S3-01 IN YOUR PRESENT JOB DO YOU WORK WITH CHOPPER CIRCUITS	23	14	20	27	16															
S1151 S3-02 DO YOU MEASURE EXCITATION FREQUENCIES	13	7	14	14	7															
S1152 S3-03 DO YOU MEASURE VOLTAGE-CURRENT PHASE RELATIONSHIPS	23	14	19	29	19															
S1153 S3-04 DO YOU USE OR REFER TO EXCITATION FREQUENCIES	13	7	14	14	5															
S1154 S3-05 DO YOU USE OR REFER TO VOLTAGE-CURRENT PHASE RELATIONSHIPS	14	21	20	19	11															
S1155 S3-06 DO YOU USE SERVOS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION																				

PHANTASTRONS

SCHMITT TRIGGERS

CABLE FABRICATION

INPUT/OUTPUT DEVICES

PHOTO SENSITIVE DEVICES

SYNCHRONOUS VIBRATIONS  
(CHOPPER CIRCUITS)

# PERCENT MEMBERS PERFORMING TASKS BY DA/SC GROUPS

GPSUMJ PAGE 44

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC SPC  
001 002 003 004 005

51156 53-07 DO YOU USE DETECTORS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	27	21	25	32	16	
51157 53-08 DO YOU USE ERROR SIGNAL DEVICES IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	28	21	23	35	18	
51158 53-09 DO YOU USE COMPARISON CIRCUITS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	30	29	26	37	18	
11159 71-01 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH INFRARED SYSTEMS	2	0	2	2	2	
11160 71-02 DO YOU INSPECT INFRARED SYSTEMS	1	0	1	2	0	
11161 71-03 DO YOU CLEAN INFRARED SYSTEMS	1	0	1	1	0	
11162 71-04 DO YOU ADJUST OR CALIBRATE INFRARED SYSTEMS	1	0	1	2	0	
11163 71-05 DO YOU OPERATE INFRARED SYSTEMS	1	0	1	1	0	
11164 71-06 DO YOU TROUBLESHOOT WIRE CONNECTIONS OF INFRARED SYSTEMS	1	0	1	2	0	
11165 71-07 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF INFRARED SYSTEMS	1	0	1	2	0	
11166 71-08 DO YOU TROUBLESHOOT DOWN TO INFRARED SYSTEM COMPONENT PARTS	1	0	1	2	0	
11167 71-09 DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF INFRARED SYSTEMS	1	0	1	1	0	
71168 71-10 DO YOU REMOVE OR REPLACE INFRARED SYSTEM COMPONENT PARTS	1	0	1	2	0	
11169 71-11 DO YOU USE OR REFER TO FAR REGION	1	0	1	1	0	
11170 71-12 DO YOU USE OR REFER TO INTERMEDIATE REGION	1	0	1	1	0	
11171 71-13 DO YOU USE OR REFER TO NEAR REGION	1	0	1	1	0	
71172 71-14 DO YOU USE OR REFER TO MICRON	1	0	2	1	0	
71173 71-15 DO YOU USE OR REFER TO GRAY BODIES	0	0	0	1	0	
71174 71-16 DO YOU USE OR REFER TO BLACK BODIES	1	0	1	2	0	
71175 71-17 DO YOU USE OR REFER TO ABSORPTION	1	0	1	1	0	
71176 71-18 DO YOU USE OR REFER TO SCATTERING	1	0	0	1	0	
71177 71-19 DO YOU USE OR REFER TO ABSOLUTE ZERO	1	0	1	2	0	
71178 71-20 DO YOU PERFORM TASKS ON 9L17Z	0	0	0	0	0	
71179 71-21 DO YOU PERFORM TASKS ON TARGET BUTTONS	0	0	0	0	0	
71180 71-22 DO YOU PERFORM TASKS ON ERECTOR LENSES	0	0	0	1	0	
71181 71-23 DO YOU PERFORM TASKS ON OCULAR LENSES	1	0	0	1	0	
71182 71-24 DO YOU PERFORM TASKS ON CORRECTION LENSES	0	0	0	1	0	
71183 71-25 DO YOU PERFORM TASKS ON FILTERS	1	0	1	1	0	
71184 71-26 DO YOU PERFORM TASKS ON SPHERICAL MIRRORS	1	0	0	1	0	
71185 71-27 DO YOU PERFORM TASKS ON FLAT MIRRORS	1	0	0	1	0	
71186 72-01 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH LASERS	1	0	1	1	0	
71187 72-02 DO YOU INSPECT LASER SYSTEMS	0	0	0	0	0	
71188 72-03 DO YOU CLEAN LASER SYSTEMS	0	0	0	0	0	
71189 72-04 DO YOU OPERATE LASER SYSTEMS	0	0	1	0	0	
71190 72-05 DO YOU OPERATE LASER SYSTEMS	0	0	1	0	0	
71191 72-06 DO YOU TROUBLESHOOT WIRE CONNECTIONS OF LASER SYSTEMS	0	0	0	0	0	

INFRARED

LASERS



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMINGSPC SPC SPC SPC SPC  
001 002 003 004 005

DY-TSK

T1192 T2-07 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF LASER

SYSTEMS

T1193 T2-08 DO YOU TROUBLESHOOT TO COMPONENT PARTS OF LASER

SYSTEMS

T1194 T2-09 DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF LASER

SYSTEMS

T1195 T2-10 DO YOU REMOVE OR REPLACE COMPONENT PARTS OF LASER

SYSTEMS

T1196 T2-11 DO YOU USE OR REFER TO ANGSTROMS (A)

T1197 T2-12 DO YOU USE OR REFER TO ELECTRON ENERGY LEVELS

T1198 T2-13 DO YOU USE OR REFER TO GROUND STATE

T1199 T2-14 DO YOU USE OR REFER TO EXCITED STATE

T1200 T2-15 DO YOU USE OR REFER TO PACKET OF RADIATION

T1201 T2-16 DO YOU USE OR REFER TO PHOTONS

T1202 T2-17 DO YOU USE OR REFER TO SPONTANEOUS EMISSION

T1203 T2-18 DO YOU USE OR REFER TO STIMULATED EMISSION

T1204 T2-19 DO YOU USE OR REFER TO COHERENCE OR INCOHERENCE

T1205 T2-20 DO YOU USE OR REFER TO INVERSION LEVEL

T1206 T2-21 DO YOU USE OR REFER TO MONOCHROMATIC

T1207 T2-22 DO YOU WORK WITH ACTIVE MATERIALS

T1208 T2-23 DO YOU WORK WITH PUMPING SOURCES

T1209 T2-24 DO YOU WORK WITH FULL SILVERED (100% REFLECTIVE)

MIRRORS

T1210 T2-25 DO YOU WORK WITH HALF SILVERED (50% REFLECTIVE)

MIRRORS

T1211 T2-26 DO YOU WORK WITH HELICAL FLASHTUBES

T1212 T2-27 DO YOU WORK WITH HELICAL FLASHTUBES

T1213 T2-28 DO YOU WORK WITH HELIUM-NEON

T1214 T2-29 DO YOU WORK WITH HELIUM-XENON

T1215 T2-30 DO YOU WORK WITH ZERON

T1216 T2-31 DO YOU WORK WITH CESIUM-HELIUM

T1217 T2-32 DO YOU WORK WITH ARGON

T1218 T2-33 DO YOU WORK WITH NEODYMIUM IN GLASS

T1219 T2-34 DO YOU WORK WITH SODIUM ARSENIDE

T1220 T3-01 IN YOUR PRESENT JOB DO YOU WORK WITH DISPLAY TUBES,

SUCH AS DIRECT VIEW STORAGE (DVS) OR MULTIPLE MODE

T1221 T3-02 DO YOU INSPECT DVST OR MMST

T1222 T3-03 DO YOU CLEAN DVST OR MMST

T1223 T3-04 DO YOU ADJUST OR CALIBRATE DVST OR MMST

T1224 T3-05 DO YOU OPERATE SYSTEMS THAT CONTAIN DVST OR MMST

T1225 T3-06 DO YOU TROUBLESHOOT DVST OR MMST

CIRCUITS

T1226 T3-07 DO YOU REMOVE OR REPLACE DVST OR MMST TUBES FROM

MAJOR ASSEMBLIES OR UNITS

T1227 T3-08 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME

THE VARIOUS ELEMENTS OF DVST

DISPLAY TUBES

PERCENT MEMBERS PERFORMING TASKS BY DATA GROUPS

GPSUM1 PAGE 46

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

0Y-TSK

SPC SPC SPC SPC SPC  
001 002 003 004 005

11228 T3-09 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME  
THE VARIOUS ELEMENTS OF NMST  
11229 T3-10 DO YOU PERFORM TASKS ON FLOOD GUNS  
11230 T3-11 DO YOU PERFORM TASKS ON WHITE GUNS  
11231 T3-12 DO YOU PERFORM TASKS ON ATTACK GUNS  
11232 T3-13 DO YOU PERFORM TASKS ON ERASE GUNS  
11233 T3-14 DO YOU PERFORM TASKS ON STORAGE GRIDS  
11234 U1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY PROGRAMMING

TASKS

U1235 U1-02 DO YOU USE OR REFER TO DECIMAL SYSTEMS  
U1236 U1-03 DO YOU USE OR REFER TO PROGRAMS  
U1237 U1-04 DO YOU USE OR REFER TO HEXIDECIMAL SYSTEMS  
U1238 U1-05 DO YOU USE OR REFER TO 8-4-2-1 SYSTEMS  
U1239 U1-06 DO YOU USE OR REFER TO FOUR SYSTEMS  
U1240 U1-07 DO YOU USE OR REFER TO BINARY SYSTEMS  
U1241 U1-08 DO YOU USE OR REFER TO TIME-SHARING  
U1242 U1-09 DO YOU USE OR REFER TO DATA WORDS  
U1243 U1-10 DO YOU USE OR REFER TO ADDRESS WORDS  
U1244 U1-11 DO YOU USE OR REFER TO ADDRESS/SUBADDRESS  
U1245 U1-12 DO YOU USE OR REFER TO STEERING/INFORMATION  
U1246 U1-13 DO YOU USE OR REFER TO INFORMATION WORDS  
U1247 U1-14 DO YOU PERFORM TASKS ON SINGLE LEVEL PROGRAMMING  
U1248 U1-15 DO YOU PERFORM TASKS ON MULTI-LEVEL PROGRAMMING  
U1249 U1-16 DO YOU PERFORM TASKS ON INPUT DEVICES  
U1250 U1-17 DO YOU PERFORM TASKS ON STORAGE DEVICES  
U1251 U1-18 DO YOU PERFORM TASKS ON ARITHMETIC SECTIONS  
U1252 U1-19 DO YOU PERFORM TASKS ON CONTROL SECTIONS  
U1253 U1-20 DO YOU PERFORM TASKS ON OUTPUT DEVICES  
U1254 U1-21 DO YOU PERFORM TASKS ON POWER SUPPLIES  
U1255 U2-01 DO YOU USE DECIBELS TO EXPRESS AMPLIFICATION AND  
ATTENUATION  
U1256 U2-02 DO YOU USE LOGARITHMS TO COMPUTE OUTPUT POWER IN  
DECIBELS  
U1257 U2-03 DO YOU USE LOGARITHMS TO COMPUTE ATTENUATION IN  
DECIBELS

PROGRAMMING

DB AND POWER RATIOS

PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

TABULATION OF PERCENT MEMBERS PERFORMING DUTIES AND TASKS BY  
AFMS GROUPS IN THE 324X0 CAREER FIELD.

REPORTS ON THE FOLLOWING GROUPS WERE REQUESTED

GROUP IDENTITY = SPC006 ALL AIRMEN 6-24 MOS IN CAREER FLD	CONTAINING	92 MEMBERS.
GROUP IDENTITY = SPC007 ALL AIRMEN 25-48 MOS IN CAREER FLD	CONTAINING	278 MEMBERS.
GROUP IDENTITY = SPC008 ALL AIRMEN 1-48 MOS IN CAREER FLD	CONTAINING	374 MEMBERS.
GROUP IDENTITY = SPC009 ALL AIRMEN 49-96 MOS IN CAREER FLD	CONTAINING	153 MEMBERS.
GROUP IDENTITY = SPC010 ALL AIRMEN 97-148 MOS IN CAREER FLD	CONTAINING	148 MEMBERS.
GROUP IDENTITY = SPC011 ALL AIRMEN 145-192 MOS IN CAREER FLD	CONTAINING	61 MEMBERS.
GROUP IDENTITY = SPC012 ALL AIRMEN 193+ MOS IN CAREER FLD	CONTAINING	33 MEMBERS.



# PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 40

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## DUTY GROUP SUMMARY PERCENT MEMBERS PERFORMING

	DUTY	SPC											
		006	007	008	009	010	011	012					
A	MATHEMATICS, DIRECT CURRENT, VOLTAGE, AND RESISTANCE	100	100	100	99	99	95	97					
B	MULTIMETER USES, ALTERNATING CURRENT, INDUCTORS, AND INDUCTIVE CAPACITORS, CAPACITIVE REACTANCE, TRANSFORMERS, AND MAGNETISM	99	99	99	99	98	100	97					
C	AND MAGNETISM	93	97	97	96	87	84	76					
D	AC CIRCUITS, SERIES AND PARALLEL RESONANCE (TIME CONSTANTS), AND FILTERS	78	82	81	86	76	67	52					
E	Coupling, Soldering, AND RELAYS	92	94	94	94	82	67	61					
F	MICROPHONES, SPEAKERS, AND OSCILLOSCOPES	92	93	93	92	82	66	67					
G	SEMICONDUCTOR DIODES, TRANSISTORS, AND TRANSISTOR AMPLIFIERS	91	94	93	93	79	62	58					
H	SOLID STATE SPECIAL PURPOSE DEVICES, POWER SUPPLIES, AND OSCILLATORS	96	96	96	96	92	84	88					
I	MULTIVIBRATORS, LIMITERS, CLAMPERS, AND ELECTRON TUBES	92	91	91	91	79	59	58					
J	ELECTRON TUBE AMPLIFIERS AND CIRCUITS, SPECIAL PURPOSE ELECTRON TUBES, HETERODYNING, MODULATION, AM SYSTEMS, FM SYSTEMS, AND NUMBERING SYSTEMS	87	87	87	87	78	64	58					
K	LOGIC FUNCTIONS, BOOLEAN EQUATIONS, AND COUNTERS	49	51	51	61	58	46	30					
L	TIMING CIRCUITS, USE OF SIGNAL GENERATORS, MOTORS, AND GENERATORS	62	65	65	71	66	56	48					
M	LOGIC CIRCUITS, USE OF SIGNAL GENERATORS, MOTORS, AND GENERATORS	90	90	90	91	90	84	91					
N	HETER MOVEMENTS, SATURABLE REACTORS, MAGNETIC AMPLIFIERS, AND WAVE SHAPING CIRCUITS	89	91	90	88	78	61	64					
O	SINGLE SIDEBAND SYSTEMS, PULSE MODULATION SYSTEMS, AND ANTENNAS	29	35	33	48	41	30	27					
P	TRANSMISSION LINES, WAVEGUIDES AND CAVITY RESONATORS, AND MICROWAVE AMPLIFIERS AND OSCILLATORS	27	40	37	55	53	43	33					
Q	REGISTERS, STORAGE DEVICES, AND DIGITAL TO ANALOG CONVERTERS	45	45	45	50	52	39	39					
R	PHOTODIODES, SCHMITT TRIGGERS, AND CABLE FABRICATION	72	76	75	76	70	57	48					
S	INPUT/OUTPUT DEVICES, PHOTO SENSITIVE DEVICES, AND SYNCHRONOUS VIBRATIONS	65	72	70	73	67	52	42					
T	INFRARED, LASERS, AND DISPLAY TUBES	11	16	15	16	12	13	9					
U	PROGRAMMING, DB AND POWER RATIOS	70	78	76	78	84	77	67					

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK									
SPC 006	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012			
A 1	AI-01	DO YOU USE AN INSTRUMENT, SUCH AS METER OR AN OSCILLOSCOPE, IN WHICH IT IS NECESSARY TO AMPLIFY OR ORDER OR MAINTENANCE MANUAL, IN WHICH IT IS NECESSARY	91	88	89	90	77	62	64
A 2	AI-02	DO YOU USE A PUBLICATION, SUCH AS A TECHNICAL ORDER OR MAINTENANCE MANUAL, IN WHICH IT IS NECESSARY	67	74	72	78	76	66	73
A 3	AI-03	DO YOU REARRANGE AND SOLVE FORMULAS OR EQUATIONS.	78	83	82	92	82	69	76
A 4	AI-04	DO YOU FIND THE SQUARE ROOT OF A QUANTITY.	50	62	58	65	70	64	55
A 5	AI-05	DO YOU SOLVE FOR AN UNKNOWN QUANTITY.	48	77	75	75	78	75	67
A 6	AI-06	DO YOU CONVERT NUMBERS TO LOGARITHMS.	36	39	38	56	53	59	39
A 7	AI-07	DO YOU USE LOGARITHM TABLES IN ANY TYPE OF CALCULATIONS.	38	44	42	58	56	57	39
A 8	AI-08	DO YOU SOLVE QUADRATIC EQUATIONS.	21	23	22	31	22	23	9
A 9	AI-09	DO YOU USE THE NATURAL SYSTEM OF LOGARITHMS (THIS IS THE LOGARITHM SYSTEM WHICH USES THE NUMBER 2.718 AS	17	15	16	24	11	10	4
A 10	AI-10	DO YOU WORK WITH VECTOR QUANTITIES, SUCH AS ADDING OR SUBTRACTING TWO VECTORS.	27	30	29	28	33	36	18
A 11	AI-11	DO YOU WORK WITH TRIGONOMETRIC FUNCTIONS SUCH AS SINE, COSINE, OR TANGENT.	50	53	52	62	59	64	39
A 12	AI-12	DO YOU DETERMINE AREAS OF PLANE FIGURES, SUCH AS AREAS OF CIRCLES OR TRIANGLES.	17	19	18	20	28	23	15
A 13	AI-13	DO YOU SOLVE OR USE SIMULTANEOUS EQUATIONS.	24	22	22	24	22	15	3
A 14	AI-14	DO YOU SOLVE OR USE PROPORTIONS.	58	68	64	75	74	61	52
A 15	AZ-01	DO YOU USE THE TERM VOLTAGE OR VOLT.	97	98	98	97	95	92	86
A 16	AZ-02	DO YOU USE THE TERM ELECTROMOTIVE FORCE (EMF).	60	58	59	56	55	64	64
A 17	AZ-03	DO YOU USE THE TERM OHM.	96	98	97	97	95	92	85
A 18	AZ-04	DO YOU USE THE TERM ION.	28	24	25	35	52	54	45
A 19	AZ-05	DO YOU USE THE TERM DYNE.	18	13	14	24	21	36	21
A 20	AZ-06	DO YOU USE THE TERM AMPERE.	92	94	93	97	94	89	85
A 21	AZ-07	DO YOU USE THE TERM NEUTRON.	26	17	19	29	28	34	24
A 22	AZ-08	DO YOU USE THE TERM COULOMB.	25	19	20	25	23	20	9
A 23	AZ-09	DO YOU USE THE TERM PROTON.	24	18	20	27	30	28	27
A 24	AJ-01	DO YOU WORK WITH RESISTORS IN YOUR PRESENT JOB.	79	66	65	82	67	48	52
A 25	AJ-02	DO YOU INSPECT RESISTORS.	90	90	90	92	74	56	61
A 26	AJ-03	DO YOU CLEAN RESISTORS.	84	77	78	73	51	44	33
A 27	AJ-04	DO YOU ADJUST RESISTORS.	92	91	91	90	74	54	52
A 28	AJ-05	DO YOU CHECK OHMIC VALUE OF RESISTORS.	92	94	94	93	77	57	61
A 29	AJ-06	DO YOU REMOVE OR REPLACE RESISTORS.	91	91	91	89	67	49	48
A 30	AJ-07	DO YOU USE OR REFER TO TEMPERATURE COEFFICIENTS FOR RESISTORS ON ANY TASKS IN YOUR PRESENT JOB.	46	48	47	48	42	36	21
A 31	AJ-08	DO YOU USE OR REFER TO RESISTOR SYMBOLS, SUCH AS FOR FIXED RESISTORS OR FOR TAPPED RESISTORS.	91	93	93	92	82	62	64
A 32	AJ-09	DO YOU IDENTIFY OR CLASSIFY THE RESISTORS YOU WORK WITH AS CARBON, FIXED WIRE, SLIDE TAP, RHEOSTAT OR	92	91	92	94	80	61	70

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

D-Y-TSK		SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
		006	007	008	009	010	011	012	
A	33 A3-10 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE THE OHMIC VALUE OF RESISTANCE.	92	92	92	93	82	61	70	
A	34 A3-11 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE THE TOLERANCE OF RESISTORS.	90	90	90	92	80	57	70	
A	35 A3-12 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE THE FAILURE RATE OF RESISTORS.	22	17	18	17	12	10	3	
A	36 A3-13 DO YOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE HOW TWO OR MORE BATTERIES MUST BE CONNECTED TOGETHER TO REPRESENT ANY OF THE FOLLOWING COMPONENTS: BATTERY.	73	65	66	67	64	46	48	
A	37 A3-14 DO YOU USE OR REFER TO THE SCHEMATIC SYMBOLS WHICH REPRESENT ANY OF THE FOLLOWING COMPONENTS: BATTERY.	93	94	94	94	83	61	67	
A	38 A3-15 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES RESISTIVE CIRCUITS.	82	78	79	84	76	54	58	
A	39 A3-16 DO YOU CALCULATE TOTAL CURRENT FOR SERIES RESISTIVE CIRCUITS.	74	70	71	66	68	54	55	
A	40 A3-17 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES RESISTIVE CIRCUITS.	72	72	72	75	75	52	58	
A	41 A3-18 DO YOU CALCULATE POWER DISSIPATION FOR SERIES RESISTIVE CIRCUITS.	61	57	58	56	61	49	45	
A	42 A3-19 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES PARALLEL RESISTIVE CIRCUITS.	77	73	74	75	70	52	58	
A	43 A3-20 DO YOU CALCULATE TOTAL CURRENT FOR SERIES PARALLEL RESISTIVE CIRCUITS.	68	64	64	62	64	49	52	
A	44 A3-21 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES PARALLEL RESISTIVE CIRCUITS.	68	67	67	69	69	51	45	
A	45 A3-22 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR SERIES PARALLEL RESISTIVE CIRCUITS.	66	58	60	57	61	49	45	
A	46 A3-23 DO YOU CALCULATE POWER DISSIPATION FOR SERIES PARALLEL RESISTIVE CIRCUITS.	57	51	52	54	54	48	36	
A	47 A3-24 DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL RESISTIVE CIRCUITS.	78	74	75	77	72	52	58	
A	48 A3-25 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RESISTIVE CIRCUITS.	68	64	65	61	63	49	52	
A	49 A3-26 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR PARALLEL RESISTIVE CIRCUITS.	67	66	66	67	64	49	48	
A	50 A3-27 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR PARALLEL RESISTIVE CIRCUITS.	64	60	60	58	59	48	42	
A	51 A3-28 DO YOU CALCULATE POWER DISSIPATION FOR PARALLEL RESISTIVE CIRCUITS.	54	51	51	53	55	48	36	
B	52 B1-01 DO YOU MEASURE RESISTANCE.	92	95	94	95	74	66	67	
B	53 B1-02 DO YOU REPAIR AN OHMMETER.	68	61	62	50	35	30	33	
B	54 B1-03 DO YOU MEASURE VOLTAGE.	92	96	95	97	80	67	67	
B	55 B1-04 DO YOU REPAIR A VOLTMEETER.	73	60	63	54	37	28	33	
B	56 B1-05 DO YOU REPAIR AN AMMETER.	65	58	59	47	35	28	36	
B	57 B1-06 DO YOU MEASURE CURRENT.	83	86	85	90	74	57	58	
B	58 B1-07 DO YOU USE A MULTIMETER.	42	45	45	43	82	67	67	

MULTIMETER USES



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK	SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC											
	006	007	008	009	010	011	012	013	014	015	016	017
8 59 81-08 DO YOU DIRECTLY USE A QUANTITY OF CHARGE CALLED A COULOMB.	12	8	9	5	9	0	6					
8 60 81-09 DO YOU READ SCHEMATICS.	93	96	95	97	91	89	82					
8 61 82-01 DO YOU USE OR REFER THE TERM EFFECTIVE VOLTAGE (RMS).	95	95	95	92	92	92	94					
8 62 82-02 DO YOU USE OR REFER THE TERM PEAK TO PEAK VOLTAGE.	95	93	94	94	91	93	94					
8 63 82-03 DO YOU USE OR REFER THE TERM AVERAGE VOLTAGE (DC).	86	87	86	84	84	82	85					
8 64 82-04 DO YOU USE OR REFER THE TERM WAVE LENGTH.	62	65	64	70	62	79	79					
8 65 82-05 DO YOU USE OR REFER THE TERM FREQUENCY.	93	95	94	95	93	93	97					
8 66 82-06 DO YOU USE OR REFER THE TERM INSTANTANEOUS VALUE.	57	51	52	53	53	61	52					
8 67 83-01 DO YOU WORK WITH INDUCTORS OR CIRCUITS CONTAINING INDUCTORS, CHOKES, OR CHOKE COILS IN YOUR PRESENT JOB.	75	78	77	86	68	51	39					
8 68 83-02 DO YOU INSPECT INDUCTORS.	76	79	78	83	67	54	45					
8 69 83-03 DO YOU CLEAN INDUCTORS.	57	58	57	56	30	21	24					
8 70 83-04 DO YOU ADJUST INDUCTORS.	75	79	78	84	59	44	39					
8 71 83-05 DO YOU REMOVE OR REPLACE INDUCTORS.	79	80	80	82	57	39	36					
8 72 83-06 DO YOU USE OR REFER TO INDUCTANCE.	74	82	80	83	72	61	45					
8 73 83-07 DO YOU USE OR REFER TO MEMRIES.	64	71	70	77	64	54	42					
8 74 83-08 DO YOU USE OR REFER TO INDUCTIVE REACTANCE.	59	58	59	59	59	49	36					
8 75 83-09 DO YOU USE OR REFER TO COPPER LOSS IN INDUCTORS.	12	10	11	10	9	7	6					
8 76 83-10 DO YOU USE OR REFER TO HYSTERESIS LOSS IN INDUCTORS.	17	22	20	20	15	11	6					
8 77 83-11 DO YOU USE OR REFER TO EDDY CURRENT LOSS IN INDUCTORS.	16	19	19	15	14	15	6					
8 78 83-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT INDUCTANCE IS PROPORTIONAL TO THE SQUARE OF THE	16	18	17	16	7	15	6					
8 79 83-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE	12	14	14	13	5	8	6					
8 80 83-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS INVERSELY PROPORTIONAL TO	14	13	13	14	5	8	3					
8 81 83-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE	14	17	16	15	12	16	9					
8 82 83-16 DO YOU CALCULATE INDUCTANCE FOR A PARTICULAR INDUCTOR USING FORMULAS.	17	20	19	19	12	13	15					
8 83 83-17 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN SERIES.	26	28	28	30	24	23	16					
8 84 83-18 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN PARALLEL.	26	29	28	30	24	25	18					
8 85 83-19 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN SERIES-PARALLEL CIRCUITS.	21	26	24	25	22	23	9					
8 86 83-20 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LAGS VOLTAGE IN AC INDUCTOR CIRCUITS.	39	32	33	37	38	36	24					
8 87 83-21 DO YOU CALCULATE INDUCTIVE REACTANCE.	33	31	31	27	34	31	21					

ALTERNATING CURRENT

INDUCTORS AND INDUCTIVE REACTANCE

TASK	GROUP SUMMARY	PERCENT MEMBERS PERFORMING
1. Identify the problem	100%	100%
2. Generate ideas	100%	100%
3. Evaluate ideas	100%	100%
4. Select a solution	100%	100%
5. Implement the solution	100%	100%
6. Evaluate the results	100%	100%

	5PC	5PC	5PC	5PC	5PC	5PC	5PC
	006	007	008	009	010	011	012
8 88 83-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT INDUCTIVE REACTANCE IS DIRECTLY PROPORTIONAL TO	51	42	45	96	57	44	36
8 89 83-23 DO YOU WORK WITH POWER INDUCTORS.	32	36	34	42	41	31	27
8 90 83-24 DO YOU WORK WITH AUDIO FREQUENCY INDUCTORS.	59	66	65	71	65	51	48
8 91 83-25 DO YOU WORK WITH RADIO FREQUENCY INDUCTORS.	60	68	66	73	61	54	48
8 92 81-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING CAPACITORS ON YOUR PRESENT JOB.	84	90	88	89	71	56	42
C 93 81-02 DO YOU INSPECT CAPACITORS.	86	90	89	88	73	54	55
C 94 81-03 DO YOU CLEAN CAPACITORS.	71	72	72	65	43	33	36
C 95 81-04 DO YOU ADJUST CAPACITORS.	91	91	91	87	68	56	48
C 96 81-05 DO YOU TEST CAPACITORS.	87	90	89	88	71	57	55
C 97 81-06 DO YOU DISCHARGE CAPACITORS.	79	85	83	85	69	52	45
C 98 81-07 DO YOU REMOVE OR REPLACE CAPACITORS.	89	91	91	86	61	48	42
C 99 81-08 DO YOU USE OR REFER TO DISTRIBUTED CAPACITANCE.	33	32	32	39	47	39	30
C 100 81-09 DO YOU USE OR REFER TO ORBITAL STRESS OF ELECTRONS IN A DIELECTRIC.	3	6	5	5	4	3	3
C 101 81-10 DO YOU USE OR REFER TO FARADS, MICROFARADS, OR PICOFARADS.	86	91	90	90	79	67	58
C 102 81-11 DO YOU USE OR REFER TO CAPACITANCE.	86	92	91	89	78	67	58
C 103 81-12 DO YOU USE OR REFER TO DIELECTRIC CONSTANT.	20	33	30	28	25	25	12
C 104 81-13 DO YOU USE OR REFER TO WORKING VOLTAGE RATING OF CAPACITORS.	82	85	84	85	77	59	55
C 105 81-14 DO YOU USE OR REFER TO CAPACITIVE REACTANCE.	51	54	53	52	56	48	33
C 106 81-15 DO YOU USE OR REFER TO CAPACITOR COLOR CODES.	57	59	58	62	64	54	48
C 107 81-16 THE CAPACITORS YOU WORK WITH IN DC CIRCUITS.	88	89	89	88	73	57	48
C 108 81-17 THE CAPACITORS YOU WORK WITH ARE IN AC CIRCUITS.	89	95	93	91	76	61	55
C 109 81-18 THE CAPACITORS YOU WORK WITH ARE IN CIRCUITS WITH BOTH DC AND AC.	88	92	91	89	75	62	48
C 110 81-19 THE CAPACITORS YOU WORK WITH ARE NON-17 REMEMBER WHICH CIRCUITS.	8	9	9	8	6	2	3
C 111 81-20 DO YOU CALCULATE CAPACITANCE FOR A PARTICULAR CAPACITOR USING FORMULA 5.	22	23	23	27	22	28	18
C 112 81-21 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE CAPACITANCE OF A CAPACITOR IS DIRECTLY PROPORTIONAL	14	16	15	17	12	7	6
C 113 81-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE CAPACITANCE OF A CAPACITOR IS INVERSELY PROPORTIONAL	20	21	21	19	20	10	6
C 114 81-23 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES.	45	52	50	59	56	39	36
C 115 81-24 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN PARALLEL.	48	53	51	58	60	43	39
C 116 81-25 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES-PARALLEL CIRCUITS.	42	44	43	48	43	38	24
C 117 81-26 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT DOES NOT FLOW THROUGH CAPACITORS, IT ONLY	58	49	52	95	47	33	42

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING	DY-TSK											
	SPC 006	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012					
C 118 C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LEADS VOLTAGE IN AC CAPACITOR CIRCUITS.	36	34	34	35	43	31	27					
C 119 C1-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITIVE REACTANCE IS INVERSELY PROPORTIONAL TO CAPACITANCE.	47	46	47	50	58	46	42					
C 120 C1-29 DO YOU CALCULATE CAPACITIVE REACTANCE.	34	32	32	32	41	31	24					
C 121 C1-30 DO YOU WORK WITH MOTOR-STATOR CAPACITORS (VARIABLE).	83	86	85	84	70	57	52					
C 122 C1-31 DO YOU WORK WITH COMPRESSION (TRIMMER) CAPACITORS.	84	87	86	85	73	57	52					
C 123 C1-32 DO YOU WORK WITH ELECTROLYTIC CAPACITORS (FIXED).	89	91	91	91	72	59	55					
C 124 C1-33 DO YOU WORK WITH PAPER CAPACITORS (FIXED).	85	92	90	91	74	59	52					
C 125 C1-34 DO YOU WORK WITH MICA CAPACITORS (FIXED).	89	90	90	90	75	59	55					
C 126 C1-35 DO YOU WORK WITH CERAMIC CAPACITORS (FIXED).	90	92	91	90	74	59	55					
C 127 C1-36 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF CAPACITORS.	5	8	7	6	5	3	3					
C 128 C2-01 DO YOU WORK WITH TRANSFORMERS ON YOUR PRESENT JOB.	74	83	81	81	68	46	33					
C 129 C2-02 DO YOU INSPECT TRANSFORMERS.	75	83	80	84	71	48	52					
C 130 C2-03 DO YOU CLEAN TRANSFORMERS.	49	55	53	56	32	23	27					
C 131 C2-04 DO YOU ADJUST TRANSFORMERS.	95	99	98	92	47	26	33					
C 132 C2-05 DO YOU TROUBLESHOOT TRANSFORMERS.	73	78	77	81	67	46	48					
C 133 C2-06 DO YOU REMOVE OR REPLACE COMPLETE TRANSFORMERS.	74	83	81	83	59	41	39					
C 134 C2-07 DO YOU REMOVE OR REPLACE TRANSFORMER PARTS, SUCH AS THE PRIMARY WINDING.	7	12	10	12	3	2	3					
C 135 C2-08 DO YOU MAKE A DISTINCTION BETWEEN MUTUAL INDUCTANCE AND MUTUAL INDUCTANCE (M).	11	9	9	4	11	2	6					
C 136 C2-09 DO YOU USE THE SYMBOL FOR MUTUAL INDUCTANCE, M.	10	9	9	6	7	2	9					
C 137 C2-10 DO YOU REFER TO OR USE THE COEFFICIENT OF COUPLING WHEN WORKING WITH TRANSFORMERS.	16	17	16	17	15	5	6					
C 138 C2-11 DO YOU CALCULATE TURNS RATIOS FOR TRANSFORMERS USING CURRENT OR VOLTAGE RATIOS.	29	27	27	28	26	18	9					
C 139 C2-12 DO YOU REFER TO REFLECTED IMPEDANCE WHEN WORKING WITH TRANSFORMERS.	23	21	21	15	16	16	15					
C 140 C2-13 DO YOU CALCULATE IMPEDANCE INTERACTIONS FOR TRANSFORMERS.	7	10	9	8	9	3	0					
C 141 C2-14 DO YOU WORK WITH AUTOTRANSFORMERS.	73	75	75	80	68	51	52					
C 142 C2-15 DO YOU WORK WITH POWER TRANSFORMERS.	75	81	79	82	70	54	48					
C 143 C2-16 DO YOU WORK WITH AUDIO TRANSFORMERS.	60	65	64	76	69	51	48					
C 144 C2-17 DO YOU WORK WITH RADIO FREQUENCY TRANSFORMERS.	52	63	60	73	65	52	52					
C 145 C2-18 DO YOU WORK WITH DON'T REMEMBER WHAT TYPE OF TRANSFORMER.	2	9	8	8	6	0	3					
C 146 C2-19 DO YOU CHECK TRANSFORMERS FOR OPEN WINDINGS BY MEASURING RESISTANCE.	78	81	80	84	68	51	48					
C 147 C2-20 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING RESISTANCE.	64	75	72	79	65	44	45					
C 148 C2-21 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING OUTPUT VOLTAGES.	73	71	72	75	60	44	45					
C 149 C2-22 DO YOU MEASURE RESISTANCE OF TRANSFORMER WINDINGS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR	38	31	32	29	28	20	24					

TRANSFORMERS



# PERCENT MEMBERS PERFORMING TASKS BY AFPS GROUPS

GPSUM2 PAGE 54

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DY-15K

	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
	006	007	008	009	010	011	012		
C 150 C2-23 DO YOU MEASURE OUTPUT VOLTAGE OF TRANSFORMERS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-DOWN	51	53	53	53	45	33	33		
C 151 C2-24 DO YOU REFER TO THE BASIC TRANSFORMER SCHEMATIC SYMBOLS FOR TRANSFORMERS.	78	84	83	89	72	54	52		
C 152 C2-25 DO YOU REFER TO THE MULTIPLE SECONDARY-WINDINGS SCHEMATIC SYMBOLS FOR TRANSFORMERS.	75	80	78	81	70	54	48		
C 153 C2-26 DO YOU REFER TO THE MULTIPLE TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS.	75	81	79	83	70	54	48		
C 154 C2-27 DO YOU REFER TO THE CENTER TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS.	77	83	82	86	72	54	52		
C 155 C2-28 DO YOU REFER TO THE AIR CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS.	59	54	55	52	53	43	33		
C 156 C2-29 DO YOU REFER TO THE IRON CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS.	66	58	60	55	53	43	36		
C 157 C2-30 DO YOU REFER TO THE COMBINATIONS OF THE ABOVE SCHEMATIC SYMBOLS FOR TRANSFORMERS.	65	71	70	69	61	52	48		
C 158 C2-31 DO YOU DETERMINE PHASE RELATIONSHIPS BETWEEN SECONDARY AND PRIMARY VOLTAGES OF TRANSFORMERS USING TRANSFORMERS YOU WORK WITH.	46	39	40	42	52	43	33		
C 159 C2-32 DO YOU DETERMINE OR REFER TO THE TYPE OF CORE IN TRANSFORMERS YOU WORK WITH.	48	35	38	27	32	20	21		
C 160 C2-33 DO YOU REFER TO OR USE THE GENERAL RULE THAT THE TURNS RATIO OF A TRANSFORMER IS EQUAL TO THE VOLTAGE RATIO FOR TRANSFORMERS.	41	41	41	41	41	30	27		
C 161 C2-34 DO YOU USE OR REFER TO STEP-UP OR STEP-DOWN RATIOS FOR TRANSFORMERS.	53	54	54	57	59	38	39		
C 162 C2-35 DO YOU CALCULATE VOLTAGE RATIOS FOR TRANSFORMERS USING TURNS RATIOS.	32	31	30	28	28	20	9		
C 163 C2-36 DO YOU CALCULATE CURRENT RATIOS FOR TRANSFORMERS USING TURNS RATIOS.	28	24	25	20	26	16	9		
C 164 C2-37 DOES YOUR JOB INVOLVE ANY TASKS DEALING WITH 3 PHASE TRANSFORMERS.	33	31	31	37	37	36	21		
C 165 C2-38 DO YOU INSPECT 3 PHASE TRANSFORMERS.	23	24	24	28	32	26	12		
C 166 C2-39 DO YOU CLEAN OR LUBRICATE 3 PHASE TRANSFORMERS.	12	15	14	14	9	3	9		
C 167 C2-40 DO YOU ADJUST 3 PHASE TRANSFORMERS.	15	13	13	15	14	3	3		
C 168 C2-41 DO YOU TROUBLESHOOT 3 PHASE TRANSFORMERS.	23	22	22	27	31	21	9		
C 169 C2-42 DO YOU REMOVE OR REPLACE COMPLETE 3 PHASE TRANSFORMER PARTS, SUCH AS A WINDING.	23	20	21	27	28	26	12		
C 170 C2-43 DO YOU REMOVE OR REPLACE 3 PHASE TRANSFORMER PARTS, SUCH AS A WINDING.	4	5	5	4	3	2	4		
C 171 C3-01 DO YOU USE OR REFER TO PERMANENT MAGNETS.	57	49	51	43	62	61	55		
C 172 C3-02 DO YOU USE OR REFER TO TEMPORARY MAGNETS.	41	32	34	33	42	30	39		
C 173 C3-03 DO YOU USE OR REFER TO RETENTIVITY OF MAGNETIC MATERIALS.	26	14	17	12	17	15	15		
C 174 C3-04 DO YOU USE OR REFER TO RELUCTANCE OF MAGNETIC MATERIALS.	25	12	15	10	13	10	12		

MAGNETISM

### PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

**TASK GROUP SUMMARY**  
**PERCENT MEMBERS PERFORMING**

DT-TASK	SPC 006	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012
C 175 C3-05 DO YOU USE OR REFER TO PERMEABILITY OF MAGNETIC MATERIALS.	27	14	17	14	20	14	15
C 176 C3-06 DO YOU USE OR REFER TO RESIDUAL MAGNETISM.	30	18	21	22	26	25	33
C 177 C3-07 DO YOU USE OR REFER TO MAGNETIC LINES OF FORCE OR FLUX.	30	25	27	25	38	44	21
C 178 C3-08 DO YOU USE OR REFER TO WEBER'S THEORY OF MAGNETISM.	9	6	7	5	3	7	3
C 179 C3-09 DO YOU USE OR REFER TO THE DOMAIN THEORY OF MAGNETISM.	11	8	8	7	3	10	3
C 180 C3-10 DO YOU USE OR REFER TO MAGNETIC INDUCTION.	34	23	25	20	32	31	18
C 181 C3-11 DO YOU USE OR REFER TO FLUX DENSITY.	21	18	19	14	28	24	18
C 182 C3-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR MAGNETIC POLES, LIKE POLES REPEL AND UNLIKE POLES ATTRACT.	48	52	51	44	51	49	48
C 183 C3-13 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES.	22	20	20	16	13	18	9
C 184 C3-14 DO YOU USE THE LEFT THUMB RULE TO FIND THE NORTH POLE OF A CURRENT CARRYING COIL.	23	17	18	12	12	14	9
D 185 D1-01 DO YOU WORK WITH AC, LR, OR RCL CIRCUITS ON YOUR PRESENT JOB.	59	65	63	69	62	46	42
D 186 D1-02 DO YOU USE OR REFER TO VECTORS WHEN WORKING WITH RCL CIRCUITS.	20	19	19	18	26	23	24
D 187 D1-03 DO YOU USE OR REFER TO PYTHAGOREAN THEOREM WHEN WORKING WITH RCL CIRCUITS.	20	13	14	14	18	16	15
D 188 D1-04 DO YOU USE OR REFER TO SINE WHEN WORKING WITH RCL CIRCUITS.	32	24	26	26	32	31	21
D 189 D1-05 DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL CIRCUITS.	32	23	25	26	30	28	21
D 190 D1-06 DO YOU USE OR REFER TO TANGENT WHEN WORKING WITH RCL CIRCUITS.	29	22	24	24	28	26	21
D 191 D1-07 DO YOU USE OR REFER TO WATTS WHEN WORKING WITH RCL CIRCUITS.	50	46	47	42	39	33	30
D 192 D1-08 DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS.	36	32	33	30	34	25	27
D 193 D1-09 DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN WORKING WITH RCL CIRCUITS.	34	33	33	36	34	25	21
D 194 D1-10 DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS.	36	37	37	37	39	33	27
D 195 D1-11 DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS.	29	30	29	29	29	18	21
D 196 D1-12 DO YOU USE OR REFER TO POWER FACTOR (PF) WHEN WORKING WITH RCL CIRCUITS.	26	30	29	29	34	20	18
D 197 D1-13 DO YOU USE OR REFER TO RESONANT CIRCUITS WHEN WORKING WITH RCL CIRCUITS.	51	54	53	42	41	46	36
D 198 D1-14 DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS.	59	63	61	69	65	54	39
D 199 D1-15 DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS.	52	54	53	59	59	48	36

# PERCENT MEMBERS PERFORMING TASKS BY AFHS GROUPS

GFSUWZ PAGE 56

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DY-TSK		SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
		006	007	008	009	010	011	012	
0 200 01-16 DO YOU USE OR REFER TO RESONANT FREQUENCY WHEN WORKING WITH RCL CIRCUITS.		55	59	57	69	61	54	33	
0 201 01-17 DO YOU USE OR REFER TO HALF POWER POINTS WHEN WORKING WITH RCL CIRCUITS.		43	42	42	56	60	43	39	
0 202 01-18 DO YOU USE OR REFER TO BANDPASS REGION WHEN WORKING WITH RCL CIRCUITS.		52	53	53	63	58	49	36	
0 203 01-19 DO YOU USE OR REFER TO CIRCUIT Q WHEN WORKING WITH RCL CIRCUITS.		33	29	30	32	36	31	21	
0 204 01-20 DO YOU USE OR REFER TO TANX CIRCUITS WHEN WORKING WITH RCL CIRCUITS.		53	54	53	63	59	49	27	
0 205 01-21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS USING FORMULAS? SINE OF AN ANGLE - OPPOSITE SIDE		29	24	25	33	32	38	27	
0 206 01-22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE VECTOR DIAGRAMS FOR CIRCUITS.		13	12	12	10	16	16	6	
0 207 01-23 DO YOU CALCULATE TOTAL IMPEDANCE FOR CAPACITIVE CIRCUITS.		23	20	20	20	22	18	6	
0 208 01-24 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE AND RESISTANCE IN CAPACITIVE CIRCUITS.		12	13	12	10	16	18	12	
0 209 01-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL CIRCUITS.		21	18	19	16	19	15	12	
0 210 01-26 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL CIRCUITS.		10	10	10	7	16	8	9	
0 211 01-27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES RCL CIRCUITS.		20	13	14	13	17	7	9	
0 212 01-28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL CIRCUITS.		23	15	17	14	21	13	12	
0 213 01-29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES RCL CIRCUITS.		18	15	16	15	18	11	12	
0 214 01-30 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL CIRCUITS.		21	19	19	16	20	7	9	
0 215 01-31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL RCL CIRCUITS.		10	9	9	8	14	10	9	
0 216 01-32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING THE ASSUMED VOLTAGE METHOD.		16	10	11	9	14	10	6	
0 217 01-33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING OHM'S LAW.		23	18	19	19	19	13	9	
0 218 01-34 DO YOU CHECK CAPACITORS USING OHMMETERS.		58	65	63	67	65	43	48	
0 219 01-35 DO YOU CHECK CAPACITORS USING SUBSTITUTION.		57	65	63	67	60	41	48	
0 220 01-36 DO YOU CHECK INDUCTORS USING OHMMETERS.		49	63	54	61	62	43	48	
0 221 01-37 DO YOU CHECK INDUCTORS USING SUBSTITUTION.		51	57	55	63	53	33	48	
0 222 01-38 DO YOU USE OR REFER TO THE GENERAL RULE THAT $TWELFA=0$ , $PF=1$ , AND $PAPY$ FOR RESONANT CIRCUITS.		15	7	9	7	9	8	6	
0 223 01-39 DO YOU CALCULATE RESONANT FREQUENCIES FOR RCL CIRCUITS.		20	23	22	24	24	25	18	
0 224 01-40 DO YOU USE OR REFER TO THE GENERAL RULE THAT IMPEDANCE IS MINIMUM AND CURRENT MAXIMUM AT THE		29	25	26	31	37	34	21	



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC											
	006	007	008	009	010	011	012	013	014	015	016	017
D1-TSK												
D 225 D1-41 DO YOU USE OR REFER TO THE GENERAL RULE THAT LINE CURRENT IS MINIMUM AND IMPEDANCE MAXIMUM AT	25	22	23	27	36	33	24					
D 226 D1-42 DO YOU USE OR REFER TO THE GENERAL RULE THAT HALF POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK	45	44	44	54	55	43	33					
D 227 D1-43 DO YOU USE OR REFER TO THE GENERAL RULE THAT BANDWIDTH IS INVERSELY PROPORTIONAL TO Q.	25	24	24	28	32	21	16					
D 228 D1-44 DO YOU DETERMINE HOW CHANGES IN FREQUENCY, RESISTANCE, CAPACITANCE, OR INDUCTANCE WILL AFFECT	25	25	25	23	24	26	21					
D 229 D2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH, USE, OR REFER TO SERIES OR PARALLEL RESONANCE CIRCUITS OR	30	38	36	46	49	51	21					
D 230 D2-02 DO YOU WORK WITH, USE, OR REFER TO TIME CONSTANTS.	27	35	33	43	47	51	21					
D 231 D2-03 DO YOU WORK WITH, USE, OR REFER TO AVAILABLE VOLTAGE.	24	19	20	24	21	30	15					
D 232 D2-04 DO YOU WORK WITH, USE, OR REFER TO TRANSIENT INTERVALS.	17	14	15	16	21	25	9					
D 233 D2-05 DO YOU USE OR REFER TO THE GENERAL RULE THAT A CAPACITOR IS FULLY CHARGED (OR DISCHARGED) AFTER FIVE	24	21	21	24	34	28	24					
D 234 D2-06 DO YOU USE OR REFER TO UNIVERSAL TIME-CONSTANT CHARTS.	15	12	12	12	15	13	6					
D 235 D2-07 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CIRCUITS CURRENT OR COMPONENT VOLTAGES AFTER A	14	10	11	10	18	13	9					
D 236 D2-08 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE THE TIME REQUIRED FOR CIRCUIT CURRENT OR COMPONENT	14	15	14	12	19	13	9					
D 237 D2-09 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE COMPONENT VALUES REQUIRED FOR CIRCUIT CURRENT AND	15	12	12	11	20	16	6					
D 238 D2-10 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT IN LR CIRCUITS REACHES ITS MINIMUM VALUE (OR	22	12	14	15	21	21	12					
D 239 D3-01 DO YOU WORK WITH CIRCUITS USED AS FILTERS ON YOUR PRESENT JOB.	62	69	67	73	65	48	39					
D 240 D3-02 DO YOU INSPECT FILTER CIRCUITS.	61	66	65	67	61	43	36					
D 241 D3-03 DO YOU CLEAN FILTER CIRCUITS.	43	45	44	46	30	15	21					
D 242 D3-04 DO YOU ALIGN OR ADJUST FILTER CIRCUITS.	51	60	58	61	44	33	30					
D 243 D3-05 DO YOU TROUBLESHOOT TO THE FILTER CIRCUIT.	59	65	64	61	58	39	39					
D 244 D3-06 DO YOU TROUBLESHOOT TO COMPONENT PARTS OF FILTER CIRCUITS.	59	67	65	67	59	41	39					
D 245 D3-07 DO YOU REMOVE OR REPLACE THE COMPLETE FILTER CIRCUIT.	53	62	59	63	51	36	36					

FILTERS

SERIES AND PARALLEL RESONANCE  
(TIME CONSTANTS)

## PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 58

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMANDTASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
	006	007	008	009	010	011	012		
D 246 D3-08 DO YOU REMOVE OR REPLACE COMPONENT PARTS OF FILTER CIRCUITS.	59	64	63	63	53	33	36		
D 247 D3-09 DO YOU WORK ON LOW PASS FILTERS.	60	65	63	73	62	51	39		
D 248 D3-10 DO YOU WORK ON HIGH PASS FILTERS.	59	63	62	71	59	49	39		
D 249 D3-11 DO YOU WORK ON BANDPASS FILTERS.	58	64	62	71	60	48	36		
D 251 D3-13 DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF FILTER	51	54	53	61	51	48	33		
D 250 D3-12 DO YOU WORK ON BAND-REJECT FILTERS.	9	11	10	10	7	3	3		
D 252 D3-14 DO YOU WORK WITH L-SECTION FILTER CONFIGURATIONS.	50	51	51	54	52	44	30		
D 253 D3-15 DO YOU WORK WITH T-SECTION FILTER CONFIGURATIONS.	50	53	52	56	57	48	33		
D 254 D3-16 DO YOU WORK WITH PI-SECTION FILTER CONFIGURATIONS.	52	53	52	56	59	48	33		
D 255 D3-17 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF FILTER CONFIGURATIONS.	10	19	17	17	16	9	7		
D 256 D3-18 ARE PARALLEL RESONANT CIRCUITS USED IN FILTERS YOU WORK WITH.	35	42	40	52	55	41	27		
D 257 D3-19 ARE SERIES-RESONANT CIRCUITS USED IN FILTERS YOU WORK WITH.	36	45	42	50	55	41	27		
D 258 D3-20 ARE SERIES-RESONANT CIRCUITS USED IN FILTERS YOU WORK WITH.	35	43	41	51	56	43	30		
D 259 D3-21 ARE DON'T REMEMBER WHICH TYPE OF BASIC CIRCUIT USED IN FILTERS YOU WORK WITH.	16	28	25	19	11	5	12		
D 260 D3-22 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CAPACITANCE OR INDUCTANCE VALUES REQUIRED FOR SPECIFIC CIRCUITS.	13	13	13	20	16	8	9		
E 261 E1-01 DO YOU WORK WITH COUPLING DEVICES ON YOUR PRESENT JOB.	54	64	61	73	69	48	42		
E 262 E1-02 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED	55	62	60	74	70	49	45		
E 263 E1-03 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED	49	56	54	67	62	49	45		
E 264 E1-04 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED	55	60	59	71	68	48	45		
E 265 E1-05 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THE RC COUPLING FUNCTIONS.	54	62	60	71	63	43	42		
E 266 E1-06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THE IMPEDANCE COUPLING FUNCTIONS.	50	53	52	67	59	43	42		
E 267 E1-07 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THE TRANSFORMER COUPLING FUNCTIONS.	52	59	57	71	64	43	42		
E 268 E1-08 DO YOU WORK WITH DIRECTLY COUPLED CIRCUITS.	52	60	58	71	67	46	42		
E 269 E1-09 DO YOU WORK WITH CAPACITIVE-RESISTIVE COUPLED CIRCUITS.	55	60	59	73	68	46	42		
E 270 E1-10 DO YOU WORK WITH CAPACITIVE-INDUCTIVE COUPLED CIRCUITS.	47	55	52	69	61	43	36		
E 271 E1-11 DO YOU WORK WITH TRANSFORMER COUPLED CIRCUITS.	51	58	56	73	66	46	39		
E 272 E1-12 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF COUPLING CIRCUIT.	7	9	8	7	7	2	0		

COUPLING

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING	PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS											
	06	07	08	09	10	11	12	13	14	15	16	17
0Y-TSK	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
E 273 E2-01 ON YOUR PRESENT JOB DO YOU PERFORM SOLDERING TECHNIQUES OR INSPECT OR EVALUATE SOLDERED CONNECTIONS.	87	88	88	88	72	59	52					
E 274 E2-02 DO YOU SELECT TYPE OF SOLDER TO USE.	80	74	75	76	64	54	45					
E 275 E2-03 DO YOU ADD-FLUX-TO CONNECTIONS.	79	79	80	77	58	48	30					
E 276 E2-04 DO YOU CLEAN CONNECTIONS USING SOLVENTS.	83	82	83	84	57	48	42					
E 277 E2-05 DO YOU STRIP INSULATION FROM WIRES.	88	90	89	90	66	52	48					
E 278 E2-06 DO YOU CONNECT OR DISCONNECT HEAT SINKS.	85	87	86	88	66	52	45					
E 279 E2-07 DO YOU BEND OR SHAPE WIRES OR LEADS.	89	89	89	90	67	52	48					
E 280 E2-08 DO YOU CUT WIRES.	89	89	89	90	67	52	48					
E 281 E2-09 DO YOU FILE OR SHAPE SOLDERING IRON TIPS.	63	64	63	69	51	43	42					
E 282 E2-10 DO YOU TIN SOLDERING IRON TIPS.	87	87	87	86	68	51	48					
E 283 E2-11 DO YOU CLEAN SOLDERING IRON TIPS.	88	89	89	90	67	52	48					
E 284 E2-12 DO YOU CLEAN ELECTRICAL SURFACES USING ERASERS.	83	83	82	88	66	49	45					
E 285 E2-13 DO YOU TIN OR PRE-TIN CONDUCTORS.	87	87	87	89	68	52	48					
E 286 E2-14 DO YOU INSPECT SOLDERED CONNECTIONS.	87	89	89	90	74	57	55					
E 287 E2-15 DO YOU DESOLDER CONNECTIONS BY WICKING.	67	62	63	61	53	38	39					
E 288 E2-16 DO YOU DESOLDER CONNECTIONS USING VACUUM DESOLDERING TOOLS.	84	85	85	85	62	51	42					
E 289 E2-17 DO YOU CUT COMPONENT LEADS TO REMOVE COMPONENTS.	73	73	73	70	61	44	39					
E 290 E2-18 DO YOU CRUSH COMPONENTS FOR REMOVAL.	24	31	29	34	23	14	15					
E 291 E2-19 DO YOU MAKE HARDWIRE CONNECTIONS.	83	85	84	88	64	51	42					
E 292 E2-20 DO YOU MAKE PRINTED CIRCUIT BOARD CONNECTIONS	89	89	89	90	68	52	45					
E 293 E2-21 DO YOU SOLDER PASSIVE COMPONENTS SUCH AS RESISTORS OR CAPACITORS ON PRINTED CIRCUIT BOARDS	89	90	90	90	68	52	45					
E 294 E2-22 DO YOU SOLDER ACTIVE COMPONENTS SUCH AS SOLID-STATE DIODES OR TRANSISTORS ON PRINTED CIRCUIT BOARDS	90	90	90	89	68	52	45					
E 295 E3-01 DO YOU WORK WITH RELAYS ON YOUR PRESENT JOB	65	71	70	73	66	48	30					
E 296 E3-02 DO YOU ADJUST RELAYS	78	44	45	50	38	31	18					
E 297 E3-03 DO YOU CLEAN RELAYS	41	42	41	45	52	44	33					
E 298 E3-04 DO YOU INSPECT RELAYS	44	71	69	68	64	44	33					
E 299 E3-05 DO YOU REMOVE OR REPLACE COMPLETE RELAYS	66	73	71	69	57	44	33					
E 300 E3-06 DO YOU REMOVE OR REPLACE PARTS OR RELAYS	25	28	27	27	18	13	15					
E 301 E3-07 DO YOU TROUBLESHOOT RELAYS	63	69	67	67	63	44	34					
E 302 E3-08 DO YOU STRAIGHTEN RELAY CONTACTS	54	56	55	55	47	30	24					
E 303 E3-09 DO YOU PERFORM TASKS ON RELAY CONTACTS	55	60	59	58	51	43	33					
E 304 E3-10 DO YOU PERFORM TASKS ON RELAY COILS	14	17	16	17	14	8	6					
E 305 E3-11 DO YOU PERFORM TASKS ON RELAY COILS	14	22	20	24	20	15	6					
E 306 E3-12 DO YOU PERFORM TASKS ON RELAY ARMATURES	17	24	23	23	18	16	6					
E 307 E3-13 DO YOU PERFORM TASKS ON RELAY SPRINGS	35	37	36	32	32	26	18					
E 308 E3-14 DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW (SPST), NORMALLY OPEN (NO) SCHEMATIC SYMBOLS FOR RELAYS	61	60	61	59	65	46	36					
E 309 E3-15 DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW (SPST), NORMALLY CLOSED (NC) SCHEMATIC SYMBOLS FOR RELAYS	60	61	61	59	64	46	33					
E 310 E3-16 DO YOU USE OR REFER TO SINGLE POLE, DOUBLE THROW (SPDT) SCHEMATIC SYMBOLS FOR RELAYS	60	60	60	61	64	46	36					
E 311 E3-17 DO YOU USE OR REFER TO DOUBLE POLE, DOUBLE THROW (DPDT) SCHEMATIC SYMBOLS FOR RELAYS	58	60	59	61	65	46	36					

SOLDERING

RELAYS



# PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 60

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

		SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC											
		006	007	008	009	010	011	012	013	014	015	016	017
E 312 E3-18 DO YOU USE OR REFER TO OTHER RELAY SYMBOLS SCHEMATIC		48	55	53	54	58	39	33					
E 313 E3-19 DO YOU CHECK ELECTRICAL CONTINUITY OF COILS BY		59	45	63	67	59	48	36					
F 314 F1-01 IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS DEALING		10	9	9	12	11	10	18					
WITH MICROPHONES													
F 315 F1-02 DO YOU INSPECT MICROPHONES		4	8	7	10	7	8	12					
F 316 F1-03 DO YOU CLEAN MICROPHONES		3	5	5	8	7	7	9					
F 317 F1-04 DO YOU OPERATE MICROPHONES		9	9	9	14	11	10	18					
F 318 F1-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE		3	8	7	10	8	8	6					
CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT													
F 319 F1-06 DO YOU TROUBLESHOOT DOWN TO MICROPHONE PARTS		2	3	3	4	3	2	9					
F 320 F1-07 DO YOU REMOVE OR REPLACE COMPLETE MICROPHONES		4	6	6	11	9	8	9					
F 321 F1-08 DO YOU REMOVE OR REPLACE MICROPHONE PARTS		2	3	2	5	3	3	9					
F 322 F1-09 DO YOU PERFORM TASKS ON CARBON MICROPHONES		1	5	4	8	5	3	9					
F 323 F1-10 DO YOU PERFORM TASKS ON CAPACITOR MICROPHONES		2	3	3	7	5	3	12					
F 324 F1-11 DO YOU PERFORM TASKS ON CRYSTAL MICROPHONES		3	3	3	9	7	7	12					
F 325 F1-12 DO YOU PERFORM TASKS ON DYNAMIC MICROPHONES		3	5	4	10	7	5	6					
F 326 F1-13 DO YOU PERFORM TASKS ON VELOCITY RIBBON MICROPHONES		0	2	2	3	2	0	4					
F 327 F2-01 IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS DEALING		17	15	16	20	20	13	15					
WITH SPEAKERS													
F 328 F2-02 DO YOU INSPECT SPEAKERS		14	13	13	16	16	11	12					
F 329 F2-03 DO YOU CLEAN SPEAKERS		11	10	10	9	10	7	9					
F 330 F2-04 DO YOU OPERATE SPEAKERS		15	15	15	18	17	13	15					
F 331 F2-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE		14	14	14	14	16	13	9					
CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT													
F 332 F2-06 DO YOU TROUBLESHOOT DOWN TO SPEAKER PARTS		4	3	3	3	3	5	6					
F 333 F2-07 DO YOU REMOVE OR REPLACE COMPLETE SPEAKERS		13	14	13	16	16	8	9					
F 334 F2-08 DO YOU REMOVE OR REPLACE SPEAKER PARTS		1	2	2	2	1	0	6					
F 335 F2-09 DO YOU PERFORM ANY TASKS ON SPEAKER CONES		4	2	2	4	1	2	3					
F 336 F2-10 DO YOU PERFORM ANY TASKS ON SPEAKER SPIDERS		1	1	1	1	1	1	2					
F 337 F2-11 DO YOU PERFORM ANY TASKS ON SPEAKER FIELD COILS		3	1	1	3	3	3	6					
F 338 F2-12 DO YOU PERFORM ANY TASKS ON SPEAKER VOICE COILS		3	1	2	4	4	3	6					
F 339 F2-13 DO YOU PERFORM ANY TASKS ON SPEAKER PERMANENT MAGNETS		3	1	2	3	2	2	6					
F 340 F2-14 DO YOU PERFORM ANY TASKS ON SPEAKER ELECTROMAGNETS		3	1	2	3	2	2	6					
F 341 F2-15 DO YOU PERFORM ANY TASKS ON SPEAKER SOFT IRON CORES		3	1	2	1	1	2	6					
F 342 F3-01 DO YOU USE OSCILLOSCOPES IN YOUR PRESENT JOB		48	49	49	47	79	66	64					
F 343 F3-02 DO YOU USE OSCILLOSCOPES TO PERFORM OPERATIONAL		80	90	88	90	78	64	61					
CHECKS													
F 344 F3-03 DO YOU USE OSCILLOSCOPES TO PERFORM ALIGNMENTS OR		83	88	87	86	70	54	52					
ADJUSTMENTS													
F 345 F3-04 DO YOU USE OSCILLOSCOPES TO TROUBLESHOOT ELECTRONIC		85	87	87	89	70	56	55					
CIRCUITS													
F 346 F3-05 DO YOU USE OSCILLOSCOPES TO MEASURE FREQUENCY		79	83	82	83	70	54	61					
F 347 F3-06 DO YOU USE OSCILLOSCOPES TO MEASURE TIME		75	84	82	84	75	62	64					

OSCILLOSCOPES

SPEAKERS

MICROPHONES

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	DY-TSK											
	SPC 004	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012					
F 348 F3-07 DO YOU USE OSCILLOSCOPES TO OBSERVE LISAJOUS PATTERNS	62	67	66	68	57	51	52					
F 349 F3-08 DO YOU USE OSCILLOSCOPES TO OBSERVE SIGNALS WHILE UTILIZING ATTENUATOR PROBES	78	87	84	88	76	62	61					
F 350 F3-09 DO YOU USE OSCILLOSCOPES TO MAKE FREQUENCY OR TIME MEASUREMENTS USING DELAY TIME MULTIPLIERS	62	71	68	75	67	57	58					
F 351 F3-10 DO YOU USE OSCILLOSCOPES TO MEASURE AC VOLTAGE	85	89	88	90	78	62	64					
F 352 F3-11 DO YOU USE OSCILLOSCOPES TO MEASURE OR OBSERVE SIGNALS AFTER FIRST ADJUSTING THE GAIN AND DC BAL CONTROLS	82	87	86	87	78	66	61					
F 353 F3-12 DO YOU USE OSCILLOSCOPES TO MEASURE DC VOLTAGE	74	85	82	84	74	57	61					
G 354 G1-01 DO YOU WORK WITH SEMICONDUCTOR DIODES IN YOUR PRESENT JOB	84	90	89	89	78	56	48					
G 355 G1-02 DO YOU INSPECT DIODES	85	88	87	87	73	54	55					
G 356 G1-03 DO YOU REMOVE OR REPLACE DIODES	84	88	87	86	69	52	42					
G 357 G1-04 DO YOU CHECK DIODES USING AN INSTRUMENT	85	88	88	88	75	57	48					
G 358 G1-05 DO YOU USE ENERGY LEVEL DIAGRAMS IN YOUR WORK WITH DIODES	11	14	13	14	8	5	9					
G 359 G1-06 DO YOU USE PN JUNCTION DIODE CHARACTERISTIC CURVES, TOGETHER WITH VALUES OF FORWARD AND REVERSE BIAS VOLTAGE, EFFECTS OF DOPING ON CURRENT FLOW	22	18	19	14	17	10	6					
G 360 G1-07 DO YOU COMPUTE FORWARD OR REVERSE BIAS RESISTANCE FOR DIODES	37	27	29	25	20	8	9					
G 361 G1-08 DO YOU USE OR REFER TO THE GENERAL RULE THAT TEMPERATURE CAN AFFECT THE OPERATION OF DIODES	71	65	66	70	64	56	48					
G 362 G1-09 DO YOU IDENTIFY SEMICONDUCTOR DIODES AS OPPOSED TO OTHER ELECTRONIC COMPONENTS, SUCH AS RESISTORS, BASED ON EFFECTS OF DOPING ON CURRENT FLOW	79	84	83	85	74	56	58					
G 363 G1-10 DO YOU REFER TO OR DO YOU DETERMINE THE GENERAL EFFECTS OF DOPING ON CURRENT FLOW	17	15	16	14	7	5	3					
G 364 G1-11 DO YOU USE OR REFER TO MEASUREMENTS OF FORWARD BIAS RESISTANCE	70	74	73	75	71	43	42					
G 365 G1-12 DO YOU USE OR REFER TO DIODE COLOR CODING	40	45	43	44	51	38	45					
G 366 G1-13 DO YOU USE OR REFER TO CENTRIFUGAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	1	2	2	3	1	0	3					
G 367 G1-14 DO YOU USE OR REFER TO CENTRIPETAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	2	2	2	3	1	0	3					
G 368 G1-15 DO YOU USE OR REFER TO DIODE NUMBERING SYSTEM, SUCH AS IN 538	75	74	75	76	72	51	45					
G 369 G1-16 DO YOU USE OR REFER TO KINETIC ENERGY OF AN ELECTRON MOVING IN ORBIT	2	3	3	3	1	0	6					
G 370 G1-17 DO YOU USE OR REFER TO POTENTIAL ENERGY OF AN ELECTRON MOVING IN ORBIT	3	3	3	4	2	0	6					
G 371 G1-18 DO YOU USE OR REFER TO MEASUREMENTS OF REVERSE BIAS RESISTANCE	70	75	74	73	68	43	48					
G 372 G1-19 DO YOU USE OR REFER TO NUMBER OF ELECTRONS IN A PARTICULAR SHELL OR ORBIT	5	4	4	7	5	0	6					
G 373 G1-20 DO YOU USE OR REFER TO PERMISSIBLE ENERGY LEVELS OF AN ORBITING ELECTRON	3	3	3	5	3	0	6					

SEMICONDUCTOR DIODES

# PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 62

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

	SPC	SPC	SPC	SPC	SPC	SPC	SPC
	006	007	008	009	010	011	012
6 374 G1-21 DO YOU USE OR REFER TO FORBIDDEN ENERGY LEVELS OF AN ORBITING ELECTRON	1	3	2	3	3	0	4
6 375 G1-22 DO YOU USE OR REFER TO VALENCE ELECTRONS (THOSE IN THE OUTERMOST SHELL)	10	5	6	7	6	2	6
6 376 G1-23 DO YOU USE OR REFER TO ATOMIC NUMBER (TOTAL NUMBER OF ELECTRONS IN ATOM)	10	6	7	6	7	2	6
6 377 G1-25 DO YOU USE OR REFER TO SYMBOLS ON THE DIODE WHICH INDICATE THE CATHODE END	63	82	82	80	74	51	55
6 378 G1-25 DO YOU NEED TO KNOW WHICH MATERIALS ARE USED IN THE CONSTRUCTION OF DIODES SUCH AS GERMANIUM OR SILICON	45	49	48	50	50	43	24
6 379 G1-26 DO YOU NEED TO KNOW THAT SEMICONDUCTORS HAVE NEGATIVE TEMPERATURE COEFFICIENTS OF RESISTANCE (AS TEMPERATURE	48	55	53	46	49	41	27
6 380 G1-27 DO YOU USE OR REFER TO PN JUNCTION DIODE CHARACTERISTIC CURVES, SUCH AS VOLTAGE - CURRENT	29	41	38	39	26	26	21
6 391 G1-28 DO YOU DETERMINE WHETHER PN JUNCTION DIODES ARE FORWARD BIASED OR REVERSE BIASED WHEN YOU READ OR	71	65	66	63	72	46	55
6 382 G1-29 DO YOU USE OR REFER TO VALENCE BAND IN SEMICONDUCTOR MATERIALS	4	5	5	7	5	2	3
6 383 G1-30 DO YOU USE OR REFER TO FORBIDDEN BAND IN SEMICONDUCTOR MATERIALS	0	3	2	6	2	0	3
6 384 G1-31 DO YOU USE OR REFER TO CONDUCTION BAND IN SEMICONDUCTOR MATERIALS	3	6	5	8	3	0	3
6 385 G1-32 DO YOU USE OR REFER TO COVALENT BONDING IN SEMICONDUCTOR MATERIALS	4	5	5	7	6	3	3
6 386 G1-33 DO YOU USE OR REFER TO ELECTRON-HOLE PAIR CREATED IN SEMICONDUCTORS	7	4	5	8	8	2	3
6 387 G1-34 DO YOU USE OR REFER TO ELECTRON FLOW OR HOLE FLOW IN SEMICONDUCTORS	16	15	16	20	19	15	15
6 388 G1-35 DO YOU USE OR REFER TO DONOR IMPURITY IN SEMICONDUCTORS	8	5	6	9	7	2	4
6 389 G1-36 DO YOU USE OR REFER TO ACCEPTOR IMPURITY IN SEMICONDUCTORS	8	5	6	8	7	2	4
6 390 G1-37 DO YOU USE OR REFER TO P-TYPE SEMICONDUCTOR MATERIAL	37	32	33	38	33	30	24
6 391 G1-38 DO YOU USE OR REFER TO N-TYPE SEMICONDUCTOR MATERIAL	37	31	33	36	33	30	24
6 392 G1-39 DO YOU USE OR REFER TO MAJORITY CARRIERS IN SEMICONDUCTORS	15	8	10	10	13	8	6
6 393 G1-40 DO YOU USE OR REFER TO MINORITY CARRIERS IN SEMICONDUCTORS	13	8	9	9	12	7	6
6 394 G1-41 DO YOU USE OR REFER TO JUNCTION RECOMBINATION IN SEMICONDUCTORS	11	6	7	7	7	3	4
6 395 G1-42 DO YOU USE OR REFER TO DEPLETION REGION IN SEMICONDUCTORS	12	8	9	11	11	7	9
6 396 G1-43 DO YOU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER WIDTH AND DIFFERENCE OF POTENTIAL	12	8	9	11	11	8	6



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	DY-TSK											
	SPC 006	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012					
6 397 G1-44 DO YOU USE OR REFER TO THE 10:1 BACK TO FRONT RESISTANCE RATIO FOR DIODES	84	86	86	84	76	57	55					
6 398 G1-45 DO YOU USE OR REFER TO BARRIER HEIGHT IN SEMICONDUCTORS	12	7	8	8	4	5	3					
6 399 G1-46 DO YOU USE OR REFER TO DIODE SUBSTITUTION INFORMATION	78	76	76	79	70	56	52					
6 400 G1-47 DO YOU USE OR REFER TO MAXIMUM AVERAGE FORWARD CURRENT DIODE RATINGS	48	46	47	48	41	41	42					
6 401 G1-48 DO YOU USE OR REFER TO PEAK RECURRENT FORWARD CURRENT DIODE RATINGS	34	35	35	39	42	25	27					
6 402 G1-49 DO YOU USE OR REFER TO MAXIMUM SURGE CURRENT DIODE RATINGS	42	42	42	50	50	31	33					
6 403 G1-50 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE DIODE RATINGS	59	55	55	61	70	48	52					
6 404 G2-01 DO YOU WORK WITH TRANSISTORS IN YOUR PRESENT JOB.	86	89	88	88	76	56	95					
6 405 G2-02 DO YOU INSPECT TRANSISTORS	83	86	85	87	71	52	45					
6 406 G2-03 DO YOU REMOVE OR REPLACE TRANSISTORS	84	88	88	86	64	51	39					
6 407 G2-04 DO YOU CHECK TRANSISTORS USING AN INSTRUMENT	84	88	88	88	72	54	55					
6 408 G2-05 DO YOU USE OR REFER TO EMITTER - BASE (EB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	85	86	85	86	75	54	52					
6 409 G2-06 DO YOU USE OR REFER TO COLLECTOR - BASE (CB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	84	86	85	87	76	54	55					
6 410 G2-07 DO YOU USE OR REFER TO EMITTER - COLLECTOR (EC) RESISTANCE MEASUREMENTS	84	85	84	86	75	52	55					
6 411 G2-08 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE EMITTER - BASE JUNCTION	22	27	25	22	20	8	12					
6 412 G2-09 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE COLLECTOR - BASE JUNCTION	21	26	24	22	20	8	12					
6 413 G2-10 DO YOU USE OR REFER TO THE PHYSICAL SIZE OF THE TRANSISTOR STRUCTURE (COLLECTOR, BASE AND EMITTER)	50	61	58	59	43	33	21					
6 414 G2-11 DO YOU USE OR REFER TO LEAKAGE CURRENT (ICBO) IN A TRANSISTOR	34	32	32	33	39	26	24					
6 415 G2-12 DO YOU USE OR REFER TO TRANSISTOR SCHEMATIC SYMBOLS	88	91	90	89	77	57	55					
6 416 G2-13 DO YOU USE OR REFER TO TRANSISTOR NOTATION SUCH AS Q1, Q2, Q3, ETC	88	90	90	90	78	61	58					
6 417 G2-14 DO YOU USE OR REFER TO TRANSISTOR SUBSTITUTION INFORMATION	83	82	82	83	73	56	56					
6 418 G2-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE TRANSISTOR BASE CURRENT IS NORMALLY SIGNIFICANTLY	39	39	39	39	42	25	27					
6 419 G2-16 DO YOU USE THE INFORMATION THAT THE EFFECT OF EMITTER BASE VOLTAGE ON BASE CURRENT IS THE CONTROLLING FACTOR FOR	60	55	55	51	59	44	33					
6 420 G2-17 DO YOU USE THE GENERAL RULE THAT LEAKAGE CURRENT (ICBO) IN A TRANSISTOR INCREASES AS TEMPERATURE INCREASES	34	30	30	27	39	25	21					
6 421 G2-18 DO YOU USE OR REFER TO TRANSISTOR CHARACTERISTIC CURVES	46	49	48	46	38	33	21					

TRANSISTORS

PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 69

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-15K

	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
	006	007	008	009	010	011	012		
G 422 G2-19 DO YOU USE OR REFER TO BETA TRANSISTOR GAINS	25	21	22	21	30	21	24		
G 423 G2-20 DO YOU USE OR REFER TO ALPHA TRANSISTOR GAINS	21	15	16	14	26	16	12		
G 424 G2-21 DO YOU USE OR REFER TO GAMMA TRANSISTOR GAINS	16	13	14	10	23	15	9		
G 425 G2-22 DO YOU CALCULATE BETA TRANSISTOR GAINS	13	10	11	7	8	7	9		
G 426 G2-23 DO YOU CALCULATE ALPHA TRANSISTOR GAINS	13	8	9	5	7	5	6		
G 427 G2-24 DO YOU CALCULATE GAMMA TRANSISTOR GAINS	10	7	7	3	5	3	6		
G 428 G3-01 DO YOU WORK WITH TRANSISTOR AMPLIFIERS IN YOUR	72	76	75	64	72	54	48		
PRESENT JOB									
G 429 G3-02 DO YOU INSPECT TRANSISTOR AMPLIFIERS	70	75	73	82	67	51	46		
G 430 G3-03 DO YOU ALIGN OR ADJUST TRANSISTOR AMPLIFIERS	65	72	70	78	61	48	45		
G 431 G3-04 DO YOU TROUBLESHOOT TO THE AMPLIFIER CIRCUIT LEVEL	71	76	74	80	64	49	52		
G 432 G3-05 DO YOU TROUBLESHOOT TO AMPLIFIER COMPONENTS	70	76	74	80	66	51	46		
G 433 G3-06 DO YOU REMOVE OR REPLACE THE COMPLETE AMPLIFIER	64	64	64	73	53	34	36		
G 434 G3-07 DO YOU REMOVE OR REPLACE AMPLIFIER COMPONENTS	70	74	73	80	58	48	42		
G 435 G3-08 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN	45	42	42	39	51	23	33		
COLLECTOR CURRENT WHICH RESULTS FROM A CHANGE IN BASE									
G 436 G3-09 DO YOU USE OR REFER TO (COMMON EMITTER) THE	24	18	20	13	21	8	12		
CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN									
G 437 G3-10 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN	41	40	40	39	49	28	27		
COLLECTOR VOLTAGE WHICH RESULTS FROM A CHANGE IN BASE									
G 438 G3-11 DO YOU USE OR REFER TO (COMMON EMITTER) THE	22	16	17	16	21	10	9		
CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN									
G 439 G3-12 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN	37	37	37	35	45	20	24		
BASE CURRENT WHICH RESULTS FROM AN INPUT SIGNAL									
G 440 G3-13 DO YOU USE OR REFER TO (COMMON EMITTER) THE	21	20	20	13	21	10	12		
CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN									
G 441 G3-14 DO YOU USE THE LOAD-LINE METHOD OF ANALYSIS IN YOUR	11	8	9	5	7	3	6		
CIRCUIT ANALYSIS (THIS METHOD REQUIRES YOU TO PLOT A									
G 442 G3-15 DO YOU USE OR REFER TO THE OPERATING POINT C	27	27	27	26	30	16	18		
(QUIESCENT POINT) FOR A TRANSISTOR									
G 443 G3-16 DO YOU CALCULATE THE SPECIFIC QUIESCENT POINT FOR A	10	8	9	5	6	5	6		
PARTICULAR TRANSISTOR									
G 444 G3-17 DO YOU MEASURE VOLTAGE GAIN USED IN THE COMMON	59	59	59	67	58	44	39		
EMITTER CONFIGURATION									
G 445 G3-18 DO YOU MEASURE CURRENT GAIN USED IN THE COMMON	45	39	40	37	37	28	18		
EMITTER CONFIGURATION									
G 446 G3-19 DO YOU MEASURE POWER GAIN USED IN THE COMMON	41	37	37	38	34	30	27		
EMITTER CONFIGURATION									
G 447 G3-20 DO YOU CALCULATE THE VOLTAGE GAIN FOR SPECIFIC TRAN-	15	16	16	12	19	11	12		
SISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE									

TRANSISTOR AMPLIFIERS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	SPC 006	SPC 007	SPC 008	SPC 009	SPC Q10	SPC Q11	SPC Q12
6 448 63-21 DO YOU CALCULATE THE CURRENT GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE	16	12	13	9	14	5	9
6 449 63-22 DO YOU CALCULATE THE POWER GAIN FOR A SPECIFIC TRANSISTOR USING A FORMULA THAT IS, DO YOU MULTIPLY THE	13	9	10	8	12	3	6
6 450 63-23 DO YOU NEED TO KNOW THAT MORE COLLECTOR CURRENT IS GENERATED WITH LESS COLLECTOR VOLTAGE AS TEMPERATURE	25	16	18	17	24	15	9
6 451 63-24 DO YOU COMPUTE THE STATIC OPERATING POINT EQ3 OF A TRANSISTOR AT DIFFERENT TEMPERATURES	7	6	6	3	4	2	3
6 452 63-25 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	42	37	38	39	48	28	18
6 453 63-26 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH SELF-	43	37	39	40	45	28	24
6 454 63-27 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	39	38	38	42	45	28	15
6 455 63-28 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	43	37	39	44	47	26	18
6 456 63-29 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	42	36	37	43	45	25	21
6 457 63-30 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	37	29	31	37	41	18	18
6 458 63-31 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM EMITTER (SWAMPING) RESISTOR STABILIZATION	50	46	47	48	48	36	24
6 459 63-32 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM SELF-BIAS STABILIZATION	51	47	48	50	47	34	27
6 460 63-33 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THERMISTOR STABILIZATION	48	50	49	52	48	34	18
6 461 63-34 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM FORWARD BIAS DIODE STABILIZATION	50	47	48	51	47	34	21
6 462 63-35 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM REVERSE BIAS DIODE STABILIZATION	49	48	48	50	45	33	21
6 463 63-36 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM DOUBLE DIODE STABILIZATION	43	41	42	45	43	25	21
6 464 63-37 DO YOU IDENTIFY AMPLITUDE DISTORTION FOR TRANSISTOR CIRCUITS	60	62	61	65	64	44	45
6 465 63-38 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF AMPLITUDE DISTORTION	55	65	63	67	57	43	45



# PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 66

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DT-TSK

		SPC	SPC	SPC	SPC	SPC	SPC	SPC	
		006	007	008	009	010	011	012	
G 466 G3-39 DO YOU IDENTIFY FREQUENCY DISTORTION FOR TRANSISTOR CIRCUITS		50	53	52	41	51	39	39	
G 467 G3-40 DO YOU IDENTIFY PHASE DISTORTION FOR TRANSISTOR CIRCUITS		37	35	35	35	38	25	24	
G 468 G3-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF PHASE DISTORTION		36	36	36	31	32	23	24	
G 469 G3-42 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF FREQUENCY DISTORTION		47	51	50	60	49	38	39	
G 470 G3-43 DO YOU NEED TO KNOW THE DEGENERATIVE EFFECTS ON THE CIRCUIT CAUSED BY CHANGING EMITTER RESISTANCE FOR		29	25	26	31	36	16	12	
G 471 G3-44 DO YOU DETERMINE THE CLASS OF OPERATION FOR AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS		37	36	37	36	38	26	24	
G 472 G3-45 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS		49	57	55	69	53	43	30	
G 473 G3-46 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS		67	73	71	79	69	49	48	
G 474 G3-47 DO YOU TROUBLESHOOT OR REPAIR COMPLEMENTARY SYMMETRY CIRCUITS		53	54	53	58	55	49	30	
G 475 G3-48 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS		42	56	53	60	53	36	21	
G 476 G3-49 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS		62	67	66	74	61	49	39	
H 477 H1-01 DO YOU USE OR REFER TO VARACTORS		53	39	42	47	60	57	52	
H 478 H1-02 DO YOU USE OR REFER TO TUNNEL DIODES		67	75	73	80	77	69	70	
H 479 H1-03 DO YOU USE OR REFER TO FIELD EFFECT TRANSISTORS (FET)		77	81	80	83	84	74	76	
H 480 H1-04 DO YOU USE OR REFER TO UNIJUNCTION TRANSISTORS		66	71	70	73	76	66	73	
H 481 H1-05 DO YOU USE OR REFER TO ZENER DIODES		88	90	89	92	84	80	73	
H 482 H1-06 DO YOU USE OR REFER TO INTEGRATED CIRCUITS		84	86	86	90	84	77	73	
H 483 H2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH POWER SUPPLIES		83	83	83	87	74	84	52	
H 484 H2-02 DO YOU INSPECT POWER SUPPLIES		83	83	83	86	71	49	55	
H 485 H2-03 DO YOU CLEAN POWER SUPPLIES		77	71	72	70	53	38	36	
H 486 H2-04 DO YOU ALIGN OR ADJUST POWER SUPPLIES		84	83	83	84	70	51	45	
H 487 H2-05 DO YOU TROUBLESHOOT TO POWER SUPPLY CIRCUIT LEVEL		83	84	84	83	70	46	48	
H 488 H2-06 DO YOU TROUBLESHOOT TO POWER SUPPLY COMPONENTS		83	84	84	82	70	52	45	
H 489 H2-07 DO YOU REMOVE OR REPLACE COMPLETE POWER SUPPLIES		66	75	72	69	56	34	42	
H 490 H2-08 DO YOU REMOVE OR REPLACE POWER SUPPLY COMPONENTS		84	83	83	82	62	48	42	
H 491 H2-09 DO YOU WORK WITH HALF-WAVE RECTIFIERS		78	82	81	86	73	51	48	
H 492 H2-10 DO YOU WORK WITH FULL-WAVE RECTIFIERS OTHER THAN BRIDGE RECTIFIERS		76	81	80	84	72	49	45	
H 493 H2-11 DO YOU WORK WITH BRIDGE RECTIFIERS		80	79	80	82	74	54	42	
H 494 H2-12 DO YOU WORK WITH THREE-PHASE RECTIFIERS		34	26	28	27	26	20	9	
H 495 H2-13 DO YOU USE OR REFER TO INPUT VOLTAGE		80	83	82	84	78	52	41	
H 496 H2-14 DO YOU USE OR REFER TO INPUT FREQUENCY		45	72	70	76	70	48	55	
H 497 H2-15 DO YOU USE OR REFER TO PEAK OUTPUT VOLTAGE		45	71	69	69	60	41	55	
H 498 H2-16 DO YOU USE OR REFER TO AVERAGE OUTPUT VOLTAGE		42	70	67	73	72	46	41	
H 499 H2-17 DO YOU USE OR REFER TO RIPPLE AMPLITUDE		76	80	79	81	77	52	58	
H 500 H2-18 DO YOU USE OR REFER TO RIPPLE FREQUENCY		66	74	72	73	72	48	58	

SOLID-STATE SPECIAL PURPOSE  
DEVICES

POWER SUPPLIES

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	DY-TSK											
	SPC 004	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012					
M 501 H2-19 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE	54	51	52	53	55	38	39					
M 502 H2-20 DO YOU USE OR REFER TO SHAPE OF OUTPUT WAVEFORMS	74	77	80	74	51	51	58					
M 503 H2-21 DO YOU USE OR REFER TO EFFECTIVE OUTPUT VOLTAGE	77	74	74	75	68	54	55					
M 504 H2-22 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE FILTERS	71	75	74	75	72	52	55					
M 505 H2-23 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE FILTERS	64	67	67	68	70	52	55					
M 506 H2-24 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE INPUT L-TYPE FILTERS	57	65	63	65	67	51	55					
M 507 H2-25 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE INPUT L-TYPE FILTERS	55	62	60	63	64	51	52					
M 508 H2-26 DO YOU WORK WITH CIRCUITS WHICH EMPLOY LC PI-TYPE FILTERS	57	60	59	64	66	51	52					
M 509 H2-27 DO YOU WORK WITH CIRCUITS WHICH EMPLOY RC PI-TYPE FILTERS	59	63	62	70	68	51	52					
M 510 H2-28 DO YOU WORK WITH CIRCUITS WHICH EMPLOY DON'T REMEMBER WHICH TYPE OF FILTER	20	27	25	21	11	7	6					
M 511 H2-29 DO YOU HAVE THE OPTION OF REPLACING ONE TYPE OF FILTER WITH A DIFFERENT TYPE FILTER	9	13	11	12	8	5	3					
M 512 H3-01 DO YOU WORK WITH OSCILLATORS IN YOUR PRESENT JOB	42	74	72	82	67	54	55					
M 513 H3-02 DO YOU INSPECT OSCILLATORS	59	72	69	79	62	52	58					
M 514 H3-03 DO YOU ALIGN OR ADJUST OSCILLATORS	60	71	69	78	60	48	48					
M 515 H3-04 DO YOU REMOVE OR REPLACE COMPLETE OSCILLATORS	49	62	59	65	45	34	33					
M 516 H3-05 DO YOU REMOVE OR REPLACE OSCILLATOR COMPONENTS	57	69	66	72	53	46	42					
M 517 H3-06 DO YOU TROUBLESHOOT TO OSCILLATOR CIRCUIT LEVEL	58	70	67	75	58	49	52					
M 518 H3-07 DO YOU TROUBLESHOOT TO OSCILLATOR COMPONENTS	55	70	67	76	60	51	52					
M 519 H3-08 DO YOU USE OR REFER TO FEEDBACK	60	73	70	81	65	52	48					
M 520 H3-09 DO YOU USE OR REFER TO FREQUENCY DETERMINING DEVICES (FDO)	54	64	61	77	65	52	45					
M 521 H3-10 DO YOU USE OR REFER TO AMPLITUDE STABILITY	55	71	67	76	67	51	52					
M 522 H3-11 DO YOU USE OR REFER TO FREQUENCY STABILITY	55	72	68	78	68	57	48					
M 523 H3-12 DO YOU USE OR REFER TO DAMPING	46	55	52	58	52	41	27					
M 524 H3-13 DO YOU USE OR REFER TO REGENERATIVE FEEDBACK	59	68	66	76	65	52	42					
M 525 H3-14 DO YOU USE OR REFER TO PIEZOELECTRIC EFFECT	27	33	32	34	39	34	27					
M 526 H3-15 DO YOU USE OR REFER TO CRITICAL DAMPING	33	33	33	37	34	26	15					
M 527 H3-16 DO YOU USE OR REFER TO UNDER DAMPING	27	31	30	34	37	23	12					
M 528 H3-17 DO YOU USE OR REFER TO OVER DAMPING	27	32	31	38	37	23	12					
M 529 H3-18 DO YOU WORK WITH OSCILLATORS WHICH USE LC TANK CIRCUITS AS FDO	43	47	46	55	39	34	39					
M 530 H3-19 DO YOU WORK WITH OSCILLATORS WHICH USE RC NETWORKS AS FDO	55	67	64	76	68	49	52					
M 531 H3-20 DO YOU WORK WITH OSCILLATORS WHICH USE CRYSTALS AS FDO	57	67	65	74	67	51	45					
M 532 H3-21 DO YOU WORK WITH OSCILLATORS WHICH USE DON'T REMEMBER WHICH TYPE OF FDO	7	15	13	10	7	2	6					
M 533 H3-22 DO YOU WORK WITH SERIES HARTLEY SINUSOIDAL OSCILLATORS	48	47	48	61	56	46	30					

OSCILLATORS







# PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 70

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

		BY-15K												SPC	SPC	SPC	SPC	SPC	SPC	SPC	
														006	007	008	009	010	011	012	
1	598	13-34	DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER GAIN												70	67	68	67	64	51	37
1	599	13-35	DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER EFFICIENCY												45	37	39	34	23	20	6
1	600	13-36	DO YOU USE TEST TUBE CHECKERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN												67	63	64	59	51	41	27
1	601	13-37	DO YOU USE MULTIMETERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN												50	48	48	48	39	30	15
1	602	13-38	DO YOU USE OSCILLOSCOPES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN												58	63	51	64	59	48	52
1	603	13-39	DO YOU USE CHARACTERISTIC CURVES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN												20	16	17	14	12	13	9
1	604	13-40	DO YOU CALCULATE ANY ELECTRON TUBE CAPACITANCES SUCH AS INPUT CAPACITANCE												9	8	8	6	4	0	0
1	605	13-41	DO YOU USE OR REFER TO TUBE SOCKET NOTATION												79	83	82	82	67	54	55
1	606	13-42	DO YOU USE OR REFER TO PIN NUMBERING SYSTEMS												67	84	85	84	72	54	55
1	607	13-43	DO YOU USE OR REFER TO THE TYPE OF MATERIAL OR THE OPERATING TEMPERATURE OF THE EMITTING SURFACE IN THE SUCH AS MANUALS OR CHARTS												11	8	9	8	5	2	6
1	608	13-44	DO YOU USE OR REFER TO TUBE SUBSTITUTION MATERIAL												82	74	76	77	68	51	48
J	609	J1-01	DO YOU WORK WITH ELECTRON TUBE AMPLIFIERS OR CIRCUITS IN YOUR PRESENT JOB												78	78	78	81	71	56	45
J	610	J1-02	DO YOU DETERMINE THE CLASS OF OPERATION FOR ELECTRON TUBE AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER												42	37	39	35	34	25	21
J	611	J1-03	DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS												49	56	59	65	54	43	33
J	612	J1-04	DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS												72	68	69	70	65	48	48
J	613	J1-05	DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS												43	51	49	54	51	33	27
J	614	J1-06	DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS												64	61	62	63	57	44	30
J	615	J1-07	DO YOU TROUBLESHOOT OR REPAIR DON'T KNOW WHICH TYPE OF AMPLIFIER												18	22	21	16	11	7	6
J	616	J2-01	DO YOU WORK WITH GAS TUBES (HOT CATHODE OR COLD CATHODE)												75	71	72	72	70	52	55
J	617	J2-02	DO YOU WORK WITH CATHODE-RAY TUBES												66	67	67	73	67	51	55
J	618	J2-03	DO YOU USE OR REFER TO THE CHARACTERISTICS OF BEAM												26	18	20	21	23	26	15
J	619	J2-04	DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH BEAM POWER TUBES ARE USED												37	31	33	36	44	38	30
J	620	J2-05	DO YOU USE OR REFER TO THE CHARACTERISTICS OF THERMISTORS												35	26	28	29	33	39	33
J	621	J2-06	DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH THERMISTORS ARE USED												39	36	37	42	47	41	42
J	622	J2-07	DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTRON GUNS OF CATHODE-RAY TUBES (CRT)												43	47	46	53	54	41	39
J	623	J2-08	DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROMAGNETIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES												41	42	43	43	46	41	33

ELECTRON TUBE AMPLIFIERS AND CIRCUITS

SPECIAL PURPOSE ELECTRON TUBES

ELECTRON TUBE AMPLIFIERS AND CIRCUITS:

SPECIAL PURPOSE ELECTRON TUBES

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMINGSPC SPC SPC SPC SPC SPC SPC SPC  
004 007 008 009 010 011 012

DY-TSK

J 624 J2-09 00 YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF  
ELECTROSTATIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES 42 47 46 48 58 48 45

J 625 J2-10 00 YOU USE OR REFER TO PHOSPHOR SCREENS 52 53 53 57 54 44 42

J 626 J2-11 00 YOU USE OR REFER TO AQUADAG COATINGS 41 33 36 37 45 34 42

J 627 J2-12 00 YOU USE OR REFER TO ELECTRON OPTICS 21 16 17 16 11 11 18

J 628 J2-13 00 YOU USE OR REFER TO PERSISTENCE 41 42 42 48 51 44 45

J 629 J2-14 00 YOU USE OR REFER TO DECAY TIMES 35 37 37 42 34 26 34

J 630 J2-15 00 YOU USE OR REFER TO FLUORESCENCE 32 31 32 35 34 25 33

J 631 J2-16 00 YOU USE OR REFER TO PHOSPHORESCENCE 37 39 39 39 43 30 33

J 632 J3-01 00 YOU WORK ON TRANSMIT OR RECEIVE SYSTEMS IN YOUR  
PRESENT JOB 36 38 37 50 43 30 15

J 633 J3-02 00 YOU PERFORM TASKS ON FREQUENCY CONVERTERS 36 37 36 47 43 28 18

J 634 J3-03 00 YOU PERFORM TASKS ON FREQUENCY MIXERS 36 37 37 46 43 26 18

J 635 J3-04 00 YOU USE OR REFER TO THE HETERODYNING OF SIGNALS  
IN YOUR WORK WITH TRANSMIT OR RECEIVE SYSTEMS 28 31 30 44 43 28 15

J 636 J3-05 00 YOU PERFORM TASKS ON REACTANCE MODULATORS 22 19 19 23 28 16 12

J 637 J3-06 00 YOU PERFORM TASKS ON MODULATED OSCILLATORS 29 32 32 42 40 24 15

K 638 KI-01 00 YOU WORK ON AM TRANSMIT OR RECEIVE SYSTEMS IN YOUR  
PRESENT JOB 25 31 29 40 36 23 9

K 639 KI-02 00 YOU INSPECT AM TRANSMIT OR RECEIVE SYSTEMS 22 31 29 38 34 23 12

K 640 KI-03 00 YOU CLEAN AM TRANSMIT OR RECEIVE SYSTEMS 18 28 26 33 26 21 12

K 641 KI-04 00 YOU ALIGN OR ADJUST AM TRANSMIT OR RECEIVE SYSTEMS 31 31 28 36 34 23 12

K 642 KI-05 00 YOU TROUBLESHOOT TO AM TRANSMIT OR RECEIVE SYSTEMS 20 31 28 37 34 21 12

K 643 KI-06 00 YOU TROUBLESHOOT TO AM TRANSMIT OR RECEIVE  
COMPONENTS 21 31 28 37 35 21 12

K 644 KI-07 00 YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE  
SYSTEMS 18 27 24 32 26 16 12

K 645 KI-08 00 YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE  
COMPONENTS 21 30 27 37 34 21 12

K 646 KI-09 00 YOU PERFORM TASKS ON RF OSCILLATORS 25 32 30 39 36 21 12

K 647 KI-10 00 YOU PERFORM TASKS ON RF AMPLIFIERS 25 32 30 39 36 21 12

K 648 KI-11 00 YOU PERFORM TASKS ON AUDIO AMPLIFIERS 23 31 29 39 36 21 12

K 649 KI-12 00 YOU PERFORM TASKS ON POWER AMPLIFIERS 23 29 27 37 34 21 12

K 650 KI-13 00 YOU PERFORM TASKS ON LOCAL OSCILLATORS 23 31 29 39 36 23 12

K 651 KI-14 00 YOU PERFORM TASKS ON IF AMPLIFIERS 22 32 29 39 36 21 12

K 652 KI-15 00 YOU PERFORM TASKS ON DETECTORS 23 31 29 39 36 21 12

K 653 KI-16 00 YOU PERFORM TASKS ON DON'T REMEMBER WHICH AM STAGE  
TRANSMITTERS 1 4 3 4 4 3 3

K 654 KI-17 00 YOU USE OR REFER TO AMPLITUDE STABILIZATION IN  
TRANSMITTERS 17 22 20 34 26 13 9

K 655 KI-18 00 YOU USE OR REFER TO FREQUENCY STABILIZATION IN  
TRANSMITTERS 21 23 22 36 28 15 9

K 656 KI-19 00 YOU USE OR REFER TO SENSITIVITY OF RECEIVERS 23 28 26 40 34 23 12

K 657 KI-20 00 YOU USE OR REFER TO SELECTIVITY OF RECEIVERS 22 25 24 37 32 21 12

K 658 KI-21 00 YOU USE OR REFER TO 2ND HARMONIC DISTORTION 14 20 19 25 24 15 9

K 659 KI-22 00 YOU USE OR REFER TO BANDPASS DISTORTION 18 21 20 29 24 15 9

K 660 KI-23 00 YOU USE OR REFER TO SQUARE LAW DISTORTION 10 11 10 21 18 11 9

HETERODYNING, MODULATION, AND  
DEMULATION

AM SYSTEMS



# PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 72

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

0Y-15K														SPC	SPC	SPC	SPC	SPC	SPC	SPC	
														006	007	008	009	010	011	012	
K 661 K1-24 DO YOU USE OR REFER TO CO-CHANNEL INTERFERENCE														11	11	11	11	15	13	7	9
K 662 K1-25 DO YOU USE OR REFER TO IMAGE FREQUENCIES IN RECEIVERS														10	11	11	11	20	19	10	9
K 663 K1-26 DO YOU USE OR REFER TO SIGNAL TO IMAGE RATIOS OR														11	13	12	18	18	11	6	
IMAGE REJECTION RATIOS																					
K 664 K1-27 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM														22	27	25	36	32	18	9	
TRANSMITTER SCHEMATIC DIAGRAMS																					
K 665 K1-28 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM														22	27	26	38	35	23	12	
RECEIVER SCHEMATIC DIAGRAMS																					
K 666 K2-01 DO YOU WORK WITH FM TRANSMIT OR RECEIVE SYSTEMS IN														20	27	25	34	29	20	9	
YOUR PRESENT JOB																					
K 667 K2-02 DO YOU INSPECT FM TRANSMIT OR RECEIVE SYSTEMS														20	26	24	31	27	18	3	
K 668 K2-03 DO YOU CLEAN FM TRANSMIT OR RECEIVE SYSTEMS														18	24	23	25	17	16	6	
K 669 K2-04 DO YOU ALIGN FM TRANSMIT OR RECEIVE SYSTEMS														20	26	24	29	24	18	6	
K 670 K2-05 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE														20	25	24	29	23	18	6	
SYSTEMS																					
K 671 K2-06 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE														18	25	23	29	25	18	6	
COMPONENTS																					
K 672 K2-07 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE														16	22	21	25	18	16	6	
SYSTEMS																					
K 673 K2-08 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE														20	25	23	27	24	18	6	
COMPONENTS																					
K 674 K2-09 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS														20	25	23	30	26	18	9	
K 675 K2-10 DO YOU PERFORM TASKS ON FREQUENCY MULTIPLIERS														20	24	23	29	26	18	9	
K 676 K2-11 DO YOU PERFORM TASKS ON DRIVERS (INTERMEDIATE														18	25	23	29	24	18	9	
AMPLIFIERS)																					
K 677 K2-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS														18	25	23	29	26	18	9	
K 678 K2-13 DO YOU PERFORM TASKS ON RF AMPLIFIERS														18	26	24	30	26	18	9	
K 679 K2-14 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS														18	26	24	29	26	18	9	
K 680 K2-15 DO YOU PERFORM TASKS ON IF AMPLIFIERS														21	26	25	31	26	18	9	
K 681 K2-16 DO YOU PERFORM TASKS ON LIMITERS														17	24	22	28	26	18	9	
K 682 K2-17 DO YOU PERFORM TASKS ON FREQUENCY DISCRIMINATORS														18	25	23	29	27	18	9	
K 683 K2-18 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH														20	24	23	29	27	16	6	
SCHEMATIC DIAGRAMS OF FM TRANSMITTERS																					
K 684 K2-19 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH														18	25	23	30	26	20	6	
SCHEMATIC DIAGRAMS OF FM RECEIVERS																					
K 685 K3-01 DO YOU CONVERT DECIMAL (BASE 10) NUMBERS TO OCTAL														13	13	13	19	23	10	6	
(BASE 8) NUMBERS																					
K 686 K3-02 DO YOU CONVERT DECIMAL NUMBERS TO BINARY (BASE 2)														29	31	31	35	39	31	24	
NUMBERS																					
K 687 K3-03 DO YOU CONVERT OCTAL NUMBERS TO DECIMAL NUMBERS														12	11	11	19	21	10	3	
K 688 K3-04 DO YOU CONVERT OCTAL NUMBERS TO BINARY NUMBERS														9	11	10	16	20	8	6	
K 689 K3-05 DO YOU CONVERT BINARY NUMBERS TO DECIMAL NUMBERS														30	29	29	33	36	34	27	
K 690 K3-06 DO YOU CONVERT BINARY NUMBERS TO OCTAL NUMBERS														9	12	11	16	20	8	9	
K 691 K3-07 DO YOU ADD BINARY NUMBERS TO GET A SUM														26	23	24	31	25	21	21	
K 692 K3-08 DO YOU SUBTRACT BINARY NUMBERS USING THE END-AROUND-														14	12	12	18	19	10	12	
CARRY METHOD																					
K 693 K3-09 DO YOU SUBTRACT BINARY NUMBERS USING THE DIRECT														22	15	17	23	19	11	12	
SUBTRACTION METHOD																					

NUMBERING SYSTEMS

CARRY METHOD  
SUBTRACTION METHOD

FM SYSTEMS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK	SPC											
	006	007	008	009	010	011	012	013	014	015	016	017
L 694 K3-10 DO YOU ADD OCTAL NUMBERS TO GET A SUM	11	8	9	13	11	8	3					
L 695 L1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO LOGIC FUNCTIONS	39	44	42	46	47	38	24					
L 696 L1-02 DO YOU CONSTRUCT TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES	21	21	21	26	16	15	6					
L 697 L1-03 DO YOU CONSTRUCT TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES	20	21	21	26	16	15	6					
L 698 L1-04 DO YOU CONSTRUCT TRUTH TABLES FOR AND OR LOGIC SYMBOLS WITH STATE INDICATORS	20	21	20	25	14	15	6					
L 699 L1-05 DO YOU CONSTRUCT TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS OR GATES	20	20	20	25	14	15	6					
L 700 L1-06 DO YOU USE OR REFER TO TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES	35	34	34	40	43	33	27					
L 701 K1-07 DO YOU USE OR REFER TO TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES	35	34	34	40	42	33	27					
L 702 K1-08 DO YOU USE OR REFER TO TRUTH TABLES FOR AND OR OR LOGIC SYMBOLS WITH STATE INDICATORS	35	33	33	39	42	33	27					
L 703 L1-09 DO YOU USE OR REFER TO TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS	30	33	32	35	39	30	27					
L 704 L1-10 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR AND GATES	39	42	41	46	47	38	27					
L 705 L1-11 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR OR GATES	40	42	41	48	46	38	27					
L 706 L1-12 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR NAND OR NOR GATES	40	42	41	48	47	38	27					
L 707 L1-13 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR EXCLUSIVE OR GATES	36	40	39	42	44	36	27					
L 708 L2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO BOOLEAN EQUATIONS, LOGIC DIAGRAMS, OR LOGIC	25	25	25	32	34	23	9					
L 709 L2-02 DO YOU DRAW LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DCTL) CIRCUITS	10	9	9	11	9	11	3					
L 710 L2-03 DO YOU CONSTRUCT TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS	7	6	6	7	5	7	0					
L 711 L2-04 DO YOU DRAW LOGIC DIAGRAMS FROM GIVEN BOOLEAN EQUATIONS	10	9	9	7	6	7	0					
L 712 L2-05 DO YOU MEASURE INPUTS OR OUTPUTS OF LOGIC GATES	22	26	25	30	30	23	6					
L 713 L2-06 DO YOU DEVELOP OR ANALYZE BOOLEAN EQUATIONS IN THE PROCESS OF TROUBLESHOOTING DIGITAL CIRCUITS	12	10	10	11	9	10	0					
L 714 L2-07 DO YOU ANALYZE LOGIC CIRCUITS BY USING BOOLEAN ALGEBRA	12	13	12	10	11	10	0					
L 715 L2-08 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DCTL) CIRCUIT GATES	21	18	19	18	29	25	12					
L 716 L2-09 DO YOU USE OR REFER TO TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS	16	9	11	8	16	11	6					
L 717 L2-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS CONSISTING OF MORE THAN ONE GATE	25	26	26	27	36	25	12					
L 718 L2-11 DO YOU COMPUTE SUM AND CARRY EXPRESSIONS FOR SERIAL HALF OR FULL ADDER LOGIC DIAGRAMS	10	6	7	7	6	7	3					

LOGIC FUNCTIONS

BOOLEAN EQUATIONS

# PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 74

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

DY-TSK														SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	
														006	007	008	009	010	011	012		
L 719	L2-12 DO YOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER	LOGIC DIAGRAMS													15	12	12	13	14	14	10	6
L 720	L2-13 DO YOU WORK WITH ASTABLE (FREE RUNNING) MULTIVIBRATORS														25	28	27	33	37	23	12	
L 721	L2-14 DO YOU WORK WITH BISTABLE (FLIP-FLOP) MULTIVIBRATORS														26	29	28	34	37	21	15	
L 722	L2-15 DO YOU WORK WITH MONOSTABLE (ONE-SHOT) MULTIVIBRATORS														26	28	28	34	37	21	15	
L 723	L2-16 DO YOU USE OR REFER TO FLIP-FLOP MULTIVIBRATOR SYMBOLS														26	28	28	33	35	23	12	
L 724	L2-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIBRATOR SYMBOLS														26	28	28	32	36	23	12	
L 725	L2-18 DO YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS														25	29	28	32	36	23	12	
L 726	L2-19 DO YOU USE OR REFER TO FLIP-FLOP TRUTH TABLES														23	26	25	27	30	18	6	
L 727	L2-20 DO YOU USE OR REFER TO COMPLEMENTED FLIP-FLOP LOGIC SYMBOLS														20	23	22	24	24	15	9	
L 728	L2-21 DO YOU USE OR REFER TO COMPLEMENTING FLIP-FLOP LOGIC SYMBOLS														20	23	22	24	24	15	9	
L 729	L2-22 DO YOU MEASURE OUTPUT WAVESHAPES OF LOGIC CIRCUITS														24	28	28	33	35	21	12	
L 730	L2-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP SCHEMATIC DIAGRAMS														22	25	24	22	28	20	9	
L 731	L2-24 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-FLOP SCHEMATIC DIAGRAMS														21	25	24	24	28	20	9	
L 732	L2-25 DO YOU CONSTRUCT TRUTH TABLES FOR J-K FLIP-FLOP LOGIC SYMBOLS														14	14	14	15	14	7	3	
LOGIC SYMBOLS																						
L 733	L3-01 DO YOU WORK WITH DIGITAL COUNTERS IN YOUR PRESENT JOB														47	56	54	62	52	46	39	
L 734	L3-02 DO YOU USE OR REFER TO UP-COUNTERS														28	31	30	33	32	23	18	
L 735	L3-03 DO YOU USE OR REFER TO DOWN-COUNTERS														27	27	27	30	28	20	18	
L 736	L3-04 DO YOU USE OR REFER TO SERIAL COUNTERS														15	23	21	27	20	20	9	
L 737	L3-05 DO YOU USE OR REFER TO PARALLEL COUNTERS														15	22	20	23	19	18	9	
L 738	L3-06 DO YOU USE OR REFER TO RING COUNTERS														15	17	17	28	23	20	12	
L 739	L3-07 DO YOU USE OR REFER TO DECADE COUNTERS														36	45	42	52	51	48	33	
L 740	L3-08 DO YOU USE OR REFER TO COUNT DETECT CIRCUITS														18	24	23	33	27	28	12	
L 741	L3-09 DO YOU USE OR REFER TO DOWN CLOCKS														22	27	25	26	24	18	9	
L 742	L3-10 DO YOU USE OR REFER TO UP CLOCKS														22	26	25	29	24	18	9	
L 743	L3-11 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS														21	24	23	24	25	18	16	
L 744	L3-12 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS														15	19	18	22	20	15	15	
L 745	L3-13 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF DECADE COUNTERS														29	36	35	42	47	39	24	
L 746	L3-14 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF RING COUNTERS														14	15	15	23	21	18	15	
L 747	L3-15 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER														12	19	17	22	16	16	9	
L 748	L3-16 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS														14	20	18	24	23	20	9	

COUNTERS



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	DY-TSK											
	SPC 006	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012					
L 749 L3-17 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF COUNTERS	21	22	22	24	25	21	18					
L 750 L3-18 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	11	18	16	21	18	11	12					
L 751 L3-19 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENT- PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE	11	14	13	16	15	11	9					
L 752 L3-20 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE	9	13	12	16	13	11	9					
L 753 L3-21 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR OTHER TYPES OF COUNTERS	15	15	15	22	19	16	12					
L 754 L3-22 DO YOU CONSTRUCT TRUTH TABLES FROM LOGIC DIAGRAMS OF DECADE COUNTERS	10	13	12	16	10	11	9					
L 755 L3-23 DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP IN RING COUNTERS FOR SPECIFIC INPUT PULSES	12	14	14	18	15	15	15					
L 756 L3-24 DO YOU DETERMINE THE APPROPRIATE AND GATE NECESSARY IN COUNT DETECT CIRCUITS TO INDICATE A REQUIRED COUNT	21	22	22	24	24	18	15					
M 757 M1-01 DO YOU WORK WITH SAWTOOTH WAVE GENERATORS	59	68	64	75	67	52	55					
M 758 M1-02 DO YOU WORK WITH TRAPEZOIDAL WAVE GENERATORS	25	28	27	33	38	31	39					
M 759 M1-03 DO YOU WORK WITH PULSED OSCILLATORS WITH REGENERATIVE FEEDBACK	51	54	53	65	51	38	42					
M 760 M1-04 DO YOU WORK WITH PULSED OSCILLATORS WITHOUT REGENERATIVE FEEDBACK	43	51	49	62	48	38	33					
M 761 M1-05 DO YOU WORK WITH BLOCKING OSCILLATORS	51	50	50	63	61	51	42					
M 762 M1-06 DO YOU USE OR REFER TO RISE TIME	72	78	77	82	82	80	88					
M 763 M1-07 DO YOU USE OR REFER TO FALL OR FLYBACK TIME	63	73	70	75	78	70	85					
M 764 M1-08 DO YOU USE OR REFER TO SWEEP TIME	70	79	76	78	80	79	88					
M 765 M1-09 DO YOU USE OR REFER TO ELECTRICAL LENGTH OF SAWTOOTH WAVEFORMS	46	59	55	66	71	67	76					
M 766 M1-10 DO YOU USE OR REFER TO PHYSICAL LENGTH OF SAWTOOTH WAVEFORMS	46	56	53	56	55	52	41					
M 767 M1-11 DO YOU USE OR REFER TO LINEAR SLOPE OF SAWTOOTH WAVEFORMS	54	60	59	63	72	69	73					
M 768 M1-12 DO YOU USE OR REFER TO GATE LENGTH OF SAWTOOTH WAVEFORMS	45	57	53	58	66	64	70					
M 769 M2-01 DO YOU USE SIGNAL GENERATORS IN YOUR PRESENT JOB	80	83	83	85	73	61	61					
M 770 M2-02 DO YOU PERFORM OPERATIONAL CHECKS WHILE USING SIGNAL GENERATORS	78	78	78	81	70	57	58					
M 771 M2-03 DO YOU PERFORM PERIODIC MAINTENANCE SUCH AS ADJUSTING, ALIGNING, OR CALIBRATING WHILE USING SIGNAL	66	72	70	73	65	49	48					
M 772 M2-04 DO YOU TROUBLESHOOT TO AN ASSEMBLY OR SUBASSEMBLY WHILE USING SIGNAL GENERATORS	63	69	67	73	60	44	52					
M 773 M2-05 DO YOU TROUBLESHOOT TO THE SMALLEST REPLACEABLE COMPONENT WHILE USING SIGNAL GENERATORS	63	69	67	71	60	44	52					
M 774 M2-06 DO YOU USE AUDIO SINE-WAVE GENERATORS	84	83	83	84	72	59	58					

TIMING CIRCUITS

USE OF SIGNAL GENERATORS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-75K

	SPC	SPC	SPC	SPC	SPC	SPC	SPC	
	006	007	008	009	010	011	012	
M 775 M2-07 DO YOU USE AUDIO NOISE-SINUSOIDAL WAVE GENERATORS SUCH AS SQUARE WAVE, TRIANGLE, PULSE, OR SPIKE	72	77	76	84	69	59	55	
M 776 M2-08 DO YOU USE RF GENERATORS LESS THAN 1,000 MH	77	77	77	82	66	57	61	
M 777 M2-09 DO YOU USE RF GENERATORS GREATER THAN 1,000 MH	63	65	65	76	58	54	48	
M 778 M2-10 DO YOU USE OTHER SPECIAL PURPOSE OR MULTI-FUNCTION	62	69	67	78	68	57	58	
GENERATORS								
M 779 M3-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH ALTERNATING CURRENT OR DIRECT CURRENT MOTORS OR	32	38	36	34	45	34	27	
M 780 M3-02 DO YOU INSPECT MOTORS	29	37	35	33	42	33	27	
M 781 M3-03 DO YOU CLEAN OR LUBRICATE MOTORS	29	35	34	32	39	33	30	
M 782 M3-04 DO YOU OPERATE MOTORS	28	35	33	32	41	33	21	
M 783 M3-05 DO YOU REMOVE OR REPLACE COMPLETE MOTORS	29	36	34	34	40	33	27	
M 784 M3-06 DO YOU REMOVE OR REPLACE MOTOR PARTS	18	20	20	20	23	15	21	
M 785 M3-07 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF MOTORS	28	36	34	33	41	30	27	
M 786 M3-08 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF MOTORS	15	14	14	14	19	11	18	
M 787 M3-09 DO YOU PERFORM ANY TASKS ON FIELD COILS	11	9	9	11	14	7	15	
M 788 M3-10 DO YOU PERFORM ANY TASKS ON ARMATURES	12	10	11	14	16	8	15	
M 789 M3-11 DO YOU PERFORM ANY TASKS ON ROTORS	13	10	11	12	16	10	15	
M 790 M3-12 DO YOU PERFORM ANY TASKS ON BRUSHES	17	18	18	20	29	21	24	
M 791 M3-13 DO YOU PERFORM ANY TASKS ON SLIP RINGS	11	11	11	12	17	13	15	
M 792 M3-14 DO YOU PERFORM ANY TASKS ON COMMUTATORS	11	11	11	12	18	15	12	
M 793 M3-15 DO YOU PERFORM ANY TASKS ON POLE PIECES	10	9	9	10	10	10	6	
M 794 M3-16 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OF THE FORCE OR TORQUE CREATED BY A MOTOR	5	4	4	4	5	5	3	
M 795 M3-17 DO YOU DETERMINE OR MEASURE THE DIRECTION OF THE MECHANICAL FORCE OR TORQUE CREATED BY A MOTOR	8	6	6	6	7	10	6	
M 796 M3-18 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OR DIRECTION OF THE INDUCED VOLTAGE IN MOTORS	4	6	5	5	4	5	3	
M 797 M3-19 DO YOU WORK WITH SYNCHRONOUS MOTORS	22	23	22	25	37	31	21	
M 798 M3-20 DO YOU WORK WITH INDUCTION MOTORS	21	18	18	22	36	33	21	
M 799 M3-21 DO YOU WORK WITH SPLIT-PHASE MOTORS	13	12	12	15	28	20	9	
M 800 M3-22 DO YOU WORK WITH SOME COMBINATION OF THE ABOVE MOTORS	16	19	16	25	33	23	12	
M 801 M3-23 DO YOU INSPECT GENERATORS	18	24	22	23	32	28	18	
M 802 M3-24 DO YOU CLEAN OR LUBRICATE GENERATORS	15	22	20	22	23	25	18	
M 803 M3-25 DO YOU OPERATE GENERATORS	20	26	24	25	28	24	15	
M 804 M3-26 DO YOU REMOVE OR REPLACE COMPLETE GENERATORS	12	19	17	20	24	21	15	
M 805 M3-27 DO YOU REMOVE OR REPLACE GENERATOR PARTS	12	13	13	14	15	11	15	
M 806 M3-28 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF GENERATORS	15	21	19	23	26	21	18	
M 807 M3-29 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF GENERATORS	12	13	13	12	14	11	18	
M 808 M1-01 DO YOU WORK WITH METERS IN YOUR PRESENT JOB	83	78	79	76	72	52	52	
M 809 M1-02 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF PERMANENT MAGNETS	52	42	44	47	49	33	36	
M 810 M1-03 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF MOVING COILS	54	45	47	47	51	30	33	

METER MOVEMENTS

MOTORS AND GENERATORS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK	SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC											
	006	007	008	009	010	011	012	013	014	015	016	017
N 811 N1-04 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF SPIRAL SPRINGS	52	3	45	46	49	30	33					
N 812 N1-05 DO YOU READ METER SCALES	84	78	79	77	72	54	55					
N 813 N1-06 DO YOU EXTEND THE RANGE OF AMMETERS	62	49	52	48	45	34	33					
N 814 N1-07 DO YOU ZERO OHMMETERS	83	77	78	75	72	54	48					
N 815 N1-08 DO YOU ZERO AMMETERS	72	67	67	63	63	48	39					
N 816 N1-09 DO YOU EXTEND THE RANGE OF VOLTMETERS	71	55	59	54	49	39	34					
N 817 N1-10 DO YOU USE OR REFER TO VOLTMETER SENSITIVITY (EXPRESSED IN UNITS OF OHMS PER VOLT)	77	68	70	67	64	56	45					
N 818 N2-01 DO YOU WORK WITH SATURABLE REACTORS OR MAGNETIC AMPLIFIERS IN YOUR PRESENT JOB	5	5	5	5	12	10	3					
N 819 N2-02 DO YOU INSPECT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	5	4	5	5	10	10	3					
N 820 N2-03 DO YOU CLEAN MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	4	4	4	4	7	7	0					
N 821 N2-04 DO YOU ADJUST MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	4	3	3	3	9	8	0					
N 822 N2-05 DO YOU TROUBLESHOOT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	4	5	5	4	11	8	3					
N 823 N2-06 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	4	5	5	4	9	10	3					
N 824 N2-07 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIER OR SATURABLE REACTOR COMPONENTS	4	4	4	3	7	7	0					
N 825 N2-08 DO YOU USE OR REFER TO HYSTERESIS CURVES OR LOOPS	4	1	2	2	4	7	3					
N 826 N2-09 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF	5	3	4	3	7	8	3					
N 827 N2-10 DO YOU MEASURE OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF SINGLE WINDING SATURABLE	4	4	4	5	10	8	3					
N 828 N2-11 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS FOR MAGNETIC AMPLIFIERS	4	4	4	3	7	3	3					
N 829 N2-12 DO YOU USE OR REFER TO COERCIVE FORCE IN SATURABLE REACTORS	5	1	2	1	2	5	3					
N 830 N2-13 DO YOU USE OR REFER TO RESIDUAL MAGNETISM IN SATURABLE REACTORS	5	1	2	1	3	7	3					
N 831 N2-14 DO YOU USE OR REFER TO FLUX DENSITY IN SATURABLE REACTORS	5	1	2	1	2	5	3					
N 832 N2-15 DO YOU USE OR REFER TO POINT OF SATURATION IN SATURABLE REACTORS	5	1	2	1	6	7	3					
N 833 N2-16 DO YOU USE OR REFER TO SATURABLE REACTOR SCHEMATIC SYMBOLS	5	4	4	3	10	8	3					
N 834 N3-01 DO YOU WORK WITH WAVESHAPING CIRCUITS IN YOUR PRESENT JOB	51	62	59	70	66	51	55					
N 835 N3-02 DO YOU USE OR REFER TO TRANSIENT INTERVALS	36	35	35	36	43	31	27					
N 836 N3-03 DO YOU USE OR REFER TO PULSE WIDTH (PW)	50	60	57	69	65	51	55					
N 837 N3-04 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)	47	55	53	67	61	46	48					



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

		DY-TSK											
		SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
		006	007	008	009	010	011	012					
N 838	N3-05 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY (PRF)	47	58	55	69	62	51	52					
N 839	N3-06 DO YOU USE OR REFER TO DIFFERENTIATING CIRCUITS	43	53	50	62	61	48	48					
N 840	N3-07 DO YOU USE OR REFER TO INTEGRATING CIRCUITS	45	54	51	62	60	48	42					
N 841	N3-08 DO YOU USE OR REFER TO THE CLASSIFICATION OF TIME CONSTANTS (TC) AS LONG, MEDIUM, OR SHORT	35	45	42	52	52	33	42					
N 842	N3-09 DO YOU DETERMINE WHETHER AN LR OR RC CIRCUIT IS DIFFERENTIATING OR INTEGRATING BASED ON THE TIME CONSTANT	28	34	32	31	47	30	24					
N 843	N3-10 DO YOU WORK WITH SQUARE WAVE GENERATORS	50	59	57	69	63	49	45					
N 844	N3-11 DO YOU WORK WITH RECTANGULAR WAVE GENERATORS	45	54	52	62	59	44	45					
O 845	O1-01 DO YOU WORK ON SINGLE SIDEBAND SYSTEMS IN YOUR PRESENT JOB	4	4	4	8	7	2	0					
O 846	O1-02 DO YOU INSPECT SSB TRANSMIT OR RECEIVE SYSTEMS	4	3	3	7	5	2	0					
O 847	O1-03 DO YOU CLEAN SSB TRANSMIT OR RECEIVE SYSTEMS	4	3	3	7	5	2	0					
O 848	O1-04 DO YOU ALIGN SSB TRANSMIT OR RECEIVE SYSTEMS	3	3	3	8	6	2	0					
O 849	O1-05 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE SYSTEMS	3	3	3	7	5	2	0					
O 850	O1-06 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE COMPONENTS	3	3	3	8	6	2	0					
O 851	O1-07 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE SYSTEMS	3	3	3	6	5	2	0					
O 852	O1-08 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE COMPONENTS	3	3	3	7	6	2	0					
O 853	O1-09 DO YOU PERFORM TASKS ON SSB AUDIO AMPLIFIERS	4	3	3	8	6	2	0					
O 854	O1-10 DO YOU PERFORM TASKS ON SSB BALANCED MODULATORS	4	2	3	7	7	2	0					
O 855	O1-11 DO YOU PERFORM TASKS ON SSB CARRIER OSCILLATORS	7	3	4	8	6	2	0					
O 856	O1-12 DO YOU PERFORM TASKS ON SSB LC FILTERS	5	3	4	8	6	2	0					
O 857	O1-13 DO YOU PERFORM TASKS ON SSB CRYSTAL FILTERS	5	3	3	8	6	2	0					
O 858	O1-14 DO YOU PERFORM TASKS ON SSB MECHANICAL FILTERS	5	2	3	5	5	2	0					
O 859	O1-15 DO YOU PERFORM TASKS ON SSB OSCILLATORS	7	4	4	8	6	2	0					
O 860	O1-16 DO YOU PERFORM TASKS ON SSB MIXERS	5	3	4	8	7	2	0					
O 861	O1-17 DO YOU PERFORM TASKS ON SSB DRIVERS	5	3	4	8	6	2	0					
O 862	O1-18 DO YOU PERFORM TASKS ON SSB POWER AMPLIFIERS	4	3	3	8	6	2	0					
O 863	O1-19 DO YOU PERFORM TASKS ON SSB RF AMPLIFIERS	5	3	3	8	6	2	0					
O 864	O1-20 DO YOU PERFORM TASKS ON SSB FREQUENCY CONVERTERS	5	3	4	8	6	2	0					
O 865	O1-21 DO YOU PERFORM TASKS ON SSB IF AMPLIFIERS	4	3	3	8	6	2	0					
O 866	O1-22 DO YOU PERFORM TASKS ON SSB DEMODULATORS	5	3	4	8	6	2	0					
O 867	O1-23 DO YOU PERFORM TASKS ON SSB DON'T REMEMBER WHICH SSB SYSTEM STAGES	1	1	1	1	1	2	0					
O 868	O1-24 DO YOU USE OR REFER TO SELECTIVE FADING	2	2	2	2	3	2	0					
O 869	O1-25 DO YOU USE OR REFER TO PEAK POWER	5	3	4	8	6	2	0					
O 870	O1-26 DO YOU USE OR REFER TO FREQUENCY STABILITY	3	3	3	8	6	2	0					
O 871	O1-27 DO YOU USE OR REFER TO RESPONSE CURVES FOR BANDWIDTH FILTERS	4	3	3	7	5	2	0					
O 872	O1-28 DO YOU CALCULATE PEAK POWER OR EFFECTIVE POWER OF SSB TRANSMITTERS	4	1	2	5	5	2	0					

SINGLE SIDEBAND SYSTEMS

DY-TSK

	SPC 006	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012
Q 873 01-29 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB TRANSMITTER SCHEMATIC DIAGRAMS	5	2	3	8	6	2	0
Q 874 01-30 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB RECEIVER SCHEMATIC DIAGRAMS	4	3	3	7	6	2	0
Q 875 02-01 DO YOU WORK ON PULSE MODULATION SYSTEMS IN YOUR PRESENT JOB	24	33	30	43	38	30	21
Q 876 02-02 DO YOU INSPECT PULSE MODULATION SYSTEMS	25	32	30	42	36	28	24
Q 877 02-03 DO YOU CLEAN PULSE MODULATION SYSTEMS	22	28	26	33	27	15	15
Q 878 02-04 DO YOU ALIGN PULSE MODULATION SYSTEMS	23	32	30	39	36	20	18
Q 879 02-05 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS	24	32	30	41	36	21	21
Q 880 02-06 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEM COMPONENTS	23	32	29	42	35	23	21
Q 881 02-07 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEMS	21	28	26	33	29	15	15
Q 882 02-08 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM COMPONENTS	24	31	29	41	34	20	15
Q 883 02-09 DO YOU WORK ON PULSE-AMPLITUDE MODULATION (PAM) SYSTEMS	20	27	25	37	34	21	21
Q 884 02-10 DO YOU WORK ON PULSE-DURATION MODULATION (PDM) SYSTEMS	15	21	19	31	26	21	6
Q 885 02-11 DO YOU WORK ON PULSE-POSITION MODULATION (PPM) SYSTEMS	18	22	21	32	26	10	12
Q 886 02-12 DO YOU WORK ON PULSE-CODE MODULATION (PCM) SYSTEMS	14	18	17	29	27	10	15
Q 887 02-13 DO YOU WORK ON LINE PULSING MODULATION SYSTEMS	11	12	11	18	14	2	6
Q 888 02-14 DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF MODULATION SYSTEM	5	8	7	7	8	2	3
Q 889 02-15 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM POWER SUPPLIES	22	28	26	36	36	20	15
Q 890 02-16 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM CHARGING CHOSES AND CHARGING DIODES	12	18	16	26	24	8	15
Q 891 02-17 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM PULSE FORMING NETWORKS	22	29	27	39	35	21	15
Q 892 02-18 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM TIMERS	20	24	23	31	35	18	15
Q 893 02-19 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM SWITCHES SUCH AS GAS THYRATRONS	12	19	17	26	30	21	15
Q 894 02-20 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM PULSE TRANSFORMERS	14	22	20	31	34	20	18
Q 895 02-21 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM TRANSMITTER TUBES	17	23	22	31	28	16	12
Q 896 02-22 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM RF AMPLIFIERS	23	31	28	38	37	21	18
Q 897 02-23 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM FREQUENCY CONVERTERS	23	30	28	37	36	20	18
Q 898 02-24 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM IF AMPLIFIERS	22	31	28	35	36	21	18
Q 899 02-25 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM DETECTORS	23	30	28	39	37	21	18

# PERCENT MEMBERS PERFORMING TASKS BY AFMS GROUPS

GPSUM2 PAGE 80

AF HUMAN RESOURCES LABORATORY  
AIR FORCE SYSTEMS COMMAND

## TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

0Y-15K

	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
	006	007	008	009	010	011	012		
0 900 02-26 00 YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	21	29	27	35	37	21	18		
VIDEO AMPLIFIERS									
0 901 02-27 00 YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	16	23	21	27	28	18	15		
POWER VIDEO AMPLIFIERS									
0 902 02-28 00 YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	3	4	4	7	7	2	3		
DON'T REMEMBER WHICH PULSE MODULATION SYSTEM STAGES									
0 903 02-29 00 YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY	25	32	30	42	39	28	24		
(PRF)									
0 904 02-30 00 YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)	25	29	28	42	36	25	24		
0 905 02-31 00 YOU USE OR REFER TO PULSE WIDTH (PW)	25	33	31	44	39	28	24		
0 906 02-32 00 YOU USE OR REFER TO PULSE SHAPE	25	33	31	42	39	28	24		
0 907 02-33 00 YOU USE OR REFER TO PEAK POWER	22	30	29	39	38	25	24		
0 908 02-34 00 YOU USE OR REFER TO AVERAGE POWER	22	28	26	38	36	21	24		
0 909 02-35 00 YOU CALCULATE PULSE RECURRENCE TIME (PRT) OR PULSE	19	26	24	32	31	20	12		
RECURRENCE FREQUENCY (PRF)									
0 910 02-36 00 YOU MEASURE PULSE RECURRENCE TIME (PRT) OR PULSE	22	31	28	41	38	30	18		
RECURRENCE FREQUENCY (PRF)									
0 911 02-37 00 YOU USE FORMULAS TO CALCULATE AVERAGE POWER OR	15	22	20	31	32	16	9		
PEAK POWER OF PULSE MODULATION TRANSMIT SYSTEMS									
0 912 02-38 00 YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE	22	28	26	37	35	15	18		
MODULATION TRANSMITTER SCHEMATIC DIAGRAMS									
0 913 02-39 00 YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE	18	26	24	35	28	18	15		
MODULATION RECEIVER SCHEMATIC DIAGRAMS									
0 914 03-01 00 YOU WORK WITH ANTENNAS IN YOUR PRESENT JOB	9	7	7	8	10	3	6		
0 915 03-02 00 YOU INSPECT ANTENNAS	10	6	7	8	9	2	6		
0 916 03-03 00 YOU CLEAN ANTENNAS	7	5	5	6	7	2	6		
0 917 03-04 00 YOU PHYSICALLY ALIGN ANTENNAS	4	4	4	4	6	2	3		
0 918 03-05 00 YOU ELECTRICALLY ALIGN ANTENNAS	4	4	4	5	6	2	3		
0 919 03-06 00 YOU TROUBLESHOOT TO ANTENNAS	7	5	6	7	7	2	6		
0 920 03-07 00 YOU TROUBLESHOOT TO ANTENNA COMPONENTS	2	4	3	5	6	2	6		
0 921 03-08 00 YOU REMOVE OR INSTALL ANTENNAS	5	4	5	7	7	2	6		
0 922 03-09 00 YOU REMOVE OR REPLACE COMPONENTS OF ANTENNAS	3	4	4	5	6	2	6		
0 923 03-10 00 YOU USE OR REFER TO TECHNICAL DATA CONTAINING	5	1	2	3	5	0	6		
REPRESENTATIONS OF E OR ELECTRIC FIELD LINES									
0 924 03-11 00 YOU USE OR REFER TO TECHNICAL DATA CONTAINING	4	1	2	2	4	0	6		
REPRESENTATIONS OF H OR MAGNETIC FIELD LINES									
0 925 03-12 00 YOU DETERMINE THE DIRECTION OF THE MAGNETIC LINES	4	1	2	2	4	0	6		
IN RELATION TO THE ELECTRIC LINES OF FORCE FOR ANTENNAS									
0 926 03-13 00 YOU USE OR REFER TO THE GENERAL RULE THAT	5	3	3	2	3	0	3		
ANTENNAS WHICH ARE OF CORRECT LENGTH (HALF-WAVE) ACT AS									
0 927 03-14 00 YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS	5	3	3	2	3	0	3		
WHICH ARE LONGER THAN A HALF-WAVE ACT AS INDUCTIVE LOADS									
0 928 03-15 00 YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS	4	2	3	3	3	0	3		
WHICH ARE SHORTER THAN A HALF-WAVE ACT AS CAPACITIVE LOADS									

ANTENNAS



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK	SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC											
	006	007	008	009	010	011	012	013	014	015	016	017
0 929 03-16 DO YOU WORK WITH HERTZ ANTENNAS	7	2	3	3	4	0	3					
0 930 03-17 DO YOU WORK WITH MARCONI ANTENNAS	5	1	2	2	3	0	0					
0 931 03-18 DO YOU WORK WITH BROADSIDE ARRAYS	1	0	1	2	5	0	3					
0 932 03-19 DO YOU WORK WITH END-FIRE ARRAYS	1	1	1	2	3	0	3					
0 933 03-20 DO YOU WORK WITH CARDIOID ARRAYS	1	1	1	1	3	0	0					
0 934 03-21 DO YOU WORK WITH COLLINER ARRAYS	2	0	1	1	2	0	0					
0 935 03-22 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC INDUCTION FIELDS WHEN WORKING WITH ANTENNAS	4	1	2	2	4	0	0					
0 936 03-23 DO YOU MEASURE ELECTROMAGNETIC INDUCTION FIELDS OF ANTENNAS	3	1	2	1	3	0	0					
0 937 03-24 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC RADIATION FIELDS WHEN WORKING WITH ANTENNAS	4	2	2	2	3	0	3					
0 938 03-25 DO YOU MEASURE ELECTROMAGNETIC RADIATION FIELDS OF ANTENNAS	2	1	1	1	3	0	3					
0 939 03-26 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA RADIATION	2	1	1	1	2	0	0					
0 940 03-27 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA INDUCTION FIELD	2	1	1	1	2	0	0					
0 941 03-28 ARE ANY OF THE ANTENNAS YOU WORK ON LINEARLY POLARIZED	3	1	2	1	4	0	0					
0 942 03-29 ARE ANY OF THE ANTENNAS YOU WORK ON CIRCULARLY POLARIZED	4	1	2	1	3	0	0					
0 943 03-30 DO YOU MEASURE OR DETERMINE THE POLARITY OF ANTENNAS YOU WORK ON	3	1	2	1	3	0	0					
0 944 03-31 DO YOU CONSTRUCT, OR MAKE THE CALCULATIONS NECESSARY TO CONSTRUCT, ANTENNAS OF CORRECT LENGTH FOR THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS	3	1	2	3	3	0	6					
0 945 03-32 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS	2	0	1	1	3	0	0					
0 946 03-33 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS DIRECTORS	2	0	1	1	3	0	0					
0 947 03-34 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS REFLECTORS	2	0	1	1	3	0	0					
0 948 03-35 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN DON'T REMEMBER WHAT KIND OF ELEMENTS	2	1	2	3	2	0	3					
0 949 03-36 DO YOU WORK ON UNIDIRECTIONAL ANTENNAS	7	3	4	5	5	0	6					
0 850 03-37 DO YOU WORK ON BIDIRECTIONAL ANTENNAS	4	3	3	3	5	0	3					
0 851 03-38 DO YOU WORK ON DON'T REMEMBER THE DIRECTIONALITY	2	1	1	2	3	0	0					
0 852 03-39 DO YOU WORK WITH ROTAR ANTENNA ARRAYS	3	1	1	3	3	0	0					
P 953 PI-01 IN YOUR PRESENT JOB DO YOU WORK WITH TRANSMISSION LINES (TRANSMISSION LINES ARE DEFINED TO INCLUDE LEADS TO TRANSMISSION LINES)	10	13	12	22	22	13	12					
P 954 PI-02 DO YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY CURRENTS IN TRANSMISSION LINES	4	5	5	9	13	3	3					
P 955 PI-03 DO YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY CURRENTS IN TRANSMISSION LINES	7	6	6	11	16	5	6					

TRANSMISSION LINES

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC	SPC	SPC	SPC	SPC	SPC	SPC
	006	007	008	009	010	011	012
P 956 PI-04 DO YOU REFER TO OR USE RADIATION LOSS IN TRANSMISSION LINES	8	8	8	12	19	5	6
P 957 PI-05 DO YOU USE OR REFER TO DIELECTRIC LOSS IN TRANSMISSION LINES	/	5	6	10	19	7	6
P 958 PI-06 DO YOU USE OR REFER TO LEAKAGE LOSSES IN TRANSMISSION LINES	9	9	9	10	15	8	6
P 959 PI-07 DO YOU WORK WITH TWISTED PAIR TRANSMISSION LINES	5	7	7	10	19	8	9
P 960 PI-08 DO YOU WORK WITH TWIN LEAD TRANSMISSION LINES	5	9	8	12	13	8	12
P 961 PI-09 DO YOU WORK WITH OPEN TWO-WIRE TRANSMISSION LINES	4	7	6	10	11	7	12
P 962 PI-10 DO YOU WORK WITH FLEXIBLE COAXIAL CABLE TRANSMISSION LINES	12	14	13	21	22	11	12
P 963 PI-11 DO YOU WORK WITH RIGID COAXIAL CABLE TRANSMISSION LINES	12	11	11	16	19	10	12
P 964 PI-12 DO YOU TROUBLESHOOT TRANSMISSION LINES	7	9	8	14	19	8	6
P 965 PI-13 DO YOU ANALYZE VOLTAGE OR CURRENT WAVEFORMS IN TRANSMISSION LINES TO DETERMINE THE TYPE OF TERMINATION	5	5	5	11	9	8	6
P 966 PI-14 DO YOU SELECT APPROPRIATE TRANSMISSION LINES TERMINATIONS TO ACHIEVE DESIRED WAVEFORMS	9	11	10	16	21	11	9
P 967 PI-15 DO YOU USE OR REFER TO SCHEMATIC SYMBOLS FOR LINE TERMINATIONS IN TERMS OF CIRCUIT TERMINATIONS	10	11	10	16	18	11	12
P 968 PI-16 DO YOU MEASURE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES	5	11	10	18	20	11	6
P 969 PI-17 DO YOU CALCULATE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES	5	10	9	14	16	11	6
P 970 PI-18 DO YOU PERFORM THE CALCULATIONS NECESSARY TO DETERMINE THE IMPEDANCE AND LENGTH OF QUARTER - WAVELENGTH	4	6	5	7	10	8	9
P 971 PI-19 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING MATCHING TRANSFORMERS	7	8	7	14	14	11	6
P 972 PI-20 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING DELTA MATCHING	4	6	5	6	6	2	3
P 973 PI-21 DO YOU SELECT THE TYPE OF TRANSMISSION LINE NEEDED FOR PARTICULAR JOBS WITHOUT REFERRING TO TECHNICAL DATA	4	5	5	11	9	5	6
P 974 PI-22 DO YOU USE OR REFER TO THE TERM CHARACTERISTIC IMPEDANCE (Z0) OF TRANSMISSION LINES	8	10	9	18	21	10	12
P 975 PI-23 DO YOU CALCULATE THE CHARACTERISTIC IMPEDANCE (Z0) OF TRANSMISSION LINES	4	5	5	8	9	3	3
P 976 PI-24 DO YOU USE OR REFER TO THE TERM CUTOFF FREQUENCY OF TRANSMISSION LINES	7	10	9	15	20	13	6
P 977 PI-25 DO YOU USE OR REFER TO THE TERM VELOCITY FACTOR (K) OF TRANSMISSION LINES	5	5	5	7	7	7	3
P 978 PI-26 DO YOU COMPUTE THE ELECTRICAL LENGTH OF TRANSMISSION LINES FOR PARTICULAR FREQUENCIES	4	7	6	8	10	10	3
P 979 PI-27 DO YOU CONSTRUCT TRANSMISSION LINES OF PARTICULAR ELECTRICAL LENGTH FOR GIVEN FREQUENCIES	4	6	5	8	9	5	3
P 980 PI-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT AS THE FREQUENCY INCREASES AND THE PHYSICAL LENGTH OF	5	6	6	7	11	7	6

## TASK GROUP SUMMARY

## PERCENT MEMBERS PERFORMING

DY-TSK			SPC 006	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012
P 981 P1-29 DO YOU WORK WITH NONRESONANT (FLAT) TRANSMISSION LINES	7	9	9	16	18	11	12		
P 982 P1-30 DO YOU WORK WITH RESONANT TRANSMISSION LINES	7	10	9	12	16	7	12		
P 983 P1-31 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING STUB MATCHING	8	10	9	17	19	11	9		
P 984 P2-01 DO YOU WORK WITH WAVEGUIDES OR CAVITY RESONATORS IN YOUR PRESENT JOB	20	31	28	42	41	38	27		
P 985 P2-02 DO YOU INSPECT WAVEGUIDES OR CAVITY RESONATORS	20	31	28	42	42	41	30		
P 986 P2-03 DO YOU CLEAN WAVEGUIDES OR CAVITY RESONATORS	15	27	24	34	31	28	27		
P 987 P2-04 DO YOU BEND WAVEGUIDES OR CAVITY RESONATORS	7	8	7	13	7	5	12		
P 988 P2-05 DO YOU TWIST WAVEGUIDES OR CAVITY RESONATORS	7	8	7	12	7	2	12		
P 989 P2-06 DO YOU PRESSURIZE WAVEGUIDES OR CAVITY RESONATORS	7	3	4	7	3	0	6		
P 990 P2-07 DO YOU PURGE WAVEGUIDES OR CAVITY RESONATORS	7	4	5	9	5	5	4		
P 991 P2-08 DO YOU TROUBLESHOOT WAVEGUIDES OR CAVITY RESONATORS	12	21	19	30	31	30	24		
P 992 P2-09 DO YOU REMOVE OR INSTALL COMPLETE WAVEGUIDES	13	28	24	31	34	28	27		
P 993 P2-10 DO YOU REMOVE OR INSTALL WAVEGUIDE SECTIONS	16	30	26	38	39	30	27		
P 994 P2-11 DO YOU REMOVE OR INSTALL DUMMY LOADS	16	29	26	39	39	30	30		
P 995 P2-12 DO YOU REMOVE OR INSTALL E BENDS	9	17	14	20	24	25	18		
P 996 P2-13 DO YOU REMOVE OR INSTALL H BENDS	10	16	14	22	24	25	18		
P 997 P2-14 DO YOU REMOVE OR INSTALL OTHER BENDS	9	20	17	25	23	20	15		
P 998 P2-15 DO YOU REMOVE OR INSTALL CHOKES JOINTS	7	11	10	12	11	8	15		
P 999 P2-16 DO YOU REMOVE OR INSTALL ROTATING JOINTS	7	10	9	12	7	0	12		
P1000 P2-17 DO YOU REMOVE OR INSTALL DIRECTIONAL COUPLERS	17	29	26	39	39	33	27		
P1001 P2-18 DO YOU REMOVE OR INSTALL BIDIRECTIONAL COUPLERS	16	24	22	33	34	26	21		
P1002 P2-19 DO YOU USE OR REFER TO "A" WALL OF WAVEGUIDES	7	9	8	14	9	10	21		
P1003 P2-20 DO YOU USE OR REFER TO "B" WALL OF WAVEGUIDES	7	10	9	14	9	10	21		
P1004 P2-21 DO YOU USE OR REFER TO CUTOFF FREQUENCY OF WAVEGUIDES	15	23	21	37	37	31	30		
P1005 P2-22 DO YOU USE OR REFER TO FREQUENCY-DETERMINING WALL OF WAVEGUIDES	9	12	11	18	11	7	15		
P1006 P2-23 DO YOU USE OR REFER TO POWER-DETERMINING WALL OF WAVEGUIDES	8	9	9	14	9	7	12		
P1007 P2-24 DO YOU USE OR REFER TO ELECTRIC FIELD BOUNDARY CONDITIONS	7	6	6	10	5	5	3		
P1008 P2-25 DO YOU USE OR REFER TO MAGNETIC FIELD BOUNDARY CONDITIONS	5	6	6	9	5	5	3		
P1009 P2-26 DO YOU USE OR REFER TO DUPLEXER FIELD BOUNDARY CONDITIONS	5	3	4	7	3	3	3		
P1010 P2-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST WAVEGUIDES ARE MADE WITH A ".8" WALL SIZE OF ".7" WAVELENGTHS	5	4	5	9	8	7	12		
P1011 P2-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST ".8" WALLS RANGE FROM ".2 TO ".5 WAVELENGTHS IN SIZE, WITH ".35	5	4	5	10	6	7	9		
P1012 P2-29 ARE YOU CONCERNED WITH THE MATERIAL (SUCH AS BRASS) WHICH WAVEGUIDES ARE MADE OF	5	4	5	10	3	8	3		
P1013 P2-30 DO YOU COMPUTE THE LENGTH OF A WAVEGUIDE FOR SPECIFIC INSTALLATION	7	4	5	8	7	0	0		

WAVEGUIDES AND CAVITY RESONATORS



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-15K

SPC SPC SPC SPC SPC SPC SPC  
006 007 008 009 010 011 012

P1014 P2-31 DO YOU USE THE RIGHT HAND RULE TO DETERMINE THE  
DIRECTION OF PROPAGATION, DIRECTION OF "E" FIELD, OR  
P1015 P2-32 DO YOU USE OR REFER TO THE TIME PHASE OF PEAK "E" OR  
"H" LINES IN WAVEGUIDES  
P1016 P2-33 DO YOU MEASURE THE TIME PHASE OF "E" OR "H" LINES IN  
WAVEGUIDES  
P1017 P2-34 DO YOU USE OR REFER TO THE SPACE QUADRATURE OF "E" OR  
"H" LINES IN WAVEGUIDES  
P1018 P2-35 ARE HIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY  
RESONATORS YOU WORK WITH  
P1019 P2-36 ARE LOW POWER PROBES USED ON WAVEGUIDES OR CAVITY  
RESONATORS YOU WORK WITH  
P1020 P2-37 ARE LOOPS USED ON WAVEGUIDES OR CAVITY RESONATORS  
YOU WORK WITH  
P1021 P2-38 ARE APERTURES (WINDOWS OR RISERS) USED ON WAVEGUIDES  
OR CAVITY RESONATORS YOU WORK WITH  
P1022 P2-39 ARE DON'T REMEMBER THE KIND OF ENERGY COUPLING USED  
ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1023 P2-40 DO YOU DETERMINE WHERE PROBES SHOULD BE MOUNTED IN  
WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO  
P1024 P2-41 DO YOU DETERMINE THE POSITIONING OF LOOPS IN  
WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO  
P1025 P2-42 DO YOU DETERMINE THE POSITIONING OR SIZE OF APERTURES  
IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO  
P1026 P2-43 ARE CHOKE JOINTS USED IN WAVEGUIDES OR CAVITY  
RESONATORS YOU WORK WITH  
P1027 P2-44 ARE ROTATING JOINTS USED IN WAVEGUIDES OR CAVITY  
RESONATORS YOU WORK WITH  
P1028 P2-45 ARE DON'T REMEMBER THE KIND OF JOINTS USED IN  
WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P1029 P2-46 DO YOU TUNE CAVITY RESONATORS USING CAPACITIVE TUNING  
P1030 P2-47 DO YOU TUNE CAVITY RESONATORS USING INDUCTIVE TUNING  
P1031 P2-48 DO YOU TUNE CAVITY RESONATORS USING VOLUME TUNING  
P1032 P2-49 DO YOU TUNE CAVITY RESONATORS USING DON'T REMEMBER  
THE METHOD OF TUNING  
P1033 P2-50 DO YOU MEASURE THE FREQUENCY OF SIGNALS IN CAVITY  
RESONATORS  
P1034 P3-01 IN YOUR PRESENT JOB DO YOU WORK WITH KLYSTRONS,  
TRAVELLING WAVE TUBES (TWTL), PARAMETRIC AMPLIFIERS, OR  
P1035 P3-02 DO YOU USE OR REFER TO INTERELECTRODE CAPACITANCE  
P1036 P3-03 DO YOU USE OR REFER TO ELECTRON TRANSIT TIME  
P1037 P3-04 DO YOU USE OR REFER TO LEAD INDUCTANCE

MICROWAVE AMPLIFIERS  
AND OSCILLATORS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	SPC 006	SPC 007	SPC 008	SPC 009	SPC 010	SPC 011	SPC 012
P1038 P3-05 DO YOU USE OR REFER TO RF LOSSES IN EXTERNAL CIRCUITRY	17	21	20	29	23	20	15
P1039 P3-06 DO YOU USE OR REFER TO PRINCIPLE OF ELECTRON VELOCITY MODULATION	16	15	15	21	24	21	15
P1040 P3-07 DO YOU USE OR REFER TO ELECTRON BUNCHING	15	16	16	24	25	23	12
P1041 P3-08 DO YOU WORK WITH TWO-CAVITY KLYSTRONS	12	15	14	19	9	10	9
P1042 P3-09 DO YOU WORK WITH THREE-CAVITY KLYSTRONS	7	10	9	13	5	2	9
P1043 P3-10 DO YOU WORK WITH REFLEX KLYSTRONS	21	27	26	40	41	34	24
P1044 P3-11 DO YOU WORK WITH TRAVELING-WAVE TUBES (TWT)	13	20	18	31	34	26	18
P1045 P3-12 DO YOU WORK WITH NONDEGENERATIVE PARAMETRIC AMPLIFIERS	3	3	3	9	5	2	6
P1046 P3-13 DO YOU WORK WITH UP-CONVERTER PARAMETRIC AMPLIFIERS	3	3	3	8	4	2	6
P1047 P3-14 DO YOU WORK WITH MAGNETRONS	5	9	8	16	12	8	15
P1048 P3-15 DO YOU INSPECT KLYSTRONS OR TWT	17	27	24	38	36	30	18
P1049 P3-16 DO YOU CLEAN KLYSTRONS OR TWT	14	21	19	24	23	15	12
P1050 P3-17 DO YOU TUNE KLYSTRONS OR TWT ELECTRICALLY	14	27	25	37	41	33	21
P1051 P3-18 DO YOU TUNE KLYSTRONS OR TWT MECHANICALLY	14	25	22	38	39	31	18
P1052 P3-19 DO YOU PERFORM OPERATIONAL CHECKS OF KLYSTRONS OR TWT	27	27	26	40	41	33	24
P1053 P3-20 DO YOU TROUBLESHOOT KLYSTRONS OR TWT	18	27	25	33	34	28	21
P1054 P3-21 DO YOU REMOVE OR REPLACE COMPLETE KLYSTRON OR TWT	20	28	26	37	36	30	21
P1055 P3-22 DO YOU REMOVE OR REPLACE KLYSTRON OR TWT COMPONENTS	12	16	15	21	15	13	18
P1056 P3-23 DO YOU INSPECT PARAMETRIC AMPLIFIERS	8	4	5	9	9	3	6
P1057 P3-24 DO YOU CLEAN PARAMETRIC AMPLIFIERS	5	4	4	8	5	2	3
P1058 P3-25 DO YOU ADJUST PARAMETRIC AMPLIFIERS	7	4	5	9	7	3	3
P1059 P3-26 DO YOU TUNE PARAMETRIC AMPLIFIERS	7	4	5	9	7	3	3
P1060 P3-27 DO YOU PERFORM OPERATIONAL CHECKS OF PARAMETRIC AMPLIFIERS	7	4	5	10	8	3	6
P1061 P3-28 DO YOU TROUBLESHOOT PARAMETRIC AMPLIFIERS	7	4	5	9	7	2	6
P1062 P3-29 DO YOU REMOVE OR REPLACE COMPLETE PARAMETRIC AMPLIFIER	5	4	4	8	6	2	6
P1063 P3-30 DO YOU REMOVE OR REPLACE PARAMETRIC AMPLIFIER COMPONENTS	4	3	3	8	7	2	6
P1064 P3-31 DO YOU INSPECT MAGNETRONS	4	6	6	16	9	3	12
P1065 P3-32 DO YOU CLEAN MAGNETRONS	3	6	5	10	5	3	9
P1066 P3-33 DO YOU ADJUST MAGNETRONS	3	6	5	14	7	3	6
P1067 P3-34 DO YOU TUNE MAGNETRONS	3	6	5	14	9	3	9
P1068 P3-35 DO YOU PERFORM OPERATIONAL CHECKS OF MAGNETRONS	3	6	6	16	9	3	15
P1069 P3-36 DO YOU TROUBLESHOOT MAGNETRONS	3	6	6	14	8	3	12
P1070 P3-37 DO YOU REMOVE OR REPLACE COMPLETE MAGNETRON	3	6	5	14	7	3	12
P1071 P3-38 DO YOU REMOVE OR REPLACE MAGNETRON COMPONENTS	3	3	3	7	4	3	12
P1072 P3-39 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS COLLECTOR PLATES	12	14	13	14	14	13	9
P1073 P3-40 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATCHER CAVITIES	11	12	11	14	12	11	9
P1074 P3-41 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATCHER GRIDS	12	13	13	14	13	15	9

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	DY-15K										
	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
	006	007	008	009	010	011	012				
P1075 P3-42 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS FEEDBACK LOOPS	14	15	15	16	13	11	9				
P1076 P3-43 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS ORIFT SPACES	10	9	9	10	9	10	3				
P1077 P3-44 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS BUNCHER GRIDS	11	11	11	14	14	16	9				
P1078 P3-45 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS BUNCHER CAVITIES	11	12	11	12	13	13	9				
P1079 P3-46 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CONTROL GRIDS	13	14	13	15	17	16	9				
P1080 P3-47 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATHODES	13	14	14	14	16	16	9				
P1081 P3-48 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON REPELLER (REFLECTOR) PLATES	17	25	23	36	39	31	24				
P1082 P3-49 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRIDS	20	22	21	35	38	31	18				
P1083 P3-50 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRID CAVITY GAPS	16	18	17	27	22	21	18				
P1084 P3-51 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON RESONANT CAVITIES	18	23	22	36	34	31	21				
P1085 P3-52 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON MAGNETIC COUPLING LOOPS	11	14	13	25	28	20	18				
P1086 P3-53 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON FILAMENTS	18	23	22	33	37	26	18				
P1087 P3-54 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON CATHODES	18	21	20	32	39	30	21				
P1088 P3-55 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON OUTPUT LEADS	18	23	21	35	34	28	18				
P1089 P3-56 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES FILAMENTS	15	16	16	26	29	21	15				
P1090 P3-57 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES CATHODES	15	16	16	25	29	21	18				
P1091 P3-58 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MODULATOR GRIDS	14	14	14	23	30	18	15				
P1092 P3-59 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ANODES	15	17	17	26	20	23	18				
P1093 P3-60 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES HELICES	15	16	16	25	30	21	18				
P1094 P3-61 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES COLLECTORS	14	15	15	24	29	21	15				
P1095 P3-62 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MAGNETS	10	12	11	19	26	18	15				
P1096 P3-63 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ATTENUATORS	19	15	14	25	26	21	15				
P1097 P3-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE CIRCULATORS	3	1	2	8	5	2	3				
P1098 P3-65 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL CAVITIES	5	2	3	10	7	2	9				



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC SPC SPC SPC  
006 007 008 009 010 011 012

P1099 P3-66 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER IDLER  
CAVITIES 3 1 2 7 5 2 3  
P1100 P3-67 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER VARACTOR  
DIODES 7 3 4 9 8 3 6  
P1101 P3-68 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE  
ISOLATORS 7 2 3 10 8 5 9  
P1102 P3-69 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER REVERSE-  
BIAS BATTERIES 4 1 2 9 3 2 3  
P1103 P3-70 DO YOU PERFORM TASKS ON ANODES 3 4 4 8 5 2 3  
P1104 P3-71 DO YOU PERFORM TASKS ON ANODE COOLING PINS 2 3 3 6 3 2 3  
P1105 P3-72 DO YOU PERFORM TASKS ON COUPLING LOOPS 3 4 4 8 6 2 6  
P1106 P3-73 DO YOU PERFORM TASKS ON HEATER LEADS 3 4 4 8 5 2 6  
P1107 P3-74 DO YOU PERFORM TASKS ON RESONANT CAVITIES 3 5 4 10 5 2 3  
P1108 P3-75 DO YOU PERFORM TASKS ON CATHODES 3 4 3 9 6 2 3  
P1109 P3-76 DO YOU PERFORM TASKS ON MAGNETS 3 3 3 8 5 2 3  
Q1110 Q1-01 DO YOU USE OR REFER TO STORAGE REGISTERS 20 15 16 23 26 25 9  
Q1111 Q1-02 DO YOU USE OR REFER TO SHIFT REGISTERS 18 16 16 22 23 25 9  
Q1112 Q1-03 DO YOU USE OR REFER TO LOGIC SYMBOLS OF SHIFT  
REGISTERS 17 14 15 21 22 21 12  
Q1113 Q1-04 DO YOU USE OR REFER TO LOGIC SYMBOLS OF STORAGE  
REGISTERS 17 14 14 20 25 21 12  
Q1114 Q1-05 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF  
SHIFT REGISTERS 18 14 15 20 22 15 9  
Q1115 Q1-06 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF  
OTHER TYPE OF REGISTERS 18 13 14 20 24 15 12  
Q1116 Q1-07 DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP OF A  
SHIFT REGISTER AFTER A SPECIFIED NUMBER OF SHIFT PULSES  
Q1117 Q2-01 DO YOU WORK WITH DIGITAL COUNTERS, REGISTERS, OR  
STORAGE DEVICES IN YOUR PRESENT JOB 26 34 32 36 36 26 21  
Q1118 Q2-02 DO YOU USE OR REFER TO DELAY LINES 23 27 26 31 32 20 18  
Q1119 Q2-03 DO YOU USE OR REFER TO MAGNETIC CORES 12 8 10 3 10 7 12  
Q1120 Q2-04 DO YOU USE OR REFER TO MAGNETIC DRUMS 5 3 3 5 3 5 9  
Q1121 Q2-05 DO YOU USE OR REFER TO MAGNETIC TAPES 7 4 5 6 4 5 15  
Q1122 Q2-06 DO YOU USE OR REFER TO ACCESS TIME OR SPEED OR  
MEMORY SYSTEMS 7 8 7 12 7 3 9  
Q1123 Q2-07 DO YOU USE OR REFER TO WORD CAPACITY OF MEMORY  
SYSTEMS 5 8 7 9 6 2 9  
Q1124 Q2-08 DO YOU USE OR REFER TO VOLATILITY OF MEMORY SYSTEMS 5 5 5 7 3 2 9  
Q1125 Q2-09 DO YOU USE OR REFER TO LOGIC SYMBOLS OF DELAY LINES 14 12 13 16 17 10 9  
Q1126 Q3-01 IN YOUR PRESENT JOB, DO YOU WORK WITH DIGITAL-TO-  
ANALOG (D/A) CONVERTERS, ANALOG-TO-DIGITAL (A/D)  
Q1127 Q3-02 DO YOU COMPUTE OUTPUT VOLTAGES FOR ELECTROMECHANICAL  
DIGITAL-TO-ANALOG (D/A) CONVERTERS FOR GIVEN INPUT 9 10 10 8 11 5 0  
Q1128 Q3-03 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE  
COUNT IN ELECTROMECHANICAL DIGITAL-TO-ANALOG (D/A) 8 8 7 7 6 7 3

REGISTERS

STORAGE DEVICES

DIGITAL TO ANALOG CONVERTERS

AD-A032 843

AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9  
ELECTRONICS PRINCIPLES PRECISION MEASURING EQUIPMENT CAREER LAD--ETC(U)  
NOV 76


UNCLASSIFIED

AFPT-90-324-222

NL

2 OF 3

AD  
A032 843



END

DATE

FILMED

1-77

cont.





TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DT-TSK	SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC SPC											
	006	007	008	009	010	011	012	013	014	015	016	017
51156 53-07 00 YOU USE DETECTORS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	25	24	24	31	31	31	24					
51157 53-08 00 YOU USE ERROR SIGNAL DEVICES IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	22	23	23	31	35	33	21					
51158 53-09 00 YOU USE COMPARISON CIRCUITS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	25	26	26	33	39	33	21					
71159 71-01 00 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH INFRARED SYSTEMS	2	2	2	3	1	2	3					
71160 71-02 00 YOU INSPECT INFRARED SYSTEMS	2	1	2	2	0	2	3					
71161 71-03 00 YOU CLEAN INFRARED SYSTEMS	1	1	1	2	0	0	3					
71162 71-04 00 YOU ADJUST OR CALIBRATE INFRARED SYSTEMS	2	1	1	2	0	2	0					
71163 71-05 00 YOU OPERATE INFRARED SYSTEMS	1	1	1	1	0	2	3					
71164 71-06 00 YOU TROUBLESHOOT WIRE CONNECTIONS OF INFRARED SYSTEMS	2	1	2	2	0	2	3					
71165 71-07 00 YOU TROUBLESHOOT MAJOR ASSEMBLIES OF INFRARED SYSTEMS	2	1	2	2	0	2	3					
71166 71-08 00 YOU TROUBLESHOOT DOWN TO INFRARED SYSTEM COMPONENT PARTS	2	1	2	2	0	2	3					
71167 71-09 00 YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF INFRARED SYSTEMS	1	1	1	1	0	2	3					
71168 71-10 00 YOU REMOVE OR REPLACE INFRARED SYSTEM COMPONENT PARTS	2	1	1	3	0	2	3					
71169 71-11 00 YOU USE OR REFER TO FAR REGION	2	0	1	1	0	2	0					
71170 71-12 00 YOU USE OR REFER TO INTERMEDIATE REGION	2	0	1	1	0	2	0					
71171 71-13 00 YOU USE OR REFER TO NEAR REGION	2	0	1	1	0	2	0					
71172 71-14 00 YOU USE OR REFER TO MICRON	2	0	1	2	1	2	3					
71173 71-15 00 YOU USE OR REFER TO GRAY BODIES	1	0	0	1	0	2	0					
71174 71-16 00 YOU USE OR REFER TO BLACK BODIES	2	1	1	1	1	2	3					
71175 71-17 00 YOU USE OR REFER TO ABSORPTION	1	0	1	1	1	2	3					
71176 71-18 00 YOU USE OR REFER TO SCATTERING	1	0	0	1	1	2	3					
71177 71-19 00 YOU USE OR REFER TO ABSOLUTE ZERO	3	0	1	2	1	2	3					
71178 71-20 00 YOU PERFORM TASKS ON BLITZ	0	0	0	0	0	0	0					
71179 71-21 00 YOU PERFORM TASKS ON TARGET BUTTONS	0	0	0	0	0	0	2					
71180 71-22 00 YOU PERFORM TASKS ON EJECTOR LENSES	0	0	0	0	0	0	2					
71181 71-23 00 YOU PERFORM TASKS ON OCULAR LENSES	1	0	0	0	0	1	2					
71182 71-24 00 YOU PERFORM TASKS ON CORRECTION LENSES	0	0	0	0	0	0	2					
71183 71-25 00 YOU PERFORM TASKS ON FILTERS	1	0	1	1	0	2	3					
71184 71-26 00 YOU PERFORM TASKS ON SPHERICAL MIRRORS	2	0	1	0	0	2	3					
71185 71-27 00 YOU PERFORM TASKS ON FLAME MIRRORS	1	0	0	1	0	2	3					
71186 72-01 00 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH LASERS	0	1	1	1	1	1	0					
71187 72-02 00 YOU INSPECT LASER SYSTEMS	0	0	0	0	0	1	0					
71188 72-03 00 YOU CLEAN LASER SYSTEMS	0	0	0	0	0	0	0					
71189 72-04 00 YOU OPERATE LASER SYSTEMS	0	0	0	0	1	0	0					
71190 72-05 00 YOU OPERATE LASER SYSTEMS	0	0	0	0	1	0	0					
71191 72-06 00 YOU TROUBLESHOOT WIRE CONNECTIONS OF LASER SYSTEMS	0	0	0	0	0	1	0					

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

		SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC	SPC
		006	007	008	009	010	011	012		
DY-15K										
71192 72-07 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF LASER SYSTEMS		0	0	0	0	0	1	0	0	0
71193 72-08 DO YOU TROUBLESHOOT TO COMPONENT PARTS OF LASER SYSTEMS		0	0	0	0	0	1	0	0	0
71194 72-09 DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF LASER SYSTEMS		0	0	0	0	0	1	0	0	0
71195 72-10 DO YOU REMOVE OR REPLACE COMPONENT PARTS OF LASER SYSTEMS		0	0	0	0	0	1	0	0	0
71196 72-11 DO YOU USE OR REFER TO ANGSTROMS (A)		0	0	0	0	1	0	0	0	0
71197 72-12 DO YOU USE OR REFER TO ELECTRON ENERGY LEVELS		0	0	0	0	0	0	0	0	0
71198 72-13 DO YOU USE OR REFER TO GROUND STATE		0	0	0	0	1	0	0	0	0
71199 72-14 DO YOU USE OR REFER TO EXCITED STATE		0	0	0	0	1	0	0	0	0
71200 72-15 DO YOU USE OR REFER TO PACKET OF RADIATION		0	0	0	0	0	0	0	0	0
71201 72-16 DO YOU USE OR REFER TO PHOTONS		0	0	0	0	1	1	0	0	0
71202 72-17 DO YOU USE OR REFER TO SPONTANEOUS EMISSION		0	0	0	0	1	0	0	0	0
71203 72-18 DO YOU USE OR REFER TO STIMULATED EMISSION		0	0	0	0	1	0	0	0	0
71204 72-19 DO YOU USE OR REFER TO COHERENCE OR INCOHERENCE		0	0	0	0	1	0	0	0	0
71205 72-20 DO YOU USE OR REFER TO INVERSION LEVEL		0	0	0	0	0	0	0	0	0
71206 72-21 DO YOU USE OR REFER TO MONOCHROMATIC		0	1	1	1	1	1	0	0	0
71207 72-22 DO YOU WORK WITH ACTIVE MATERIALS		0	0	0	0	0	0	0	0	0
71208 72-23 DO YOU WORK WITH PUMPING SOURCES		0	0	0	0	0	0	0	0	0
71209 72-24 DO YOU WORK WITH FULL SILVERED (100% REFLECTIVE)		0	0	0	0	0	0	0	0	0
MIRRORS										
71210 72-25 DO YOU WORK WITH HALF SILVERED (92% REFLECTIVE)		0	0	0	0	0	0	0	0	0
MIRRORS										
71211 72-26 DO YOU WORK WITH HELICAL FLASHTUBES		0	0	0	0	0	0	0	0	0
71212 72-27 DO YOU WORK WITH RUBY		0	0	0	0	0	0	0	0	0
71213 72-28 DO YOU WORK WITH HELIUM-NEON		0	0	0	0	1	0	0	0	0
71214 72-29 DO YOU WORK WITH HELIUM-XENON		0	0	0	0	0	0	0	0	0
71215 72-30 DO YOU WORK WITH XENON		0	0	0	0	0	0	0	0	0
71216 72-31 DO YOU WORK WITH CESIUM-HELLIUM		0	0	0	0	0	0	0	0	0
71217 72-32 DO YOU WORK WITH ARGON		0	0	0	0	0	0	0	0	0
71218 72-33 DO YOU WORK WITH NEODYMIUM IN GLASS		0	0	0	0	0	0	0	0	0
71219 72-34 DO YOU WORK WITH GALLIUM ARSENIDE		0	0	0	0	0	0	0	0	0
71220 73-01 IN YOUR PRESENT JOB DO YOU WORK WITH DISPLAY TUBES, SUCH AS DIRECT VIEW STORAGE (DVST) OR MULTIPLE MODE		10	13	12	12	12	11	11	6	6
71221 73-02 DO YOU INSPECT DVST OR NMST		8	9	9	9	10	9	7	6	6
71222 73-03 DO YOU CLEAN DVST OR NMST		7	8	7	7	7	5	7	7	6
71223 73-04 DO YOU ADJUST OR CALIBRATE DVST OR NMST		5	8	7	8	9	9	8	6	6
71224 73-05 DO YOU OPERATE SYSTEMS THAT CONTAIN DVST OR NMST		8	10	10	11	11	10	8	9	9
71225 73-06 DO YOU TROUBLESHOOT DVST OR NMST		8	10	9	10	10	9	7	7	9
CIRCUITS										
71226 73-07 DO YOU REMOVE OR REPLACE DVST OR NMST TUBES FROM MAJOR ASSEMBLIES OR UNITS		8	9	9	9	10	8	7	9	9
71227 73-08 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME THE VARIOUS ELEMENTS OF DVST		4	4	4	4	4	5	5	3	3



**0Y-75K**

## DB AND POWER RATIOS



UNITED STATES AIR FORCE  
JOB INVENTORYPRECISION MEAS. EQUIP SPECIALIST  
AFSCS 316X0/93

A MATHEMATICS, DIRECT CURRENT, VOLTAGE, AND  
RESISTANCE

A 1 AI-01 DO YOU USE AN INSTRUMENT, SUCH AS METER OR AN  
OSCILLOSCOPE, IN WHICH IT IS NECESSARY TO AMPLIFY OR  
ATTENUATE A VOLTAGE, RESISTANCE, ETC., BY POWERS OF 10.

A 2 AI-02 DO YOU USE A PUBLICATION, SUCH AS A TECHNICAL  
ORDER OR MAINTENANCE MANUAL, IN WHICH IT IS NECESSARY  
FOR YOU TO MULTIPLY OR DIVIDE BY A POWER OF 10 BEFORE  
YOU CAN APPLY THE INFORMATION FROM THE PUBLICATION IN A  
USEFUL WAY ON THE JOB.

A 3 AI-03 DO YOU REARRANGE AND SOLVE FORMULAS OR EQUATIONS.

A 4 AI-04 DO YOU FIND THE SQUARE ROOT OF A QUANTITY.

A 5 AI-05 DO YOU SOLVE FOR AN UNKNOWN QUANTITY.

A 6 AI-06 DO YOU CONVERT NUMBERS TO LOGARITHMS.

A 7 AI-07 DO YOU USE LOGARITHM TABLES IN ANY TYPE OF  
CALCULATIONS.

A 8 AI-08 DO YOU SOLVE QUADRATIC EQUATIONS.

A 9 AI-09 DO YOU USE THE NATURAL SYSTEM OF LOGARITHMS (THIS  
IS THE LOGARITHM SYSTEM WHICH USES THE NUMBER 2.718 AS  
A BASE).

A 10 AI-10 DO YOU WORK WITH VECTOR QUANTITIES, SUCH AS ADDING  
OR SUBTRACTING TWO VECTORS.

A 11 AI-11 DO YOU WORK WITH TRIGONOMETRIC FUNCTIONS SUCH AS  
SINE, COSINE, OR TANGENT.

A 12 AI-12 DO YOU DETERMINE ANGLES OF PLANE FIGURES, SUCH AS  
AREAS OF CIRCLES OR TRIANGLES.

A 13 AI-13 DO YOU SOLVE OR USE SIMULTANEOUS EQUATIONS.

A 14 AI-14 DO YOU SOLVE OR USE PROPORTIONS.

A 15 AI-01 DO YOU USE THE TERM VOLTAGE OR VOLT.

A 16 AI-02 DO YOU USE THE TERM ELECTROMOTIVE FORCE (EMF).

A 17 AI-03 DO YOU USE THE TERM OHM.

A 18 AI-04 DO YOU USE THE TERM ION.

A 19 AI-05 DO YOU USE THE TERM DYNE.

A 20 AI-06 DO YOU USE THE TERM AMPERE.

A 21 AI-07 DO YOU USE THE TERM NEUTRON.

A 22 AI-08 DO YOU USE THE TERM COULOMB.

A 23 AI-09 DO YOU USE THE TERM PROTON.

A 24 AI-01 DO YOU WORK WITH RESISTORS IN YOUR PRESENT JOB.

A 25 AI-02 DO YOU INSPECT RESISTORS.

A 26 AI-03 DO YOU CLEAN RESISTORS.

A 27 AI-04 DO YOU ADJUST RESISTORS.

A 28 AI-05 DO YOU CHECK OHMIC VALUE OF RESISTORS.

A 29 AI-06 DO YOU REMOVE OR REPLACE RESISTORS.

A 30 AI-07 DO YOU USE OR REFER TO TEMPERATURE COEFFICIENTS  
FOR RESISTORS ON ANY TASKS IN YOUR PRESENT JOB.

A 31 AI-08 DO YOU USE OR REFER TO RESISTOR SYMBOLS, SUCH AS  
FOR FIXED RESISTORS OR FOR TAPPED RESISTORS.

A 32 AI-09 DO YOU IDENTIFY OR CLASSIFY THE RESISTORS YOU  
WORK WITH AS CARBON, FIXED WIRE, SLIDE TAP, RHEOSTAT OR  
POTENTIOMETER.

A 33 AI-10 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE  
THE OHMIC VALUE OF RESISTANCE.

A 34 AI-11 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE  
THE TOLERANCE OF RESISTORS.

A 35 AI-12 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE  
THE FAILURE RATE OF RESISTORS.

A 36 AI-13 DO YOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE  
HOW TWO OR MORE BATTERIES MUST BE CONNECTED TOGETHER TO  
ACHIEVE A SPECIFIC VOLTAGE.

A 37 AI-14 DO YOU USE OR REFER TO THE SCHEMATIC SYMBOLS WHICH  
REPRESENT ANY OF THE FOLLOWING COMPONENTS: BATTERY,  
FUSE, CONDUCTOR, LAMP OR SWITCH.

A 38 AI-15 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES  
RESISTIVE CIRCUITS.

A 39 AI-16 DO YOU CALCULATE TOTAL CURRENT FOR SERIES  
RESISTIVE CIRCUITS.

A 40 AI-17 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR  
SERIES RESISTIVE CIRCUITS.

A 41 AI-18 DO YOU CALCULATE POWER DISSIPATION FOR  
SERIES RESISTIVE CIRCUITS.

A 42 AI-19 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES  
PARALLEL RESISTIVE CIRCUITS.

A 43 AI-20 DO YOU CALCULATE TOTAL CURRENT FOR SERIES  
PARALLEL RESISTIVE CIRCUITS.

A 44 AI-21 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR  
SERIES PARALLEL RESISTIVE CIRCUITS.

A 45 AI-22 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR  
SERIES PARALLEL RESISTIVE CIRCUITS.

A 46 AI-23 DO YOU CALCULATE POWER DISSIPATION FOR SERIES  
PARALLEL RESISTIVE CIRCUITS.

A 47 AI-24 DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL  
RESISTIVE CIRCUITS.

A 48 AI-25 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL  
RESISTIVE CIRCUITS.

A 49 AI-26 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR  
PARALLEL RESISTIVE CIRCUITS.

A 50 AI-27 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR  
PARALLEL RESISTIVE CIRCUITS.

A 51 AI-28 DO YOU CALCULATE POWER DISSIPATION FOR PARALLEL  
RESISTIVE CIRCUITS.

B	MULTIMETER USES, ALTERNATING CURRENT, INDUCTORS, AND INDUCTIVE		INDUCTORS IN PARALLEL.	
	B 52	B1-01 DO YOU MEASURE RESISTANCE.	B 85	B3-19 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR
	B 53	B1-02 DO YOU REPAIR AN OHMMETER.	B 86	B3-20 DO YOU USE OR REFER TO THE GENERAL RULE THAT
	B 54	B1-03 DO YOU MEASURE VOLTAGE.	B 87	B3-21 DO YOU CALCULATE INDUCTIVE REACTANCE.
	B 55	B1-04 DO YOU REPAIR A VOLTMETER.	B 88	B3-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT
	B 56	B1-05 DO YOU REPAIR AN AMMETER.		INDUCTIVE REACTANCE IS DIRECTLY PROPORTIONAL TO
	B 57	B1-06 DO YOU MEASURE CURRENT.		FREQUENCY.
	B 58	B1-07 DO YOU USE A MULTIMETER.	B 89	B3-23 DO YOU WORK WITH POWER INDUCTORS.
	B 59	B1-08 DO YOU DIRECTLY USE A QUANTITY OF CHARGE CALLED	B 90	B3-24 DO YOU WORK WITH AUDIO FREQUENCY INDUCTORS.
		A COULOMB.	B 91	B3-25 DO YOU WORK WITH RADIO FREQUENCY INDUCTORS.
C	READ SCHEMATICS.		CAPACITORS, CAPACITIVE REACTANCE, TRANSFORMERS,	
	B 60	B1-09 DO YOU USE OR REFER THE TERM EFFECTIVE VOLTAGE		AND MAGNETISM
	B 61	B2-01 DO YOU USE OR REFER THE TERM EFFECTIVE VOLTAGE		
		(RMS).		
	B 62	B2-02 DO YOU USE OR REFER THE TERM PEAK TO PEAK VOLTAGE.	C 92	C1-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS
	B 63	B2-03 DO YOU USE OR REFER THE TERM AVERAGE VOLTAGE (DC).		CONTAINING CAPACITORS ON YOUR PRESENT JOB.
	B 64	B2-04 DO YOU USE OR REFER THE TERM WAVE LENGTH.	C 93	C1-02 DO YOU INSPECT CAPACITORS.
	B 65	B2-05 DO YOU USE OR REFER THE TERM FREQUENCY.	C 94	C1-03 DO YOU CLEAN CAPACITORS.
	B 66	B2-06 DO YOU USE OR REFER THE TERM INSTANTANEOUS VALUE.	C 95	C1-04 DO YOU ADJUST CAPACITORS.
	B 67	B3-01 DO YOU WORK WITH INDUCTORS OR CIRCUITS CONTAINING	C 96	C1-05 DO YOU TEST CAPACITORS.
	INDUCTORS, CHOKES, OR CHOKER COILS IN YOUR PRESENT JOB.		C 97	C1-06 DO YOU DISCHARGE CAPACITORS.
	B 68	B3-02 DO YOU INSPECT INDUCTORS.	C 98	C1-07 DO YOU REMOVE OR REPLACE CAPACITORS.
	B 69	B3-03 DO YOU CLEAN INDUCTORS.	C 99	C1-08 DO YOU USE OR REFER TO DISTRIBUTED CAPACITANCE.
	B 70	B3-04 DO YOU ADJUST INDUCTORS.	C100	C1-09 DO YOU USE OR REFER TO ORBITAL STRESS OF ELECTRONS
	B 71	B3-05 DO YOU REMOVE OR REPLACE INDUCTORS.		IN A DIELECTRIC.
	B 72	B3-06 DO YOU USE OR REFER TO INDUCTANCE.	C101	C1-10 DO YOU USE OR REFER TO FARADS, MICROFARADS, OR
				PICOFARADS.
	B 73	B3-07 DO YOU USE OR REFER TO HENRIES.	C102	C1-11 DO YOU USE OR REFER TO CAPACITANCE.
	B 74	B3-08 DO YOU USE OR REFER TO INDUCTIVE REACTANCE.	C103	C1-12 DO YOU USE OR REFER TO DIELECTRIC CONSTANT.
	B 75	B3-09 DO YOU USE OR REFER TO COPPER LOSS IN INDUCTORS.	C104	C1-13 DO YOU USE OR REFER TO WORKING VOLTAGE RATING OF
	INDUCTORS.			CAPACITORS.
	B 76	B3-10 DO YOU USE OR REFER TO HYSTERESIS LOSS IN	C105	C1-14 DO YOU USE OR REFER TO CAPACITIVE REACTANCE.
		INDUCTORS.	C106	C1-15 DO YOU USE OR REFER TO CAPACITOR COLOR CODES.
	B 78	B3-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT	C107	C1-16 THE CAPACITORS YOU WORK WITH IN DC CIRCUITS.
		INDUCTANCE IS PROPORTIONAL TO THE SQUARE OF THE	C108	C1-17 THE CAPACITORS YOU WORK WITH ARE IN AC CIRCUITS.
		NUMBER OF TURNS OF THE COIL.	C109	C1-18 THE CAPACITORS YOU WORK WITH ARE IN CIRCUITS WITH
	B 79	B3-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE		BOTH DC AND AC.
		INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE	C110	C1-19 THE CAPACITORS YOU WORK WITH ARE DON'T REMEMBER
		CROSS SECTIONAL AREA OF THE CORE.		WHICH CIRCUITS.
	B 80	B3-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT	C111	C1-20 DO YOU CALCULATE CAPACITANCE FOR A PARTICULAR
	THE INDUCTANCE OF A COIL IS INVERSELY PROPORTIONAL TO			CAPACITOR USING FORMULAS.
		ITS LENGTH.	C112	C1-21 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE
	B 81	B3-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE		CAPACITANCE OF A CAPACITOR IS DIRECTLY PROPORTIONAL
		INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE		TO THE DIELECTRIC CONSTANT.
		PERMEABILITY OF THE CORE MATERIAL.	C113	C1-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE
	B 82	B3-16 DO YOU CALCULATE INDUCTANCE FOR A PARTICULAR		CAPACITANCE OF A CAPACITOR IS INVERSELY PROPORTIONAL
		INDUCTOR USING FORMULAS.		TO THE DIELECTRIC THICKNESS.
	B 83	B3-17 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR	C114	C1-23 DO YOU CALCULATE THE TOTAL CAPACITANCE OF
		INDUCTORS IN SERIES.		CAPACITORS IN SERIES.
	B 84	B3-18 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR	C115	C1-24 DO YOU CALCULATE THE TOTAL CAPACITANCE OF



C116 C1-25 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES-PARALLEL CIRCUITS.	C149 C2-22 DO YOU MEASURE RESISTANCE OF TRANSFORMER WINDINGS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-DOWN TURNS RATIO.
C117 C1-26 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT DOES NOT FLOW THROUGH CAPACITORS, IT ONLY APPEARS TO DO SO.	C150 C2-23 DO YOU MEASURE OUTPUT VOLTAGE OF TRANSFORMERS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-DOWN TURNS RATIO.
C118 C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LEADS VOLTAGE IN AC CAPACITOR CIRCUITS.	C151 C2-24 DO YOU REFER TO THE BASIC TRANSFORMER SCHEMATIC SYMBOLS FOR TRANSFORMERS.
C119 C1-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITIVE REACTANCE IS INVERSELY PROPORTIONAL TO FREQUENCY.	C152 C2-25 DO YOU REFER TO THE MULTIPLE SECONDARY-WINDINGS SCHEMATIC SYMBOLS FOR TRANSFORMERS.
C120 C1-29 DO YOU CALCULATE CAPACITIVE REACTANCE.	C153 C2-26 DO YOU REFER TO THE MULTIPLE TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS.
C121 C1-30 DO YOU WORK WITH ROTOR-STATOR CAPACITORS (VARIABLE).	C154 C2-27 DO YOU REFER TO THE CENTER TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS.
C122 C1-31 DO YOU WORK WITH COMPRESSION (TRIMMER) CAPACITORS.	C155 C2-28 DO YOU REFER TO THE AIR CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS.
C123 C1-32 DO YOU WORK WITH ELECTROLYTIC CAPACITORS (FIXED).	C156 C2-29 DO YOU REFER TO THE IRON CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS.
C124 C1-33 DO YOU WORK WITH PAPER CAPACITORS (FIXED).	C157 C2-30 DO YOU REFER TO THE COMBINATIONS OF THE ABOVE SCHEMATIC SYMBOLS FOR TRANSFORMERS.
C125 C1-34 DO YOU WORK WITH MICA CAPACITORS (FIXED).	C158 C2-31 DO YOU DETERMINE PHASE RELATIONSHIPS BETWEEN SECONDARY AND PRIMARY VOLTAGES OF TRANSFORMERS USING SCHEMATIC SYMBOLS.
C126 C1-35 DO YOU WORK WITH CERAMIC CAPACITORS (FIXED).	C159 C2-32 DO YOU DETERMINE OR REFER TO THE TYPE OF CORE IN TRANSFORMERS YOU WORK WITH.
C127 C1-36 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF CAPACITORS.	C160 C2-33 DO YOU REFER TO OR USE THE GENERAL RULE THAT THE TURNS RATIO OF A TRANSFORMER IS EQUAL TO THE VOLTAGE RATIO.
C128 C2-01 DO YOU WORK WITH TRANSFORMERS ON YOUR PRESENT JOB.	C161 C2-34 DO YOU USE OR REFER TO STEP-UP OR STEP-DOWN RATIOS FOR TRANSFORMERS.
C129 C2-02 DO YOU INSPECT TRANSFORMERS.	C162 C2-35 DO YOU CALCULATE VOLTAGE RATIOS FOR TRANSFORMERS USING TURNS RATIOS.
C130 C2-03 DO YOU CLEAN TRANSFORMERS.	C163 C2-36 DO YOU CALCULATE CURRENT RATIOS FOR TRANSFORMERS USING TURNS RATIOS.
C131 C2-04 DO YOU ADJUST TRANSFORMERS.	C164 C2-37 DOES YOUR JOB INVOLVE ANY TASKS DEALING WITH 3 PHASE TRANSFORMERS.
C132 C2-05 DO YOU TROUBLESHOOT TRANSFORMERS.	C165 C2-38 DO YOU INSPECT 3 PHASE TRANSFORMERS.
C133 C2-06 DO YOU REMOVE OR REPLACE COMPLETE TRANSFORMERS.	C166 C2-39 DO YOU CLEAN OR LUBRICATE 3 PHASE TRANSFORMERS.
C134 C2-07 DO YOU REMOVE OR REPLACE TRANSFORMER PARTS, SUCH AS THE PRIMARY WINDING.	C167 C2-40 DO YOU ADJUST 3 PHASE TRANSFORMERS.
C135 C2-08 DO YOU MAKE A DISTINCTION BETWEEN MUTUAL INDUCTION AND MUTUAL INDUCTANCE (M).	C168 C2-41 DO YOU TROUBLESHOOT 3 PHASE TRANSFORMERS.
C136 C2-09 DO YOU USE THE SYMBOL FOR MUTUAL INDUCTANCE, M.	C169 C2-42 DO YOU REMOVE OR REPLACE COMPLETE 3 PHASE TRANSFORMERS.
C137 C2-10 DO YOU REFER TO OR USE THE COEFFICIENT OF COUPLING WHEN WORKING WITH TRANSFORMERS.	C170 C2-43 DO YOU REMOVE OR REPLACE 3 PHASE TRANSFORMER PARTS, SUCH AS A WINDING.
C138 C2-11 DO YOU CALCULATE TURNS RATIOS FOR TRANSFORMERS USING CURRENT OR VOLTAGE RATIOS.	C171 C3-01 DO YOU USE OR REFER TO PERMANENT MAGNETS.
C139 C2-12 DO YOU REFER TO REFLECTED IMPEDANCE WHEN WORKING WITH TRANSFORMERS.	C172 C3-02 DO YOU USE OR REFER TO TEMPORARY MAGNETS.
C140 C2-13 DO YOU CALCULATE IMPEDANCE INTERACTIONS FOR TRANSFORMERS.	C173 C3-03 DO YOU USE OR REFER TO RETENTIVITY OF MAGNETIC MATERIALS.
C141 C2-14 DO YOU WORK WITH AUTOTRANSFORMERS.	C174 C3-04 DO YOU USE OR REFER TO RELUCTANCE OF MAGNETIC MATERIALS.
C142 C2-15 DO YOU WORK WITH POWER TRANSFORMERS.	C175 C3-05 DO YOU USE OR REFER TO PERMEABILITY OF MAGNETIC MATERIALS.
C143 C2-16 DO YOU WORK WITH AUDIO TRANSFORMERS.	
C144 C2-17 DO YOU WORK WITH RADIO FREQUENCY TRANSFORMERS.	
C145 C2-18 DO YOU WORK WITH DON'T REMEMBER WHAT TYPE OF TRANSFORMER.	
C146 C2-19 DO YOU CHECK TRANSFORMERS FOR OPEN WINDINGS BY MEASURING RESISTANCE.	
C147 C2-20 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING RESISTANCE.	
C148 C2-21 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING OUTPUT VOLTAGES.	



C176 C3-04 DO YOU USE OR REFER TO RESIDUAL MAGNETISM.	D201 D1-17 DO YOU USE OR REFER TO HALF POWER POINTS WHEN WORKING WITH RCL CIRCUITS.
C177 C3-07 DO YOU USE OR REFER TO MAGNETIC LINES OF FORCE OR FLUX.	D202 D1-18 DO YOU USE OR REFER TO BRANDPASS REGION WHEN WORKING WITH RCL CIRCUITS.
C178 C3-08 DO YOU USE OR REFER TO WEBER'S THEORY OF MAGNETISM.	D203 D1-19 DO YOU USE OR REFER TO CIRCUIT Q WHEN WORKING WITH RCL CIRCUITS.
C179 C3-09 DO YOU USE OR REFER TO THE DOMAIN THEORY OF MAGNETISM.	D204 D1-20 DO YOU USE OR REFER TO TANK CIRCUITS WHEN WORKING WITH RCL CIRCUITS.
C180 C3-10 DO YOU USE OR REFER TO MAGNETIC INDUCTION.	D205 D1-21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS USING FORMULAS: SINE OF AN ANGLE = OPPOSITE SIDE DIVIDED BY HYPOTENUSE.
C181 C3-11 DO YOU USE OR REFER TO FLUX DENSITY.	D206 D1-22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE VECTOR DIAGRAMS FOR CIRCUITS.
C182 C3-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR MAGNETIC POLES, LIKE POLES REPEL AND UNLIKE POLES ATTRACT.	D207 D1-23 DO YOU CALCULATE TOTAL IMPEDANCE FOR CAPACITIVE CIRCUITS.
C183 C3-13 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES.	D208 D1-24 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE AND RESISTANCE IN CAPACITIVE CIRCUITS.
C184 C3-14 DO YOU USE THE LEFT THUMB RULE TO FIND THE NORTH POLE OF A CURRENT CARRYING COIL.	D209 D1-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL CIRCUITS.
D RCL CIRCUITS, SERIES AND PARALLEL RESONANCE (TIME CONSTANTS), AND FILTERS	D210 D1-26 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL CIRCUITS.
D185 D1-01 DO YOU WORK WITH RC, LR, OR RCL CIRCUITS ON YOUR PRESENT JOB.	D211 D1-27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES RCL CIRCUITS.
D186 D1-02 DO YOU USE OR REFER TO VECTORS WHEN WORKING WITH RCL CIRCUITS.	D212 D1-28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL CIRCUITS.
D187 D1-03 DO YOU USE OR REFER TO PYTHAGOREAN THEOREM WHEN WORKING WITH RCL CIRCUITS.	D213 D1-29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES RCL CIRCUITS.
D188 D1-04 DO YOU USE OR REFER TO SINE WHEN WORKING WITH RCL CIRCUITS.	D214 D1-30 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL CIRCUITS.
D189 D1-05 DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL CIRCUITS.	D215 D1-31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL RCL CIRCUITS.
D190 D1-06 DO YOU USE OR REFER TO TANGENT WHEN WORKING WITH RCL CIRCUITS.	D216 D1-32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING THE ASSUMED VOLTAGE METHOD.
D191 D1-07 DO YOU USE OR REFER TO WATTS WHEN WORKING WITH RCL CIRCUITS.	D217 D1-33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING OHM'S LAW.
D192 D1-08 DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS.	D218 D1-34 DO YOU CHECK CAPACITORS USING OHMMETERS.
D193 D1-09 DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN WORKING WITH RCL CIRCUITS.	D219 D1-35 DO YOU CHECK CAPACITORS USING SUBSTITUTION.
D194 D1-10 DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS.	D220 D1-36 DO YOU CHECK INDUCTORS USING OHMMETERS.
D195 D1-11 DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS.	D221 D1-37 DO YOU CHECK INDUCTORS USING SUBSTITUTION.
D196 D1-12 DO YOU USE OR REFER TO POWER FACTOR (PF) WHEN WORKING WITH RCL CIRCUITS.	D222 D1-38 DO YOU USE OR REFER TO THE GENERAL RULE THAT $\theta = 90^\circ - \phi$ , AND ADAPT FOR RESONANT CIRCUITS FOR RCL CIRCUITS.
D197 D1-13 DO YOU USE OR REFER TO RESONANT CIRCUITS WHEN WORKING WITH RCL CIRCUITS.	D223 D1-39 DO YOU CALCULATE RESONANT FREQUENCIES FOR RCL CIRCUITS.
D198 D1-14 DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS.	D224 D1-40 DO YOU USE OR REFER TO THE GENERAL RULE THAT IMPEDANCE IS MINIMUM AND CURRENT MAXIMUM AT THE RESONANT FREQUENCY FOR SERIES RCL CIRCUITS.
D199 D1-15 DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS.	D225 D1-41 DO YOU USE OR REFER TO THE GENERAL RULE THAT LINE CURRENT IS MINIMUM AND IMPEDANCE MAXIMUM AT RESONANT FREQUENCY FOR PARALLEL RCL CIRCUITS.
D200 D1-16 DO YOU USE OR REFER TO RESONANT FREQUENCY WHEN WORKING WITH RCL CIRCUITS.	D226 D1-42 DO YOU USE OR REFER TO THE GENERAL RULE THAT HALF POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK CURRENT VALUE.

D227 D1-43 DO YOU USE OR REFER TO THE GENERAL RULE THAT BANDWIDTH IS INVERSELY PROPORTIONAL TO Q.	D255 D3-17 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF FILTER CONFIGURATIONS.
D228 D1-44 DO YOU DETERMINE HOW CHANGES IN FREQUENCY, RESISTANCE, CAPACITANCE, OR INDUCTANCE WILL AFFECT CURRENT, OR PHASE ANGLES FOR RLC CIRCUITS.	D256 D3-18 ARE PARALLEL RESONANT CIRCUITS USED IN FILTERS YOU WORK WITH.
D229 D2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH, USE, OR REFER TO SERIES OR PARALLEL RESONANCE CIRCUITS OR TIME CONSTANTS.	D257 D3-19 ARE SERIES-PARALLEL CIRCUITS USED IN FILTERS YOU WORK WITH.
D230 D2-02 DO YOU WORK WITH, USE, OR REFER TO TIME CONSTANTS.	D258 D3-20 ARE SERIES RESONANT CIRCUITS USED IN FILTERS YOU WORK WITH.
D231 D2-03 DO YOU WORK WITH, USE, OR REFER TO AVAILABLE VOLTAGE.	D259 D3-21 ARE DON'T REMEMBER WHICH TYPE OF BASIC CIRCUIT USED IN FILTERS YOU WORK WITH.
D232 D2-04 DO YOU WORK WITH, USE, OR REFER TO TRANSIENT INTERVALS.	D260 D3-22 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CAPACITANCE OR INDUCTANCE VALUES REQUIRED FOR SPECIFIC FILTERS.
D233 D2-05 DO YOU USE OR REFER TO THE GENERAL RULE THAT A CAPACITOR IS FULLY CHARGED (OR DISCHARGED) AFTER FIVE (5) TIME CONSTANTS (TC).	E COUPLING, SOLDERING, AND RELAYS
D234 D2-06 DO YOU USE OR REFER TO UNIVERSAL TIME CONSTANT CHARTS.	E261 E1-01 DO YOU WORK WITH COUPLING DEVICES ON YOUR PRESENT JOB.
D235 D2-07 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CIRCUITS CURRENT OR COMPONENT VOLTAGES AFTER A SPECIFIC TIME FOR RC OR LR CIRCUITS.	E262 E1-02 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH RC COUPLING.
D236 D2-08 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE THE TIME REQUIRED FOR CIRCUIT CURRENT OR COMPONENT VOLTAGES TO REACH SPECIFIC VALUES FOR RC OR LR CIRCUITS.	E263 E1-03 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH IMPEDANCE COUPLING.
D237 D2-09 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE COMPONENT VALUES REQUIRED FOR CIRCUIT CURRENT AND COMPONENT VOLTAGES TO REACH SPECIFIC VALUES IN A SPECIFIC TIME.	E264 E1-04 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH TRANSFORMER COUPLING.
D238 D2-10 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT IN LR CIRCUITS REACHES ITS MINIMUM VALUE (OR ZERO) AFTER FIVE (5) TIME CONSTANTS.	E265 E1-05 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THE RC COUPLING FUNCTIONS.
D239 D3-01 DO YOU WORK WITH CIRCUITS USED AS FILTERS ON YOUR PRESENT JOB.	E266 E1-06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THE IMPEDANCE COUPLING FUNCTIONS.
D240 D3-02 DO YOU INSPECT FILTER CIRCUITS.	E267 E1-07 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THE TRANSFORMER COUPLING FUNCTIONS.
D242 D3-03 DO YOU CLEAN OR ADJUST FILTER CIRCUITS.	E268 E1-08 DO YOU WORK WITH DIRECTLY COUPLED CIRCUITS.
D243 D3-04 DO YOU TROUBLESHOOT TO THE FILTER CIRCUIT.	E269 E1-09 DO YOU WORK WITH CAPACITIVE-RESISTIVE COUPLED CIRCUITS.
D244 D3-05 DO YOU TROUBLESHOOT TO COMPONENT PARTS OF FILTER CIRCUITS.	E270 E1-10 DO YOU WORK WITH CAPACITIVE-INDUCTIVE COUPLED CIRCUITS.
D245 D3-07 DO YOU REMOVE OR REPLACE THE COMPLETE FILTER CIRCUIT.	E271 E1-11 DO YOU WORK WITH TRANSFORMER COUPLED CIRCUITS.
D246 D3-08 DO YOU REMOVE OR REPLACE COMPONENT PARTS OF FILTER CIRCUITS.	E272 E1-12 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF COUPLING CIRCUIT.
D247 D3-09 DO YOU WORK ON LOW PASS FILTERS.	E273 E2-01 ON YOUR PRESENT JOB DO YOU PERFORM SOLDERING TECHNIQUES OR INSPECT OR EVALUATE SOLDERED CONNECTIONS.
D248 D3-10 DO YOU WORK ON HIGH PASS FILTERS.	E274 E2-02 DO YOU SELECT TYPE OF SOLDER TO USE.
D249 D3-11 DO YOU WORK ON BANDPASS FILTERS.	E275 E2-03 DO YOU ADD FLUX TO CONNECTIONS.
D251 D3-12 DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF FILTER	E276 E2-04 DO YOU CLEAN CONNECTIONS USING SOLVENTS.
D250 D3-12 DO YOU WORK ON BAND-REJECT FILTERS.	E277 E2-05 DO YOU STRIP INSULATION FROM WIRES.
D252 D3-13 DO YOU WORK WITH L-SECTION FILTER CONFIGURATIONS.	E278 E2-06 DO YOU CONNECT OR DISCONNECT HEAT SINKS.
D253 D3-14 DO YOU WORK WITH T-SECTION FILTER CONFIGURATIONS.	E279 E2-07 DO YOU BEND OR SHAPE WIRES OR LEADS.
D254 D3-15 DO YOU WORK WITH PI-SECTION FILTER CONFIGURATIONS.	E280 E2-08 DO YOU CUT WIRES.
	E281 E2-09 DO YOU FILE OR SHAPE SOLDERING IRON TIPS.
	E282 E2-10 DO YOU TIN SOLDERING IRON TIPS.







6358 61-05 DO YOU USE ENERGY LEVEL DIAGRAMS IN YOUR WORK WITH DIODES	6382 61-27 DO YOU USE OR REFER TO VALENCE BAND IN SEMICONDUCTOR MATERIALS
6359 61-06 DO YOU USE PN JUNCTION DIODE CHARACTERISTIC CURVES, TOGETHER WITH VALUES OF FORWARD AND REVERSE BIAS VOLTAGE, TO COMPUTE FORWARD OR REVERSE BIAS RESISTANCE	6383 61-30 DO YOU USE OR REFER TO FORBIDDEN BAND IN SEMICONDUCTOR MATERIALS
6360 61-07 DO YOU COMPUTE FORWARD OR REVERSE BIAS RESISTANCE FOR DIODES	6384 61-31 DO YOU USE OR REFER TO CONDUCTION BAND IN SEMICONDUCTOR MATERIALS
6361 61-08 DO YOU USE OR REFER TO THE GENERAL RULE THAT TEMPERATURE CAN AFFECT THE OPERATION OF DIODES	6385 61-32 DO YOU USE OR REFER TO COVALENT BONDING IN SEMICONDUCTOR MATERIALS
6362 61-09 DO YOU IDENTIFY SEMICONDUCTOR DIODES AS OPPOSED TO OTHER ELECTRONIC COMPONENTS, SUCH AS RESISTORS, BASED ON THEIR PHYSICAL APPEARANCE	6386 61-33 DO YOU USE OR REFER TO ELECTRON-MOLE PAIR CREATED IN SEMICONDUCTORS
6363 61-10 DO YOU REFER TO OR DO YOU DETERMINE THE GENERAL EFFECTS OF DOPING ON CURRENT FLOW	6387 61-34 DO YOU USE OR REFER TO ELECTRON FLOW OR MOLE FLOW IN SEMICONDUCTORS
6364 61-11 DO YOU USE OR REFER TO MEASUREMENTS OF FORWARD BIAS RESISTANCE	6388 61-35 DO YOU USE OR REFER TO DONOR IMPURITY IN SEMICONDUCTORS
6365 61-12 DO YOU USE OR REFER TO DIODE COLOR CODING	6389 61-36 DO YOU USE OR REFER TO ACCEPTOR IMPURITY IN SEMICONDUCTORS
6366 61-13 DO YOU USE OR REFER TO CENTRIFUGAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	6390 61-37 DO YOU USE OR REFER TO P-TYPE SEMICONDUCTOR MATERIAL
6367 61-14 DO YOU USE OR REFER TO CENTRIFUGAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	6391 61-38 DO YOU USE OR REFER TO N-TYPE SEMICONDUCTOR MATERIAL
6368 61-15 DO YOU USE OR REFER TO DIODE NUMBERING SYSTEM, SUCH AS IN 538	6392 61-39 DO YOU USE OR REFER TO MAJORITY CARRIERS IN SEMICONDUCTORS
6369 61-16 DO YOU USE OR REFER TO KINETIC ENERGY OF AN ELECTRON MOVING IN ORBIT	6393 61-40 DO YOU USE OR REFER TO MINORITY CARRIERS IN SEMICONDUCTORS
6370 61-17 DO YOU USE OR REFER TO POTENTIAL ENERGY OF AN ELECTRON MOVING IN ORBIT	6394 61-41 DO YOU USE OR REFER TO JUNCTION RECOMBINATION IN SEMICONDUCTORS
6371 61-18 DO YOU USE OR REFER TO MEASUREMENTS OF REVERSE BIAS RESISTANCE	6395 61-42 DO YOU USE OR REFER TO DEPLETION REGION IN SEMICONDUCTORS
6372 61-19 DO YOU USE OR REFER TO NUMBER OF ELECTRONS IN A PARTICULAR SHELL OR ORBIT	6396 61-43 DO YOU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER HEIGHT AND DIFFERENCE OF POTENTIAL
6373 61-20 DO YOU USE OR REFER TO PERMISSIBLE ENERGY LEVELS OF AN ORBITING ELECTRON	6397 61-44 DO YOU USE OR REFER TO THE 10:1 BACK TO FRONT RESISTANCE RATIO FOR DIODES
6374 61-21 DO YOU USE OR REFER TO FORBIDDEN ENERGY LEVELS OF AN ORBITING ELECTRON	6398 61-45 DO YOU USE OR REFER TO BARRIER HEIGHT IN SEMICONDUCTORS
6375 61-22 DO YOU USE OR REFER TO VALENCE ELECTRONS (THOSE IN THE OUTERMOST SHELL)	6399 61-46 DO YOU USE OR REFER TO DIODE SUBSTITUTION INFORMATION
6376 61-23 DO YOU USE OR REFER TO ATOMIC NUMBER (TOTAL NUMBER OF ELECTRONS IN ATOM)	6400 61-47 DO YOU USE OR REFER TO MAXIMUM AVERAGE FORWARD CURRENT DIODE RATINGS
6377 61-24 DO YOU USE OR REFER TO SYMBOLS ON THE DIODE WHICH INDICATE THE CATHODE END	6401 61-48 DO YOU USE OR REFER TO PEAK RECURRENT FORWARD CURRENT DIODE RATINGS
6378 61-25 DO YOU NEED TO KNOW WHICH MATERIALS ARE USED IN THE CONSTRUCTION OF DIODES SUCH AS GERMANIUM OR SILICON	6402 61-49 DO YOU USE OR REFER TO MAXIMUM SURGE CURRENT DIODE RATINGS
6379 61-26 DO YOU NEED TO KNOW THAT SEMICONDUCTORS HAVE NEGATIVE TEMPERATURE COEFFICIENTS OF RESISTANCE (AS TEMPERATURE INCREASES RESISTANCE DECREASES)	6403 61-50 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE DIODE RATINGS
6380 61-27 DO YOU USE OR REFER TO PN JUNCTION DIODE CHARACTERISTIC CURVES, SUCH AS VOLTAGE - CURRENT	6404 62-01 DO YOU WORK WITH TRANSISTORS IN YOUR PRESENT JOB.
6381 61-28 DO YOU DETERMINE WHETHER PN JUNCTION DIODES ARE FORWARD BIASED OR REVERSE BIASED WHEN YOU READ OR	6405 62-02 DO YOU INSPECT TRANSISTORS
	6406 62-03 DO YOU REMOVE OR REPLACE TRANSISTORS
	6407 62-04 DO YOU CHECK TRANSISTORS USING AN INSTRUMENT
	6408 62-05 DO YOU USE OR REFER TO EMITTER - BASE (EB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS
	6409 62-06 DO YOU USE OR REFER TO COLLECTOR - BASE (CB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS
	6410 62-07 DO YOU USE OR REFER TO EMITTER - COLLECTOR (EC)

6411	62-08 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE EMITTER - BASE JUNCTION	6439	63-12 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN BASE CURRENT WHICH RESULTS FROM AN INPUT SIGNAL
6412	62-09 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE COLLECTOR - BASE JUNCTION	6440	63-13 DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN BASE CURRENT WHICH RESULTS FROM A SPECIFIC INPUT SIGNAL
6413	62-10 DO YOU USE OR REFER TO THE PHYSICAL SIZE OF THE TRANSISTOR STRUCTURE (COLLECTOR, BASE AND EMITTER)	6441	63-14 DO YOU USE THE LOAD-LINE METHOD OF ANALYSIS IN YOUR CIRCUIT ANALYSIS (THIS METHOD REQUIRES YOU TO PLOT A LOAD-LINE ON A TRANSISTOR CHARACTERISTIC CURVE)
6414	62-11 DO YOU USE OR REFER TO LEAKAGE CURRENT (ICBO) IN A TRANSISTOR	6442	63-15 DO YOU USE OR REFER TO THE OPERATING POINT Q (QUIESCENT POINT) FOR A TRANSISTOR
6415	62-12 DO YOU USE OR REFER TO TRANSISTOR SCHEMATIC SYMBOLS	6443	63-16 DO YOU CALCULATE THE SPECIFIC QUIESCENT POINT FOR A PARTICULAR TRANSISTOR
6416	62-13 DO YOU USE OR REFER TO TRANSISTOR NOTATION SUCH AS Q1, Q2, Q3, ETC	6444	63-17 DO YOU MEASURE VOLTAGE GAIN USED IN THE COMMON EMITTER CONFIGURATION
6417	62-14 DO YOU USE OR REFER TO TRANSISTOR SUBSTITUTION INFORMATION	6445	63-18 DO YOU MEASURE CURRENT GAIN USED IN THE COMMON EMITTER CONFIGURATION
6418	62-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE TRANSISTOR BASE CURRENT IB IS NORMALLY SIGNIFICANTLY SMALLER THAN THE EMITTER CURRENT IE (USUALLY IB BEING 2 TO 8 PERCENT OF IE)	6446	63-19 DO YOU MEASURE POWER GAIN USED IN THE COMMON EMITTER CONFIGURATION
6419	62-16 DO YOU USE THE INFORMATION THAT THE EFFECT OF EMITTER BASE VOLTAGE ON BASE CURRENT IS THE CONTROLLING FACTOR FOR TRANSISTORS	6447	63-20 DO YOU CALCULATE THE VOLTAGE GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE-EMITTER VOLTAGE INTO THE CHANGE THE BASE COLLECTOR VOLTAGE TO DETERMINE THE VOLTAGE GAIN
6420	62-17 DO YOU USE THE GENERAL RULE THAT LEAKAGE CURRENT (ICBO) IN A TRANSISTOR INCREASES AS TEMPERATURE INCREASES	6448	63-21 DO YOU CALCULATE THE CURRENT GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE CURRENT INTO THE CHANGE IN COLLECTOR CURRENT TO DETERMINE THE CURRENT GAIN
6421	62-18 DO YOU USE OR REFER TO TRANSISTOR CHARACTERISTIC CURVES	6449	63-22 DO YOU CALCULATE THE POWER GAIN FOR A SPECIFIC TRANSISTOR USING A FORMULA THAT IS, DO YOU MULTIPLY THE CURRENT GAIN TIMES THE VOLTAGE GAIN TO DETERMINE THE POWER GAIN
6422	62-19 DO YOU USE OR REFER TO BETA TRANSISTOR GAINS	6450	63-23 DO YOU NEED TO KNOW THAT MORE COLLECTOR CURRENT IS GENERATED WITH LESS COLLECTOR VOLTAGE AS TEMPERATURE INCREASES (THIS AFFECTS THE STATIC OPERATING POINT Q) OF THE TRANSISTOR)
6423	62-20 DO YOU USE OR REFER TO ALPHA TRANSISTOR GAINS	6451	63-24 DO YOU COMPUTE THE STATIC OPERATING POINT Q OF A TRANSISTOR AT DIFFERENT TEMPERATURES
6424	62-21 DO YOU USE OR REFER TO GAMMA TRANSISTOR GAINS	6452	63-25 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH EMITTER (SWAMPING) RESISTOR STABILIZATION
6425	62-22 DO YOU CALCULATE BETA TRANSISTOR GAINS	6453	63-26 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH SELF-BIAS STABILIZATION
6426	62-23 DO YOU CALCULATE ALPHA TRANSISTOR GAINS	6454	63-27 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH THERMISTOR STABILIZATION
6427	62-24 DO YOU CALCULATE GAMMA TRANSISTOR GAINS	6455	63-28 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH FORWARD BIAS DIODE STABILIZATION
6428	63-01 DO YOU WORK WITH TRANSISTOR AMPLIFIERS IN YOUR PRESENT JOB	6456	63-29 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH REVERSE BIAS DIODE STABILIZATION
6429	63-02 DO YOU INSPECT TRANSISTOR AMPLIFIERS		
6430	63-03 DO YOU ALIGN OR ADJUST TRANSISTOR AMPLIFIERS		
6431	63-04 DO YOU TROUBLESHOOT TO THE AMPLIFIER CIRCUIT LEVEL		
6432	63-05 DO YOU TROUBLESHOOT TO AMPLIFIER COMPONENTS		
6433	63-06 DO YOU REMOVE OR REPLACE THE COMPLETE AMPLIFIER		
6434	63-07 DO YOU REMOVE OR REPLACE AMPLIFIER COMPONENTS		
6435	63-08 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN COLLECTOR CURRENT WHICH RESULTS FROM A CHANGE IN BASE CURRENT		
6436	63-09 DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR CURRENT WHICH RESULTS FROM A SPECIFIC CHANGE IN BASE CURRENT		
6437	63-10 DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A CHANGE IN BASE CURRENT		
6438	63-11 DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A SPECIFIC CHANGE IN		



6457 63-30 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO  
THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH  
DOUBLE DIODE STABILIZATION  
6458 63-31 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM EMITTER (SWAMPING) RESISTOR STABILIZATION  
6459 63-32 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM SELF-BIAS STABILIZATION  
6460 63-33 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM THERMISTOR STABILIZATION  
6461 63-34 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM FORWARD BIAS DIODE STABILIZATION  
6462 63-35 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM REVERSE BIAS DIODE STABILIZATION  
6463 63-36 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS  
WHICH PERFORM DOUBLE DIODE STABILIZATION  
6464 63-37 DO YOU IDENTIFY AMPLITUDE DISTORTION FOR TRANSISTOR  
CIRCUITS  
6465 63-38 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE  
CAUSES OF AMPLITUDE DISTORTION  
6466 63-39 DO YOU IDENTIFY FREQUENCY DISTORTION FOR TRANSISTOR  
CIRCUITS  
6467 63-40 DO YOU IDENTIFY PHASE DISTORTION FOR TRANSISTOR  
CIRCUITS  
6468 63-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE  
CAUSES OF PHASE DISTORTION  
6469 63-42 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE  
CAUSES OF FREQUENCY DISTORTION  
6470 63-43 DO YOU NEED TO KNOW THE DEGENERATIVE EFFECTS ON THE  
CIRCUIT CAUSED BY CHANGING EMITTER RESISTANCE FOR  
TRANSISTOR AMPLIFIERS IN THE COMMON COLLECTOR  
CONFIGURATION  
6471 63-44 DO YOU DETERMINE THE CLASS OF OPERATION FOR  
AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS  
6472 63-45 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS  
6473 63-46 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS  
6474 63-47 DO YOU TROUBLESHOOT OR REPAIR COMPLEMENTARY SYMMETRY  
CIRCUITS  
6475 63-48 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED  
AMPLIFIERS  
6476 63-49 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED  
AMPLIFIERS  
M SOLID STATE SPECIAL PURPOSE DEVICES, POWER  
SUPPLIES, AND OSCILLATORS  
M477 M1-01 DO YOU USE OR REFER TO VARACTORS  
M478 M1-02 DO YOU USE OR REFER TO TUNNEL DIODES  
M479 M1-03 DO YOU USE OR REFER TO FIELD EFFECT TRANSISTORS (FET)  
M480 M1-04 DO YOU USE OR REFER TO UNIJUNCTION TRANSISTORS  
M481 M1-05 DO YOU USE OR REFER TO ZENER DIODES  
M482 M1-06 DO YOU USE OR REFER TO INTEGRATED CIRCUITS  
M483 M2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH POWER SUPPLIES  
M484 M2-02 DO YOU INSPECT POWER SUPPLIES  
M485 M2-03 DO YOU CLEAN POWER SUPPLIES  
M486 M2-04 DO YOU ALIGN OR ADJUST POWER SUPPLIES  
M487 M2-05 DO YOU TROUBLESHOOT TO POWER SUPPLY CIRCUIT LEVEL  
M488 M2-06 DO YOU TROUBLESHOOT TO POWER SUPPLY COMPONENTS  
M489 M2-07 DO YOU REMOVE OR REPLACE COMPLETE POWER SUPPLIES  
M490 M2-08 DO YOU REMOVE OR REPLACE POWER SUPPLY COMPONENTS  
M491 M2-09 DO YOU WORK WITH HALF-WAVE RECTIFIERS  
M492 M2-10 DO YOU WORK WITH FULL-WAVE RECTIFIERS OTHER THAN  
BRIDGE RECTIFIERS  
M493 M2-11 DO YOU WORK WITH BRIDGE RECTIFIERS  
M494 M2-12 DO YOU WORK WITH THREE-PHASE RECTIFIERS  
M495 M2-13 DO YOU USE OR REFER TO INPUT VOLTAGE  
M496 M2-14 DO YOU USE OR REFER TO INPUT FREQUENCY  
M497 M2-15 DO YOU USE OR REFER TO PEAK OUTPUT VOLTAGE  
M498 M2-16 DO YOU USE OR REFER TO AVERAGE OUTPUT VOLTAGE  
M499 M2-17 DO YOU USE OR REFER TO RIPPLE AMPLITUDE  
M500 M2-18 DO YOU USE OR REFER TO RIPPLE FREQUENCY  
M501 M2-19 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE  
M502 M2-20 DO YOU USE OR REFER TO SHAPE OF OUTPUT WAVEFORMS  
M503 M2-21 DO YOU USE OR REFER TO EFFECTIVE OUTPUT VOLTAGE  
M504 M2-22 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE  
FILTERS  
M505 M2-23 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE  
FILTERS  
M506 M2-24 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE  
INPUT L-TYPE FILTERS  
M507 M2-25 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE  
INPUT L-TYPE FILTERS  
M508 M2-26 DO YOU WORK WITH CIRCUITS WHICH EMPLOY LC PI-TYPE  
FILTERS  
M509 M2-27 DO YOU WORK WITH CIRCUITS WHICH EMPLOY RC PI-TYPE  
FILTERS  
M510 M2-28 DO YOU WORK WITH CIRCUITS WHICH EMPLOY DOWNY  
REMEMBER WHICH TYPE OF FILTER  
M511 M2-29 DO YOU HAVE THE OPTION OF REPLACING ONE TYPE OF  
FILTER WITH A DIFFERENT TYPE FILTER  
M512 M3-01 DO YOU WORK WITH OSCILLATORS IN YOUR PRESENT JOB  
M513 M3-02 DO YOU INSPECT OSCILLATORS  
M514 M3-03 DO YOU ALIGN OR ADJUST OSCILLATORS  
M515 M3-04 DO YOU REMOVE OR REPLACE COMPLETE OSCILLATORS  
M516 M3-05 DO YOU REMOVE OR REPLACE OSCILLATOR COMPONENTS  
M517 M3-06 DO YOU TROUBLESHOOT TO OSCILLATOR CIRCUIT LEVEL  
M518 M3-07 DO YOU TROUBLESHOOT TO OSCILLATOR COMPONENTS  
M519 M3-08 DO YOU USE OR REFER TO FEEDBACK  
M520 M3-09 DO YOU USE OR REFER TO FREQUENCY DETERMINING DEVICES  
(TDO)  
M521 M3-10 DO YOU USE OR REFER TO AMPLITUDE STABILITY  
M522 M3-11 DO YOU USE OR REFER TO FREQUENCY STABILITY  
M523 M3-12 DO YOU USE OR REFER TO DAMPING  
M524 M3-13 DO YOU USE OR REFER TO REGENERATIVE FEEDBACK  
M525 M3-14 DO YOU USE OR REFER TO PIEZOELECTRIC EFFECT



1526	H3-15	DO YOU USE OR REFER TO CRITICAL DAMPING	1558	12-04	DO YOU WORK WITH LIMITERS WITH BIAS
1527	H3-16	DO YOU USE OR REFER TO UNDER DAMPING	1559	12-05	DO YOU WORK WITH ZENER DIODE LIMITERS
1528	H3-17	DO YOU USE OR REFER TO OVER DAMPING	1560	12-06	DO YOU WORK WITH TRANSISTOR LIMITERS
1529	H3-18	DO YOU WORK WITH OSCILLATORS WHICH USE LC TANK	1561	12-07	DO YOU WORK WITH DON'T KNOW WHICH TYPE OF LIMITERS
		CIRCUITS AS FDD	1562	12-08	DO YOU WORK WITH BASIC DIODE CLAMPING CIRCUITS
1530	H3-19	DO YOU WORK WITH OSCILLATORS WHICH USE RC NETWORKS AS	1563	12-09	DO YOU WORK WITH DIODE CLAMPING CIRCUITS WITH BIAS
		FDD	1564	12-10	DO YOU WORK WITH DON'T KNOW WHICH TYPE OF CLAMPING
1531	H3-20	DO YOU WORK WITH OSCILLATORS WHICH USE CRYSTALS AS			CIRCUIT
		FDD	1565	13-01	IN YOUR PRESENT JOB, DO YOU WORK ON EQUIPMENT WHICH
1532	H3-21	DO YOU WORK WITH OSCILLATORS WHICH USE DON'T REMEMBER			CONTAINS ELECTRON TUBES
		WHICH TYPE OF FDD	1566	13-02	DO YOU CHECK ELECTRON TUBES TO SEE IF THEY ARE GOOD
1533	H3-22	DO YOU WORK WITH SERIES MARTLEY SINUSOIDAL	1567	13-03	DO YOU USE TUBE TESTERS TO CHECK ELECTRON TUBES
		OSCILLATORS	1568	13-04	DO YOU USE MULTIMETERS TO CHECK ELECTRON TUBES
1534	H3-23	DO YOU WORK WITH SHUNT MARTLEY SINUSOIDAL OSCILLATORS	1569	13-05	DO YOU USE SCOPES TO CHECK ELECTRON TUBES
1535	H3-24	DO YOU WORK WITH COLPITTS SINUSOIDAL OSCILLATORS	1570	13-06	DO YOU USE SUBSTITUTION TO CHECK ELECTRON TUBES
1536	H3-25	DO YOU WORK WITH CLAPP SINUSOIDAL OSCILLATORS	1571	13-07	DO YOU USE OR REFER TO CUTOFF
1537	H3-26	DO YOU WORK WITH BUTLER SINUSOIDAL OSCILLATORS	1572	13-08	DO YOU USE OR REFER TO PEAK INVERSE VOLTAGE RATING
1538	H3-27	DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF	1573	13-09	DO YOU USE OR REFER TO PEAK CURRENT RATING
		OSCILLATORS	1574	13-10	DO YOU USE OR REFER TO TRANSIT TIME
			1575	13-11	DO YOU USE OR REFER TO PLATE DISSIPATION RATING
			1576	13-12	DO YOU USE OR REFER TO SATURATION
			1577	13-13	DO YOU USE OR REFER TO DC PLATE RESISTANCE
			1578	13-14	DO YOU COMPUTE ACTUAL VALUES OF THE DC PLATE
					RESISTANCE FOR ELECTRON TUBES
			1579	13-15	DO YOU USE OR REFER TO PLATE VOLTAGE
			1580	13-16	DO YOU USE OR REFER TO PLATE CURRENT
			1581	13-17	DO YOU USE OR REFER TO GRID VOLTAGE
			1582	13-18	DO YOU USE OR REFER TO GRID CURRENT
			1583	13-19	DO YOU USE OR REFER TO CATHODE VOLTAGE
			1584	13-20	DO YOU USE OR REFER TO CATHODE CURRENT
			1585	13-21	DO YOU USE OR REFER TO THE TRIODE AMPLIFICATION
					FACTOR (THE AMPLIFICATION FACTOR FOR TRIODES IS DEFINED AS
					THE RATIO OF CHANGE IN PLATE VOLTAGE TO A CHANGE IN GRID
					VOLTAGE)
			1586	13-22	DO YOU CALCULATE ACTUAL VALUES OF TRIODE
					AMPLIFICATION FACTORS
			1587	13-23	DO YOU USE OR REFER TO MULTIGRID (TETRODE, PENTODE,
					ETC) AMPLIFICATION FACTORS
			1588	13-24	DO YOU USE OR REFER TO ELECTRON TUBE TRANSCONDUCTANCE
					(G, WHICH IS MEASURED IN MMOS)
			1589	13-25	DO YOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE
					TRANSCONDUCTANCES
			1590	13-26	DO YOU USE OR REFER TO THE ELECTRON TUBE PARAMETER
					CALLED AC PLATE RESISTANCE
			1591	13-27	DO YOU CALCULATE ACTUAL VALUES OF AC PLATE
					RESISTANCE
			1592	13-28	DO YOU USE OR REFER TO ELECTRON TUBE INTERELECTRODE
					CAPACITANCE
			1593	13-29	DO YOU USE OR REFER TO CHARACTERISTIC CURVES IN YOUR
					WORK WITH ELECTRON TUBES
			1594	13-30	DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE
					VOLTAGE FOR A SPECIFIED BIAS

1 MULTIVIBRATORS, LIMITERS, CLAMPERS, AND ELECTRON TUBES

1539	11-01	DO YOU WORK WITH MULTIVIBRATORS IN YOUR PRESENT JOB
1540	11-02	DO YOU INSPECT WAVE GENERATING OR SHAPING CIRCUITS
1541	11-03	DO YOU ALIGN OR ADJUST WAVE GENERATING OR SHAPING
		CIRCUITS
1542	11-04	DO YOU CALIBRATE WAVE GENERATING OR SHAPING CIRCUITS
1543	11-05	DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING
		CIRCUITS
1544	11-06	DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING
		CIRCUIT COMPONENTS
1545	11-07	DO YOU REMOVE OR REPLACE COMPLETE WAVE GENERATING OR
		SHAPING CIRCUITS
1546	11-08	DO YOU REMOVE OR REPLACE WAVE GENERATING OR SHAPING
		COMPONENTS
1547	11-09	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN LC TANK
		CIRCUITS
1548	11-10	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN RC
		NETWORKS
1549	11-11	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN
		CRYSTALS
1550	11-12	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN DON'T
		REMEMBER WHICH TYPE OF FDD
1551	11-13	DO YOU WORK WITH ASTABLE MULTIVIBRATORS
1552	11-14	DO YOU WORK WITH MONOSTABLE MULTIVIBRATORS
1553	11-15	DO YOU WORK WITH BISTABLE MULTIVIBRATORS
1554	11-16	DO YOU WORK WITH DON'T REMEMBER WHICH TYPE
		MULTIVIBRATORS
1555	12-01	DO YOU WORK WITH LIMITERS OR CLAMPERS IN YOUR
		PRESENT JOB
1556	12-02	DO YOU WORK WITH SERIES DIODE LIMITERS
1557	12-03	DO YOU WORK WITH SHUNT DIODE LIMITERS

1595 13-31 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE CURRENT FOR A SPECIFIED BIAS	J621 J2-06 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH THERATONS ARE USED
1596 13-32 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR CUTOFF	J622 J2-07 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTRON GUNS OF CATHODE-RAY TUBES (CRT)
1597 13-33 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR SATURATION	J623 J2-08 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROMAGNETIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES (CRT)
1598 13-34 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER GAIN	J624 J2-09 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROSTATIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES (CRT)
1599 13-35 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER EFFICIENCY	
1600 13-36 DO YOU USE TEST TUBE CHECKERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	
1601 13-37 DO YOU USE MULTIMETERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	J625 J2-10 DO YOU USE OR REFER TO PHOSPHOR SCREENS
1602 13-38 DO YOU USE OSCILLOSCOPES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	J626 J2-11 DO YOU USE OR REFER TO AQUADAG COATINGS
1603 13-39 DO YOU USE CHARACTERISTIC CURVES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	J627 J2-12 DO YOU USE OR REFER TO ELECTRON OPTICS
1604 13-40 DO YOU CALCULATE ANY ELECTRON TUBE CAPACITANCES SUCH AS INPUT CAPACITANCE	J628 J2-13 DO YOU USE OR REFER TO PERSISTENCE
1605 13-41 DO YOU USE OR REFER TO TUBE SOCKET NOTATION	J629 J2-14 DO YOU USE OR REFER TO DECAY TIMES
1606 13-42 DO YOU USE OR REFER TO PIN NUMBERING SYSTEMS	J630 J2-15 DO YOU USE OR REFER TO FLUORESCENCE
1607 13-43 DO YOU USE OR REFER TO THE TYPE OF MATERIAL ON THE OPERATING TEMPERATURE OF THE EMITTING SURFACE IN THE ELECTRON TUBES YOU WORK ON	J631 J2-16 DO YOU USE OR REFER TO PHOSPHORESCENCE
1608 13-44 DO YOU USE OR REFER TO TUBE SUBSTITUTION MATERIAL SUCH AS MANUALS OR CHARTS	J632 J3-01 DO YOU WORK ON TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB
J ELECTRON TUBE AMPLIFIERS AND CIRCUITS, SPECIAL PURPOSE ELECTRON TUBES, METEORODYNING, MODULATION,	K AM SYSTEMS, FM SYSTEMS, AND NUMBERING SYSTEMS
J609 J1-01 DO YOU WORK WITH ELECTRON TUBE AMPLIFIERS OR CIRCUITS IN YOUR PRESENT JOB	K638 K1-01 DO YOU WORK ON AM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB
J610 J1-02 DO YOU DETERMINE THE CLASS OF OPERATION FOR ELECTRON TUBE AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS	K639 K1-02 DO YOU INSPECT AM TRANSMIT OR RECEIVE SYSTEMS
J611 J1-03 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS	K640 K1-03 DO YOU CLEAN AM TRANSMIT OR RECEIVE SYSTEMS
J612 J1-04 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS	K641 K1-04 DO YOU ALIGN OR ADJUST AM TRANSMIT OR RECEIVE SYSTEMS
J613 J1-05 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS	K642 K1-05 DO YOU TROUBLESHOOT TO AM TRANSMIT OR RECEIVE COMPONENTS
J614 J1-06 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS	K643 K1-06 DO YOU TROUBLESHOOT TO AM TRANSMIT OR RECEIVE COMPONENTS
J615 J1-07 DO YOU TROUBLESHOOT OR REPAIR DON'T KNOW WHICH TYPE OF AMPLIFIER	K644 K1-07 DO YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE COMPONENTS
J616 J2-01 DO YOU WORK WITH GAS TUBES (HOT CATHODE OR COLD CATHODE)	K645 K1-08 DO YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE COMPONENTS
J617 J2-02 DO YOU WORK WITH CATHODE-RAY TUBES	K646 K1-09 DO YOU PERFORM TASKS ON RF OSCILLATORS
J618 J2-03 DO YOU USE OR REFER TO THE CHARACTERISTICS OF BEAM POWER TUBES	K647 K1-10 DO YOU PERFORM TASKS ON RF AMPLIFIERS
J619 J2-04 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH BEAM POWER TUBES ARE USED	K648 K1-11 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS
J620 J2-05 DO YOU USE OR REFER TO THE CHARACTERISTICS OF TRANSMITTERS	K649 K1-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS
	K650 K1-13 DO YOU PERFORM TASKS ON LOCAL OSCILLATORS
	K651 K1-14 DO YOU PERFORM TASKS ON IF AMPLIFIERS
	K652 K1-15 DO YOU PERFORM TASKS ON DETECTORS
	K653 K1-16 DO YOU PERFORM TASKS ON DON'T REMEMBER WHICH AM STAGE TRANSMITTERS
	K654 K1-17 DO YOU USE OR REFER TO AMPLITUDE STABILIZATION IN TRANSMITTERS
	K655 K1-18 DO YOU USE OR REFER TO FREQUENCY STABILIZATION IN TRANSMITTERS



K694 SUBTRACTION METHOD  
 K3-10 DO YOU ADD OCTAL NUMBERS TO GET A SUM

L LOGIC FUNCTIONS, BOOLEAN EQUATIONS, AND COUNTERS

L695 L1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS  
 RELATING TO LOGIC FUNCTIONS

L696 L1-02 DO YOU CONSTRUCT TRUTH TABLES FOR AND LOGIC SYMBOLS  
 OR GATES

L697 L1-03 DO YOU CONSTRUCT TRUTH TABLES FOR OR LOGIC SYMBOLS  
 OR GATES

L698 L1-04 DO YOU CONSTRUCT TRUTH TABLES FOR AND OR LOGIC  
 SYMBOLS WITH STATE INDICATORS

L699 L1-05 DO YOU CONSTRUCT TRUTH TABLES FOR EXCLUSIVE OR LOGIC  
 SYMBOLS OR GATES

L700 L1-06 DO YOU USE OR REFER TO TRUTH TABLES FOR AND LOGIC  
 SYMBOLS OR GATES

L701 L1-07 DO YOU USE OR REFER TO TRUTH TABLES FOR OR LOGIC  
 SYMBOLS OR GATES

L702 L1-08 DO YOU USE OR REFER TO TRUTH TABLES FOR AND OR OR  
 LOGIC SYMBOLS WITH STATE INDICATORS

L703 L1-09 DO YOU USE OR REFER TO TRUTH TABLES FOR EXCLUSIVE OR  
 LOGIC SYMBOLS

L704 L1-10 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR AND GATES

L705 L1-11 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR OR GATES

L706 L1-12 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR NAND OR NOR  
 GATES

L707 L1-13 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR EXCLUSIVE  
 OR GATES

L708 L2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS  
 RELATING TO BOOLEAN EQUATIONS, LOGIC DIAGRAMS, OR LOGIC  
 CIRCUITS

L709 L2-02 DO YOU DRAW LOGIC SYMBOLS FOR DIRECT COUPLED  
 TRANSISTOR LOGIC (DCTL) CIRCUITS

L710 L2-03 DO YOU CONSTRUCT TRUTH TABLES FOR CURRENT MODE LOGIC  
 (CML) CIRCUITS

L711 L2-04 DO YOU DRAW LOGIC DIAGRAMS FROM GIVEN BOOLEAN  
 EQUATIONS

L712 L2-05 DO YOU MEASURE INPUTS OR OUTPUTS OF LOGIC GATES

L713 L2-06 DO YOU DEVELOP OR ANALYZE BOOLEAN EQUATIONS IN THE  
 PROCESS OF TROUBLESHOOTING DIGITAL CIRCUITS

L714 L2-07 DO YOU ANALYZE LOGIC CIRCUITS BY USING BOOLEAN  
 ALGEBRA

L715 L2-08 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR DIRECT  
 COUPLED TRANSISTOR LOGIC (DCTL) CIRCUIT GATES

L716 L2-09 DO YOU USE OR REFER TO TRUTH TABLES FOR CURRENT MODE  
 LOGIC (CML) CIRCUITS

L717 L2-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS CONSISTING OF  
 MORE THAN ONE GATE

L718 L2-11 DO YOU COMPUTE SUM AND CARRY EXPRESSIONS FOR SERIAL  
 HALF OR FULL ADDER LOGIC DIAGRAMS

L719 L2-12 DO YOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER



L720 L2-13 DO YOU WORK WITH ASTABLE (FREE RUNNING) MULTIVIBRATORS	L752 L3-20 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER
L721 L2-14 DO YOU WORK WITH BISTABLE (FLIP-FLOP) MULTIVIBRATORS	L753 L3-21 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR OTHER TYPES OF COUNTERS
L722 L2-15 DO YOU WORK WITH MONOSTABLE (ONE-SHOT) MULTIVIBRATORS	L754 L3-22 DO YOU CONSTRUCT TRUTH TABLES FROM LOGIC DIAGRAM OF DECIDE COUNTERS
L723 L2-16 DO YOU USE OR REFER TO FLIP-FLOP MULTIVIBRATOR SYMBOLS	L755 L3-23 DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP IN RING COUNTERS FOR SPECIFIC INPUT PULSES
L724 L2-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIBRATOR SYMBOLS	L756 L3-24 DO YOU DETERMINE THE APPROPRIATE AND GATE NECESSARY IN COUNT DETECT CIRCUITS TO INDICATE A REQUIRED COUNT
L725 L2-18 DO YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS	
L726 L2-19 DO YOU USE OR REFER TO FLIP-FLOP TRUTH TABLES	
L727 L2-20 DO YOU USE OR REFER TO COMPLEMENTED FLIP-FLOP LOGIC SYMBOLS	
L728 L2-21 DO YOU USE OR REFER TO COMPLEMENTING FLIP-FLOP LOGIC SYMBOLS	
L729 L2-22 DO YOU MEASURE OUTPUT WAVESHAPES OF LOGIC CIRCUITS	M757 M1-01 DO YOU WORK WITH SAWTOOTH WAVE GENERATORS
L730 L2-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP SCHEMATIC DIAGRAMS	M758 M1-02 DO YOU WORK WITH TRAPEZOIDAL WAVE GENERATORS
L731 L2-24 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-FLOP SCHEMATIC DIAGRAMS	M759 M1-03 DO YOU WORK WITH PULSED OSCILLATORS WITH REGENERATIVE FEEDBACK
L732 L2-25 DO YOU CONSTRUCT TRUTH TABLES FOR J-K FLIP-FLOP LOGIC SYMBOLS	M760 M1-04 DO YOU WORK WITH PULSED OSCILLATORS WITHOUT REGENERATIVE FEEDBACK
L733 L3-01 DO YOU WORK WITH DIGITAL COUNTERS IN YOUR PRESENT JOB	M761 M1-05 DO YOU WORK WITH BLOCKING OSCILLATORS
L734 L3-02 DO YOU USE OR REFER TO UP-COUNTERS	M762 M1-06 DO YOU USE OR REFER TO RISE TIME
L735 L3-03 DO YOU USE OR REFER TO DOWN-COUNTERS	M763 M1-07 DO YOU USE OR REFER TO FALL OR FLVBACK TIME
L736 L3-04 DO YOU USE OR REFER TO SERIAL COUNTERS	M764 M1-08 DO YOU USE OR REFER TO SWEEP TIME
L737 L3-05 DO YOU USE OR REFER TO PARALLEL COUNTERS	M765 M1-09 DO YOU USE OR REFER TO ELECTRICAL LENGTH OF SAWTOOTH WAVEFORMS
L738 L3-06 DO YOU USE OR REFER TO RING COUNTERS	M766 M1-10 DO YOU USE OR REFER TO PHYSICAL LENGTH OF SAWTOOTH WAVEFORMS
L739 L3-07 DO YOU USE OR REFER TO DECIDE COUNTERS	M767 M1-11 DO YOU USE OR REFER TO LINEAR SLOPE OF SAWTOOTH WAVEFORMS
L740 L3-08 DO YOU USE OR REFER TO COUNT DETECT CIRCUITS	M768 M1-12 DO YOU USE OR REFER TO GATE LENGTH OF SAWTOOTH WAVEFORMS
L741 L3-09 DO YOU USE OR REFER TO DOWN CLOCKS	
L742 L3-10 DO YOU USE OR REFER TO UP CLOCKS	
L743 L3-11 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	M769 M2-01 DO YOU USE SIGNAL GENERATORS IN YOUR PRESENT JOB
L744 L3-12 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS	M770 M2-02 DO YOU PERFORM OPERATIONAL CHECKS WHILE USING SIGNAL GENERATORS
L745 L3-13 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF DECIDE COUNTERS	M771 M2-03 DO YOU PERFORM PERIODIC MAINTENANCE SUCH AS ADJUSTING, ALIGNING, OR CALIBRATING WHILE USING SIGNAL GENERATORS
L746 L3-14 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF RING COUNTERS	M772 M2-04 DO YOU TROUBLESHOOT TO AN ASSEMBLY OR SUBASSEMBLY WHILE USING SIGNAL GENERATORS
L747 L3-15 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER	M773 M2-05 DO YOU TROUBLESHOOT TO THE SMALLEST REPLACEABLE COMPONENT WHILE USING SIGNAL GENERATORS
L748 L3-16 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	M774 M2-06 DO YOU USE AUDIO SINE-WAVE GENERATORS
L749 L3-17 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF COUNTERS	M775 M2-07 DO YOU USE AUDIO NON-SINUSOIDAL WAVE GENERATORS SUCH AS SQUARE WAVE, TRIANGLE, PULSE, OR SPIKE
L750 L3-18 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	M776 M2-08 DO YOU USE RF GENERATORS LESS THAN 1,000 MH
L751 L3-19 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENT-ING	M777 M2-09 DO YOU USE RF GENERATORS GREATER THAN 1,000 MH
	M778 M2-10 DO YOU USE OTHER SPECIAL PURPOSE OR MULTI-FUNCTION GENERATORS
	M779 M3-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING

WITH ALTERNATING CURRENT OR DIRECT CURRENT MOTORS OR GENERATORS	
N780 N3-02 DO YOU INSPECT MOTORS	N817 N1-10 DO YOU USE OR REFER TO VOLTMETER SENSITIVITY (EXPRESSED IN UNITS OF OHMS PER VOLT)
N781 N3-03 DO YOU CLEAN OR LUBRICATE MOTORS	N816 N2-01 DO YOU WORK WITH SATURABLE REACTORS OR MAGNETIC AMPLIFIERS IN YOUR PRESENT JOB
N782 N3-04 DO YOU OPERATE MOTORS	N819 N2-02 DO YOU INSPECT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS
N783 N3-05 DO YOU REMOVE OR REPLACE COMPLETE MOTORS	N820 N2-03 DO YOU CLEAN MAGNETIC AMPLIFIERS OR SATURABLE REACTORS
N784 N3-06 DO YOU REMOVE OR REPLACE MOTOR PARTS	N821 N2-04 DO YOU ADJUST MAGNETIC AMPLIFIERS OR SATURABLE REACTORS
N785 N3-07 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF MOTORS	N822 N2-05 DO YOU TROUBLESHOOT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS
N786 N3-08 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF MOTORS	N823 N2-06 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIERS OR SATURABLE REACTORS
N787 N3-09 DO YOU PERFORM ANY TASKS ON FIELD COILS	N824 N2-07 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIER OR SATURABLE REACTOR COMPONENTS
N788 N3-10 DO YOU PERFORM ANY TASKS ON ARMATURES	N825 N2-08 DO YOU USE OR REFER TO HYSTERESIS CURVES OR LOOPS
N789 N3-11 DO YOU PERFORM ANY TASKS ON ROTORS	N826 N2-09 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF SINGLE WINDING SATURABLE REACTORS
N790 N3-12 DO YOU PERFORM ANY TASKS ON BRUSHES	N827 N2-10 DO YOU MEASURE OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF SINGLE WINDING SATURABLE REACTORS
N791 N3-13 DO YOU PERFORM ANY TASKS ON SLIP RINGS	N828 N2-11 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS FOR MAGNETIC AMPLIFIERS
N792 N3-14 DO YOU PERFORM ANY TASKS ON COMMUTATORS	N829 N2-12 DO YOU USE OR REFER TO COERCIVE FORCE IN SATURABLE REACTORS
N793 N3-15 DO YOU PERFORM ANY TASKS ON POLE PIECES	N830 N2-13 DO YOU USE OR REFER TO RESIDUAL MAGNETISM IN SATURABLE REACTORS
N794 N3-16 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OF THE FORCE OR TORQUE CREATED BY A MOTOR	N831 N2-14 DO YOU USE OR REFER TO FLUX DENSITY IN SATURABLE REACTORS
N795 N3-17 DO YOU DETERMINE OR MEASURE THE DIRECTION OF THE MECHANICAL FORCE OR TORQUE CREATED BY A MOTOR	N832 N2-15 DO YOU USE OR REFER TO POINT OF SATURATION IN SATURABLE REACTORS
N796 N3-18 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OR DIRECTION OF THE INDUCED VOLTAGE IN MOTORS	N833 N2-16 DO YOU USE OR REFER TO SATURABLE REACTOR SCHEMATIC SYMBOLS
N797 N3-19 DO YOU WORK WITH SYNCHRONOUS MOTORS	N834 N3-01 DO YOU WORK WITH WAVESHAPING CIRCUITS IN YOUR PRESENT JOB
N798 N3-20 DO YOU WORK WITH INDUCTION MOTORS	N835 N3-02 DO YOU USE OR REFER TO TRANSIENT INTERVALS
N799 N3-21 DO YOU WORK WITH SPLIT-PHASE MOTORS	N836 N3-03 DO YOU USE OR REFER TO PULSE WIDTH (PW)
N800 N3-22 DO YOU WORK WITH SOME COMBINATION OF THE ABOVE MOTORS	N837 N3-04 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)
N801 N3-23 DO YOU INSPECT GENERATORS	N838 N3-05 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY (PRF)
N802 N3-24 DO YOU CLEAN OR LUBRICATE GENERATORS	N839 N3-06 DO YOU USE OR REFER TO DIFFERENTIATING CIRCUITS
N803 N3-25 DO YOU OPERATE GENERATORS	N840 N3-07 DO YOU USE OR REFER TO INTEGRATING CIRCUITS
N804 N3-26 DO YOU REMOVE OR REPLACE COMPLETE GENERATORS	N841 N3-08 DO YOU USE OR REFER TO THE CLASSIFICATION OF TIME CONSTANTS (TC) AS LONG, MEDIUM, OR SHORT
N805 N3-27 DO YOU REMOVE OR REPLACE GENERATOR PARTS	N842 N3-09 DO YOU DETERMINE WHETHER AN LR OR RC CIRCUIT IS DIFFERENTIATING OR INTEGRATING BASED ON THE TIME CONSTANT AND OUTPUT CONFIGURATION
N806 N3-28 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF GENERATORS	N843 N3-10 DO YOU WORK WITH SQUARE WAVE GENERATORS
N807 N3-29 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF GENERATORS	N844 N3-11 DO YOU WORK WITH RECTANGULAR WAVE GENERATORS
N METER MOVEMENTS, SATURABLE REACTORS, MAGNETIC AMPLIFIERS, AND WAVESHAPING CIRCUITS	
N808 N1-01 DO YOU WORK WITH METERS IN YOUR PRESENT JOB	
N809 N1-02 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF PERMANENT MAGNETS	
N810 N1-03 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF MOVING COILS	
N811 N1-04 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF SPIRAL SPRINGS	
N812 N1-05 DO YOU READ METER SCALES	
N813 N1-06 DO YOU EXTEND THE RANGE OF AMMETERS	
N814 N1-07 DO YOU ZERO OHMMETERS	
N815 N1-08 DO YOU ZERO AMMETERS	
N816 N1-09 DO YOU EXTEND THE RANGE OF VOLTMETERS	



SINGLE SIDEBAND SYSTEMS, PULSE MODULATION  
SYSTEMS, AND ANTENNAS

0845 01-01 DO YOU WORK ON SINGLE SIDEBAND SYSTEMS IN YOUR PRESENT JOB	0881 02-07 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEMS
0846 01-02 DO YOU INSPECT SSB TRANSMIT OR RECEIVE SYSTEMS	0882 02-08 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM COMPONENTS
0847 01-03 DO YOU CLEAN SSB TRANSMIT OR RECEIVE SYSTEMS	0883 02-09 DO YOU WORK ON PULSE-AMPLITUDE MODULATION (PAM) SYSTEMS
0848 01-04 DO YOU ALIGN SSB TRANSMIT OR RECEIVE SYSTEMS	0884 02-10 DO YOU WORK ON PULSE-DURATION MODULATION (PPM) SYSTEMS
0849 01-05 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE SYSTEMS	0885 02-11 DO YOU WORK ON PULSE-POSITION MODULATION (PPM) SYSTEMS
0850 01-06 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE SYSTEMS	0886 02-12 DO YOU WORK ON PULSE-CODE MODULATION (PCM) SYSTEMS
COMPONENTS	0887 02-13 DO YOU WORK ON LINE PULSING MODULATION SYSTEMS
0851 01-07 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE SYSTEMS	0888 02-14 DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF MODULATION SYSTEM
0852 01-08 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE SYSTEMS	0889 02-15 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM POWER SUPPLIES
COMPONENTS	0890 02-16 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM CHARGING CHOKES AND CHARGING DIODES
0853 01-09 DO YOU PERFORM TASKS ON SSB AUDIO AMPLIFIERS	0891 02-17 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM PULSE FORMING NETWORKS
0854 01-10 DO YOU PERFORM TASKS ON SSB BALANCED MODULATORS	0892 02-18 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM TIMERS
0855 01-11 DO YOU PERFORM TASKS ON SSB CARRIER OSCILLATORS	0893 02-19 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM SWITCHES SUCH AS GAS THYRATrons
0856 01-12 DO YOU PERFORM TASKS ON SSB LC FILTERS	0894 02-20 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM PULSE TRANSFORMERS
0857 01-13 DO YOU PERFORM TASKS ON SSB CRYSTAL FILTERS	0895 02-21 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM TRANSMITTER TUBES
0858 01-14 DO YOU PERFORM TASKS ON SSB MECHANICAL FILTERS	0896 02-22 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM AF AMPLIFIERS
0859 01-15 DO YOU PERFORM TASKS ON SSB OSCILLATORS	0897 02-23 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM FREQUENCY CONVERTERS
0860 01-16 DO YOU PERFORM TASKS ON SSB MIXERS	0898 02-24 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM IF AMPLIFIERS
0861 01-17 DO YOU PERFORM TASKS ON SSB DRIVERS	0899 02-25 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM DETECTORS
0862 01-18 DO YOU PERFORM TASKS ON SSB POWER AMPLIFIERS	0900 02-26 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM VIDEO AMPLIFIERS
0863 01-19 DO YOU PERFORM TASKS ON SSB RF AMPLIFIERS	0901 02-27 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM POWER VIDEO AMPLIFIERS
0864 01-20 DO YOU PERFORM TASKS ON SSB FREQUENCY CONVERTERS	0902 02-28 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM DON'T REMEMBER WHICH PULSE MODULATION SYSTEM STAGES
0865 01-21 DO YOU PERFORM TASKS ON SSB IF AMPLIFIERS	0903 02-29 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY (PRF)
0866 01-22 DO YOU PERFORM TASKS ON SSB DEMODULATORS	0904 02-30 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)
0867 01-23 DO YOU PERFORM TASKS ON SSB DON'T REMEMBER WHICH SSB SYSTEM STAGES	0905 02-31 DO YOU USE OR REFER TO PULSE WIDTH (PW)
0868 01-24 DO YOU USE OR REFER TO SELECTIVE FADING	0906 02-32 DO YOU USE OR REFER TO PULSE SHAPE
0869 01-25 DO YOU USE OR REFER TO PEAK POWER	0907 02-33 DO YOU USE OR REFER TO PEAK POWER
0870 01-26 DO YOU USE OR REFER TO FREQUENCY STABILITY	0908 02-34 DO YOU USE OR REFER TO AVERAGE POWER
0871 01-27 DO YOU USE OR REFER TO RESPONSE CURVES FOR BANDWIDTH FILTERS	0909 02-35 DO YOU CALCULATE PULSE RECURRENCE TIME (PRT) ON PULSE RECURRENCE FREQUENCY (PRF)
0872 01-28 DO YOU CALCULATE PEAK POWER OR EFFECTIVE POWER OF SSB TRANSMITTERS	0910 02-36 DO YOU MEASURE PULSE RECURRENCE TIME (PRT) ON PULSE RECURRENCE FREQUENCY (PRF)
0873 01-29 DO YOU TRACE SIGNALS ON CURRENT PATWS THROUGH SSB TRANSMITTER SCHEMATIC DIAGRAMS	
0874 01-30 DO YOU TRACE SIGNALS ON CURRENT PATWS THROUGH SSB RECEIVER SCHEMATIC DIAGRAMS	
0875 02-01 DO YOU WORK ON PULSE MODULATION SYSTEMS IN YOUR PRESENT JOB	
0876 02-02 DO YOU INSPECT PULSE MODULATION SYSTEMS	
0877 02-03 DO YOU CLEAN PULSE MODULATION SYSTEMS	
0878 02-04 DO YOU ALIGN PULSE MODULATION SYSTEMS	
0879 02-05 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS	
0880 02-06 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEM COMPONENTS	



0911 02-37 DO YOU USE FORMULAS TO CALCULATE AVERAGE POWER OR  
PEAK POWER OF PULSE MODULATION TRANSMIT SYSTEMS

0912 02-38 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE  
MODULATION TRANSMITTER SCHEMATIC DIAGRAMS

0913 02-39 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE  
MODULATION RECEIVER SCHEMATIC DIAGRAMS

0914 03-01 DO YOU WORK WITH ANTENNAS IN YOUR PRESENT JOB

0915 03-02 DO YOU INSPECT ANTENNAS

0916 03-03 DO YOU CLEAN ANTENNAS

0917 03-04 DO YOU PHYSICALLY ALIGN ANTENNAS

0918 03-05 DO YOU ELECTRICALLY ALIGN ANTENNAS

0919 03-06 DO YOU TROUBLESHOOT TO ANTENNAS

0920 03-07 DO YOU TROUBLESHOOT TO ANTENNA COMPONENTS

0921 03-08 DO YOU REMOVE OR INSTALL ANTENNAS

0922 03-09 DO YOU REMOVE OR REPLACE COMPONENTS OF ANTENNAS

0923 03-10 DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING  
REPRESENTATIONS OF E OR ELECTRIC FIELD LINES

0924 03-11 DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING  
REPRESENTATIONS OF H OR MAGNETIC FIELD LINES

0925 03-12 DO YOU DETERMINE THE DIRECTION OF THE MAGNETIC LINES  
IN RELATION TO THE ELECTRIC LINES OF FORCE FOR ANTENNAS

0926 03-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT  
ANTENNAS WHICH ARE OF CORRECT LENGTH (HALF-WAVE) ACT AS  
INDUCTIVE LOADS TO THE GENERATOR

0927 03-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS  
WHICH ARE LONGER THAN A HALF-WAVE ACT AS INDUCTIVE LOADS  
TO THE GENERATOR

0928 03-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS  
WHICH ARE SHORTER THAN A HALF-WAVE ACT AS CAPACITIVE LOADS  
TO THE GENERATOR

0929 03-16 DO YOU WORK WITH HERTZ ANTENNAS

0930 03-17 DO YOU WORK WITH MARCONI ANTENNAS

0931 03-18 DO YOU WORK WITH BROADSIDE ARRAYS

0932 03-19 DO YOU WORK WITH END-FIRE ARRAYS

0933 03-20 DO YOU WORK WITH CARDIOID ARRAYS

0934 03-21 DO YOU WORK WITH COLLINER ARRAYS

0935 03-22 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC  
INDUCTION FIELDS WHEN WORKING WITH ANTENNAS

0936 03-23 DO YOU MEASURE ELECTROMAGNETIC INDUCTION FIELDS OF  
ANTENNAS

0937 03-24 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC  
RADIATION FIELDS WHEN WORKING WITH ANTENNAS

0938 03-25 DO YOU MEASURE ELECTROMAGNETIC RADIATION  
FIELDS OF ANTENNAS

0939 03-26 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E)  
AND MAGNETIC (H) COMPONENTS IN ANTENNA RADIATION

0940 03-27 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E)  
AND MAGNETIC (H) COMPONENTS IN ANTENNA INDUCTION FIELD

0941 03-28 ARE ANY OF THE ANTENNAS YOU WORK ON LINEARLY  
POLARIZED

0942 03-29 ARE ANY OF THE ANTENNAS YOU WORK ON CIRCULARLY  
POLARIZED

0943 03-30 DO YOU MEASURE OR DETERMINE THE POLARITY OF ANTENNAS  
YOU WORK ON

0944 03-31 DO YOU CONSTRUCT, OR MAKE THE CALCULATIONS  
NECESSARY TO CONSTRUCT, ANTENNAS OF CORRECT LENGTH FOR  
SPECIFIC WAVELENGTHS

0945 03-32 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC  
ELEMENTS

0946 03-33 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC  
ELEMENTS SERVING AS DIRECTORS

0947 03-34 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC  
ELEMENTS SERVING AS REFLECTORS

0948 03-35 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN DON'T  
REMEMBER WHAT KIND OF ELEMENTS

0949 03-36 DO YOU WORK ON UNIDIRECTIONAL ANTENNAS

0850 03-37 DO YOU WORK ON BIDIRECTIONAL ANTENNAS

0851 03-38 DO YOU WORK ON DON'T REMEMBER THE DIRECTIONALITY

0852 03-39 DO YOU WORK WITH ROTAR ANTENNA ARRAYS

P TRANSMISSION LINES, WAVEGUIDES AND CAVITY  
RESONATORS, AND MICROWAVE AMPLIFIERS AND OSCILLATORS

P953 P1-01 IN YOUR PRESENT JOB DO YOU WORK WITH TRANSMISSION  
LINES (TRANSMISSION LINES ARE DEFINED TO INCLUDE LEADS  
BETWEEN RECEIVERS AND ANTENNAS, TELEPHONE LEADS, AS WELL  
AS HIGH VOLTAGE POWER LINES, ETC. DO NOT CONSIDER  
WAVEGUIDES AS TRANSMISSION LINES)

P954 P1-02 DO YOU REFER TO OR USE COPPER LOSS OR I<sup>2</sup>R LOSS IN  
TRANSMISSION LINES

P955 P1-03 DO YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY  
CURRENTS IN TRANSMISSION LINES

P956 P1-04 DO YOU REFER TO OR USE RADIATION LOSS IN TRANSMISSION  
LINES

P957 P1-05 DO YOU USE OR REFER TO DIELECTRIC LOSS IN  
TRANSMISSION LINES

P958 P1-06 DO YOU USE OR REFER TO LEAKAGE LOSSES IN TRANSMISSION  
LINES

P959 P1-07 DO YOU WORK WITH TWISTED PAIR TRANSMISSION LINES

P960 P1-08 DO YOU WORK WITH TWIN LEAD TRANSMISSION LINES

P961 P1-09 DO YOU WORK WITH OPEN TWO-WIRE TRANSMISSION LINES

P962 P1-10 DO YOU WORK WITH FLEXIBLE COAXIAL CABLE TRANSMISSION  
LINES

P963 P1-11 DO YOU WORK WITH RIGID COAXIAL CABLE TRANSMISSION  
LINES

P964 P1-12 DO YOU TROUBLESHOOT TRANSMISSION LINES

P965 P1-13 DO YOU ANALYZE VOLTAGE OR CURRENT WAVEFORMS IN  
TRANSMISSION LINES TO DETERMINE THE TYPE OF TERMINATION  
(OPEN, SHORTED, CAPACITIVE, INDUCTIVE)

P966 P1-14 DO YOU SELECT APPROPRIATE TRANSMISSION LINES  
TERMINATIONS TO ACHIEVE DESIRED WAVEFORMS

P967 P1-15 DO YOU USE OR REFER TO SCHEMATIC SYMBOLS FOR LINE  
TERMINATIONS IN TERMS OF CIRCUIT TERMINATIONS

P968 P1-16 DO YOU MEASURE STANDING WAVE RATIOS (SWR) OF

TRANSMISSION LINES  
P969 P1-17 DO YOU CALCULATE STANDING WAVE RATIOS (SWR) OF  
TRANSMISSION LINES  
P970 P1-18 DO YOU PERFORM THE CALCULATIONS NECESSARY TO  
DETERMINE THE IMPEDANCE AND LENGTH OF QUARTER - WAVELENGTH  
MATCHING TRANSFORMERS TO MATCH TRANSMISSION LINES TO LOADS  
P971 P1-19 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED  
TO LOADS USING MATCHING TRANSFORMERS  
P972 P1-20 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED  
TO LOADS USING DELTA MATCHING  
P973 P1-21 DO YOU SELECT THE TYPE OF TRANSMISSION LINE NEEDED  
FOR PARTICULAR JOBS WITHOUT REFERRING TO TECHNICAL DATA  
P974 P1-22 DO YOU USE OR REFER TO THE TERM CHARACTERISTIC  
IMPEDANCE (Z0) OF TRANSMISSION LINES  
P975 P1-23 DO YOU CALCULATE THE CHARACTERISTIC IMPEDANCE (Z0) OF  
TRANSMISSION LINES  
P976 P1-24 DO YOU USE OR REFER TO THE TERM CUTOFF FREQUENCY OF  
TRANSMISSION LINES  
P977 P1-25 DO YOU USE OR REFER TO THE TERM VELOCITY FACTOR (K)  
OF TRANSMISSION LINES  
P978 P1-26 DO YOU COMPUTE THE ELECTRICAL LENGTH OF TRANSMISSION  
LINES FOR PARTICULAR FREQUENCIES  
P979 P1-27 DO YOU CONSTRUCT TRANSMISSION LINES OF PARTICULAR  
ELECTRICAL LENGTH FOR GIVEN FREQUENCIES  
P980 P1-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT AS THE  
FREQUENCY INCREASES AND THE PHYSICAL LENGTH OF  
TRANSMISSION LINES REMAIN CONSTANT, THE ELECTRICAL LENGTH  
INCREASES  
P981 P1-29 DO YOU WORK WITH NONRESONANT (FLAT) TRANSMISSION  
LINES  
P982 P1-30 DO YOU WORK WITH RESONANT TRANSMISSION LINES  
P983 P1-31 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED  
TO LOADS USING STUB MATCHING  
P984 P2-01 DO YOU WORK WITH WAVEGUIDES OR CAVITY RESONATORS IN  
YOUR PRESENT JOB  
P985 P2-02 DO YOU INSPECT WAVEGUIDES OR CAVITY RESONATORS  
P986 P2-03 DO YOU CLEAN WAVEGUIDES OR CAVITY RESONATORS  
P987 P2-04 DO YOU END WAVEGUIDES OR CAVITY RESONATORS  
P988 P2-05 DO YOU TWIST WAVEGUIDES OR CAVITY RESONATORS  
P989 P2-06 DO YOU PRESSURIZE WAVEGUIDES OR CAVITY RESONATORS  
P990 P2-07 DO YOU PURGE WAVEGUIDES OR CAVITY RESONATORS  
P991 P2-08 DO YOU TROUBLESHOOT WAVEGUIDES OR CAVITY RESONATORS  
P992 P2-09 DO YOU REMOVE OR INSTALL COMPLETE WAVEGUIDES  
P993 P2-10 DO YOU REMOVE OR INSTALL WAVEGUIDE SECTIONS  
P994 P2-11 DO YOU REMOVE OR INSTALL DUMMY LOADS  
P995 P2-12 DO YOU REMOVE OR INSTALL E BENDS  
P996 P2-13 DO YOU REMOVE OR INSTALL M BENDS  
P997 P2-14 DO YOU REMOVE OR INSTALL OTHER BENDS  
P998 P2-15 DO YOU REMOVE OR INSTALL CHOKE JOINTS  
P999 P2-16 DO YOU REMOVE OR INSTALL ROTATING JOINTS  
P000 P2-17 DO YOU REMOVE OR INSTALL DIRECTIONAL COUPLERS  
P001 P2-18 DO YOU REMOVE OR INSTALL BIDIRECTIONAL COUPLERS  
P002 P2-19 DO YOU USE OR REFER TO "A" WALL OF WAVEGUIDES  
P003 P2-20 DO YOU USE OR REFER TO "B" WALL OF WAVEGUIDES  
P004 P2-21 DO YOU USE OR REFER TO CUTOFF FREQUENCY OF WAVEGUIDES  
P005 P2-22 DO YOU USE OR REFER TO FREQUENCY-DETERMINING WALL OF  
WAVEGUIDES  
P006 P2-23 DO YOU USE OR REFER TO POWER-DETERMINING WALL OF  
WAVEGUIDES  
P007 P2-24 DO YOU USE OR REFER TO ELECTRIC FIELD BOUNDARY  
CONDITION  
P008 P2-25 DO YOU USE OR REFER TO MAGNETIC FIELD BOUNDARY  
CONDITIONS  
P009 P2-26 DO YOU USE OR REFER TO DUPLEXER FIELD BOUNDARY  
CONDITIONS  
P010 P2-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST  
WAVEGUIDES ARE MADE WITH A "B" WALL SIZE OF .7 WAVELENGTHS  
OF THE OPERATING FREQUENCY  
P011 P2-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST "A"  
WALLS RANGE FROM .2 TO .5 WAVELENGTHS IN SIZE, WITH .35  
USED AS AN AVERAGE  
P012 P2-29 ARE YOU CONCERNED WITH THE MATERIAL (SUCH AS BRASS)  
WHICH WAVEGUIDES ARE MADE OF  
P013 P2-30 DO YOU COMPUTE THE LENGTH OF A WAVEGUIDE FOR SPECIFIC  
INSTALLATION  
P014 P2-31 DO YOU USE THE RIGHT HAND RULE TO DETERMINE THE  
DIRECTION OF PROPAGATION, DIRECTION OF "E" FIELD, OR  
DIRECTION OF "H" FIELD IN WAVEGUIDES  
P015 P2-32 DO YOU USE OR REFER TO THE TIME PHASE OF PEAK "E" OR  
"H" LINES IN WAVEGUIDES  
P016 P2-33 DO YOU MEASURE THE TIME PHASE OF "E" OR "H" LINES IN  
WAVEGUIDES  
P017 P2-34 DO YOU USE OR REFER TO THE SPACE QUADRATURE OF "E" OR  
"H" LINES IN WAVEGUIDES  
P018 P2-35 ARE HIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY  
RESONATORS YOU WORK WITH  
P019 P2-36 ARE LOW POWER PROBES USED ON WAVEGUIDES OR CAVITY  
RESONATORS YOU WORK WITH  
P020 P2-37 ARE LOOPS USED ON WAVEGUIDES OR CAVITY RESONATORS  
YOU WORK WITH  
P021 P2-38 ARE APERTURES (WINDOWS OR IRISES) USED ON WAVEGUIDES  
OR CAVITY RESONATORS YOU WORK WITH  
P022 P2-39 ARE DONUT REMOVERS THE KIND OF ENERGY COUPLING USED  
ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  
P023 P2-40 DO YOU DETERMINE WHERE PROBES SHOULD BE MOUNTED IN  
WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO  
TECHNICAL DATA  
P024 P2-41 DO YOU DETERMINE THE POSITIONING OF LOOPS IN  
WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO  
TECHNICAL DATA  
P025 P2-42 DO YOU DETERMINE THE POSITIONING OR SIZE OF APERTURES  
IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO  
TECHNICAL DATA  
P026 P2-43 ARE CHOKE JOINTS USED IN WAVEGUIDES OR CAVITY



P037	RESONATORS YOU WORK WITH	P065	P3-32 DO YOU CLEAN MAGNETRONS
P038	ARE ROTATING JOINTS USED IN WAVEGUIDES OR CAVITY	P066	P3-33 DO YOU TUNE MAGNETRONS
P039	RESONATORS YOU WORK WITH	P067	P3-34 DO YOU TUNE MAGNETRONS
P040	ARE DON'T REMEMBER THE KIND OF JOINTS USED IN	P068	P3-35 DO YOU TUNE MAGNETRONS
P041	WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	P069	P3-36 DO YOU TROUBLESHOOT MAGNETRONS
P042	DO YOU TUNE CAVITY RESONATORS USING CAPACITIVE TUNING	P070	P3-37 DO YOU REMOVE OR REPLACE COMPLETE MAGNETRON
P043	DO YOU TUNE CAVITY RESONATORS USING INDUCTIVE TUNING	P071	P3-38 DO YOU REMOVE OR REPLACE MAGNETRON COMPONENTS
P044	DO YOU TUNE CAVITY RESONATORS USING VOLUME TUNING	P072	P3-39 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P045	DO YOU TUNE CAVITY RESONATORS USING DON'T REMEMBER	P073	P3-40 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P046	THE METHOD OF TUNING	P074	P3-41 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P047	DO YOU MEASURE THE FREQUENCY OF SIGNALS IN CAVITY	P075	P3-42 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P048	RESONATORS	P076	P3-43 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P049	P3-01 IN YOUR PRESENT JOB DO YOU WORK WITH KLYSTRONS,	P077	P3-44 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P050	TRAVELING WAVE TUBES (TWT), PARAMETRIC AMPLIFIERS, OR	P078	P3-45 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P051	MAGNETRONS	P079	P3-46 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P052	P3-02 DO YOU USE OR REFER TO INTERELECTRODE CAPACITANCE	P080	P3-47 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P053	P3-03 DO YOU USE OR REFER TO ELECTRON TRANSIT TIME	P081	P3-48 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P054	P3-04 DO YOU USE OR REFER TO LEAD INDUCTANCE	P082	P3-49 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P055	P3-05 DO YOU USE OR REFER TO RF LOSSES IN EXTERNAL	P083	P3-50 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P056	CIRCUITRY	P084	P3-51 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P057	P3-06 DO YOU USE OR REFER TO PRINCIPLE OF ELECTRON VELOCITY	P085	P3-52 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P058	MODULATION	P086	P3-53 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P059	P3-07 DO YOU USE OR REFER TO ELECTRON BUNCHING	P087	P3-54 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P060	P3-08 DO YOU WORK WITH TWO-CAVITY KLYSTRONS	P088	P3-55 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P061	P3-09 DO YOU WORK WITH THREE-CAVITY KLYSTRONS	P089	P3-56 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P062	P3-10 DO YOU WORK WITH REFLEX KLYSTRONS	P090	P3-57 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P063	P3-11 DO YOU WORK WITH TRAVELING-WAVE TUBES (TWT)	P091	P3-58 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P064	P3-12 DO YOU WORK WITH NONDEGENERATIVE PARAMETRIC	P092	P3-59 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P065	AMPLIFIERS	P093	P3-60 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P066	P3-13 DO YOU WORK WITH UP-CONVERTER PARAMETRIC AMPLIFIERS	P094	P3-61 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF
P067	P3-14 DO YOU WORK WITH MAGNETRONS		
P068	P3-15 DO YOU INSPECT KLYSTRONS OR TWT		
P069	P3-16 DO YOU CLEAN KLYSTRONS OR TWT		
P070	P3-17 DO YOU TUNE KLYSTRONS OR TWT ELECTRICALLY		
P071	P3-18 DO YOU TUNE KLYSTRONS OR TWT MECHANICALLY		
P072	P3-19 DO YOU PERFORM OPERATIONAL CHECKS OF KLYSTRONS OR		
P073	TWT		
P074	P3-20 DO YOU TROUBLESHOOT KLYSTRONS OR TWT		
P075	P3-21 DO YOU REMOVE OR REPLACE COMPLETE KLYSTRON OR TWT		
P076	P3-22 DO YOU REMOVE OR REPLACE KLYSTRON OR TWT COMPONENTS		
P077	P3-23 DO YOU INSPECT PARAMETRIC AMPLIFIERS		
P078	P3-24 DO YOU CLEAN PARAMETRIC AMPLIFIERS		
P079	P3-25 DO YOU ADJUST PARAMETRIC AMPLIFIERS		
P080	P3-26 DO YOU TUNE PARAMETRIC AMPLIFIERS		
P081	P3-27 DO YOU PERFORM OPERATIONAL CHECKS OF PARAMETRIC		
P082	AMPLIFIERS		
P083	P3-28 DO YOU TROUBLESHOOT PARAMETRIC AMPLIFIERS		
P084	P3-29 DO YOU REMOVE OR REPLACE COMPLETE PARAMETRIC		
P085	AMPLIFIER		
P086	P3-30 DO YOU REMOVE OR REPLACE PARAMETRIC AMPLIFIER		
P087	COMPONENTS		
P088	P3-31 DO YOU INSPECT MAGNETRONS		



TRAVELLING-WAVE TUBES COLLECTORS	Q125 Q2-09 DO YOU USE OR REFER TO LOGIC SYMBOL OF DELAY LINES
P095 P3-62 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF	Q126 Q2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH DIGITAL-TO-
TRAVELLING-WAVE TUBES MAGNETS	ANALOG (D/A) CONVERTERS, ANALOG-TO-DIGITAL (A/D)
P096 P3-63 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF	CONVERTERS, OR BINARY-TO-DECIMAL READOUT CONVERTERS
TRAVELLING-WAVE TUBES ATTENUATORS	Q127 Q2-02 DO YOU COMPUTE OUTPUT VOLTAGES FOR ELECTROMECHANICAL
P097 P3-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE	DIGITAL-TO-ANALOG (D/A) CONVERTERS FOR GIVEN INPUT
CIRCULATORS	VOLTAGES
P098 P3-65 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL	Q128 Q2-03 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE
CAVITIES	COUNT IN ELECTROMECHANICAL DIGITAL-TO-ANALOG (D/A)
P099 P3-66 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER IDLER	CONVERTERS IS DETERMINED BY ADDING THE DENOMINATORS OF THE
CAVITIES	RESISTORS
P100 P3-67 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER VARACTOR	Q129 Q2-04 DO YOU COMPUTE ANALOG VOLTAGES FOR GIVEN BINARY
DIODES	COUNTS IN ELECTRONIC DIGITAL-TO-ANALOG (D/A) CONVERTERS
P101 P3-68 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE	Q130 Q2-05 DO YOU PERFORM SAMPLE FUNCTION TASKS ON VARIABLE TIME
ISOLATORS	ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS
P102 P3-69 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER REVERSE-	Q131 Q2-06 DO YOU PERFORM HOLD FUNCTION TASKS ON VARIABLE TIME
BIAS BATTERIES	ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS
P103 P3-70 DO YOU PERFORM TASKS ON ANODES	Q132 Q2-07 DO YOU PERFORM COMPARE FUNCTION TASKS ON VARIABLE
P104 P3-71 DO YOU PERFORM TASKS ON ANODE COOLING PINS	TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS
P105 P3-72 DO YOU PERFORM TASKS ON COUPLING LOOPS	Q133 Q2-08 DO YOU PERFORM DIGITIZE FUNCTION TASKS ON VARIABLE
P106 P3-73 DO YOU PERFORM TASKS ON HEATER LEADS	TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS
P107 P3-74 DO YOU PERFORM TASKS ON RESONANT CAVITIES	Q134 Q2-09 DO YOU PERFORM DON'T REMEMBER WHICH FUNCTION TASKS
P108 P3-75 DO YOU PERFORM TASKS ON CATODES	ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER
P109 P3-76 DO YOU PERFORM TASKS ON MAGNETS	CIRCUITS
Q REGISTERS, STORAGE DEVICES, AND	Q135 Q2-10 DO YOU USE OR REFER TO SAMPLE FUNCTION OF A/D
DIGITAL TO ANALOG CONVERTERS	CONVERTERS
Q110 Q1-01 DO YOU USE OR REFER TO STORAGE REGISTERS	Q136 Q2-11 DO YOU USE OR REFER TO HOLD FUNCTION OF A/D
Q111 Q1-02 DO YOU USE OR REFER TO SHIFT REGISTERS	CONVERTERS
Q112 Q1-03 DO YOU USE OR REFER TO LOGIC SYMBOLS OF SHIFT	Q137 Q2-12 DO YOU USE OR REFER TO COMPARE FUNCTION OF A/D
REGISTERS	CONVERTERS
Q113 Q1-04 DO YOU USE OR REFER TO LOGIC SYMBOLS OF STORAGE	Q138 Q2-13 DO YOU USE OR REFER TO DIGITAL FUNCTION OF A/D
REGISTERS	CONVERTERS
Q114 Q1-05 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF	Q139 Q2-14 DO YOU PERFORM ANY TASKS ON MECHANICAL ANALOG-TO-
SHIFT REGISTERS	DIGITAL (A/D) CONVERTERS
Q115 Q1-06 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF	R PHANTASTRONS, SCHMITT TRIGGERS, AND
OTHER TYPE OF REGISTERS	CABLE FABRICATION
Q116 Q1-07 DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP OF A	Q140 R1-01 DO YOU WORK WITH PHANTASTRON CIRCUITRY IN YOUR
SHIFT REGISTER AFTER A SPECIFIED NUMBER OF SHIFT PULSES	PRESENT JOB
HAVE PASSED	Q141 R2-01 IN YOUR PRESENT JOB DO YOU WORK WITH SCHMITT TRIGGER
Q117 Q2-01 DO YOU WORK WITH DIGITAL COUNTERS, REGISTERS, OR	CIRCUITS
STORAGE DEVICES IN YOUR PRESENT JOB	Q142 R2-02 DO YOU TRACE DATA FLOW THROUGH SCHMITT TRIGGER
Q118 Q2-02 DO YOU USE OR REFER TO DELAY LINES	SCHEMATIC DIAGRAMS
Q119 Q2-03 DO YOU USE OR REFER TO MAGNETIC CORES	Q143 R2-03 DO YOU USE OR REFER TO SCHMITT TRIGGER LOGIC SYMBOLS
Q120 Q2-04 DO YOU USE OR REFER TO MAGNETIC DRUMS	R144 R3-01 IN YOUR PRESENT JOB DO YOU FABRICATE MULTICONDUCTOR
Q121 Q2-05 DO YOU USE OR REFER TO MAGNETIC TAPES	CABLES
Q122 Q2-06 DO YOU USE OR REFER TO ACCESS TIME OR SPEED OR	Q145 R3-02 DO YOU FABRICATE COAXIAL CABLES
MEMORY SYSTEMS	
Q123 Q2-07 DO YOU USE OR REFER TO WORD CAPACITY OF MEMORY	S INPUT/OUTPUT DEVICES, PHOTO SENSITIVE
SYSTEMS	DEVICES, AND SYNCHRONOUS VIBRATIONS
Q124 Q2-08 DO YOU USE OR REFER TO VOLATILITY OF MEMORY SYSTEMS	





1223 13-04 DO YOU ADJUST OR CALIBRATE DVST OR HMST  
1224 13-05 DO YOU OPERATE SYSTEMS THAT CONTAIN DVST OR HMST  
1225 13-06 DO YOU TROUBLESHOOT DVST OR HMST  
CIRCUITS  
1226 13-07 DO YOU REMOVE OR REPLACE DVST OR HMST TUBES FROM  
MAJOR ASSEMBLIES OR UNITS  
1227 13-08 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME  
THE VARIOUS ELEMENTS OF DVST  
1228 13-09 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME  
THE VARIOUS ELEMENTS OF HMST  
1229 13-10 DO YOU PERFORM TASKS ON FLOOD GUNS  
1230 13-11 DO YOU PERFORM TASKS ON WRITE GUNS  
1231 13-12 DO YOU PERFORM TASKS ON ATTACK GUNS  
1232 13-13 DO YOU PERFORM TASKS ON ERASE GUNS  
1233 13-14 DO YOU PERFORM TASKS ON STORAGE GRIDS  
U PROGRAMMING, DB AND POWER RATIOS  
U234 U1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY PROGRAMMING  
TASKS  
U235 U1-02 DO YOU USE OR REFER TO DECIMAL SYSTEMS  
U236 U1-03 DO YOU USE OR REFER TO PROGRAMS  
U237 U1-04 DO YOU USE OR REFER TO HEXIDECIMAL SYSTEMS  
U238 U1-05 DO YOU USE OR REFER TO 8-4-2-1 SYSTEMS  
U239 U1-06 DO YOU USE OR REFER TO FOUR SYSTEMS  
U240 U1-07 DO YOU USE OR REFER TO BINARY SYSTEMS  
U241 U1-08 DO YOU USE OR REFER TO TIME-SHARING  
U242 U1-09 DO YOU USE OR REFER TO DATA WORDS  
U243 U1-10 DO YOU USE OR REFER TO ADDRESS WORDS  
U244 U1-11 DO YOU USE OR REFER TO ADDRESS/SUBADDRESS  
U245 U1-12 DO YOU USE OR REFER TO STEERING/INFORMATION  
U246 U1-13 DO YOU USE OR REFER TO INFORMATION WORDS  
U247 U1-14 DO YOU PERFORM TASKS ON SINGLE LEVEL PROGRAMMING  
U248 U1-15 DO YOU PERFORM TASKS ON MULTI-LEVEL PROGRAMMING  
U249 U1-16 DO YOU PERFORM TASKS ON INPUT DEVICES  
U250 U1-17 DO YOU PERFORM TASKS ON STORAGE DEVICES  
U251 U1-18 DO YOU PERFORM TASKS ON ARITHMETIC SECTIONS  
U252 U1-19 DO YOU PERFORM TASKS ON CONTROL SECTIONS  
U253 U1-20 DO YOU PERFORM TASKS ON OUTPUT DEVICES  
U254 U1-21 DO YOU PERFORM TASKS ON POWER SUPPLIES  
U255 U2-01 DO YOU USE DECIBELS TO EXPRESS AMPLIFICATION AND  
ATTENUATION  
U256 U2-02 DO YOU USE LOGARITHMS TO COMPUTE OUTPUT POWER IN  
DECIBELS  
U257 U2-03 DO YOU USE LOGARITHMS TO COMPUTE ATTENUATION IN  
DECIBELS



AD-A032 843

AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9  
ELECTRONICS PRINCIPLES PRECISION MEASURING EQUIPMENT CAREER LAD--ETC(U)  
NOV 76 T J O'CONNOR, G B COLE

UNCLASSIFIED

NL

3 OF 3  
ADA  
032843



SUPPLEMENTARY  
INFORMATION



END  
DATE  
FILMED

1 -79  
DDC

**SUPPLEMENTARY**

**INFORMATION**

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Corrected

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFPT 90-324-222	2. GOVT ACCESSION NO. AD A632 843/604	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Electronics Principles Precision Measuring Equipment Career Ladder AFSCs 32430, 32450, 32470, and 32490		5. TYPE OF REPORT & PERIOD COVERED FINAL
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Thomas J. O'Connor Guy B. Cole		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Occupational Survey Branch USAF Occupational Measurement Center Lackland AFB TX 78236		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS N/A
11. CONTROLLING OFFICE NAME AND ADDRESS SAME AS ITEM 9		12. REPORT DATE 5 November 1976
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 142
		15. SECURITY CLASS. (of this report) UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Electronic principles      Electronics Basic electronics      Air Force Training Avionics      Teaching Methods Electronic Equipment      Training Electronic Technicians		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report summarizes the results of a comprehensive survey of Electronics Principles used by personnel in the Precision Measuring Equipment career ladder. The report gives a detailed listing of the technical tasks and knowledge needed to perform the jobs within the specialty or career ladder. CONTINUED		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

This specialty has the following functions:

Aligns, inspects, troubleshoots, repairs, overhauls, modifies, calibrates, and certifies electrical/electronic precision measurement equipment including working standards, using authorized maintenance and calibration procedures and equipment. Inspects, calibrates, and certifies precision measuring equipment including working standards. Supervises precision measuring equipment personnel.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)